



October 10, 2023

Ms. Mariya Chiger
Department of Natural Resources and
Environmental Control
Remediation Section
391 Lukens Drive
New Castle, DE 19720

Re: Project No. 16530
Supplemental Soil Sampling Report
Rodney Reservoir Site – P00074
1500 W Ninth Street
Wilmington, Delaware

Dear Ms. Chiger:

Verdantas LLC (Verdantas) submits this report on behalf of our client, [D’Huy Engineering], to document test pit excavation and supplemental soil sampling activities conducted at the above-referenced site (the “Property” or “Site”). The Site is located at 1500 West Ninth Street in Wilmington, Delaware, and is identified by the State of Delaware, Department of Natural Resources and Environmental Control – Remediation Section (DNREC-RS) as P00074 (Figure 1). The sampling was completed in accordance with Verdantas’ May 9, 2023, “Work Plan for Additional Soil Sampling” (Work Plan) as approved by DNREC-RS.

Sampling was performed to assess the suitability of the earthen materials for reuse following demolition of the reservoir. In November and December of 2022, Verdantas sampled shallow soil from within the earthen berm that surrounds the former reservoir. Shallow refusal was encountered at depths between 1.5-2 feet below ground surface (bgs) due to the presence of 2–4-inch sized stone. Samples were submitted to a laboratory and analytical results indicated that no volatile organic compounds (VOCs), semi-volatile organic compounds (SVOCs), pesticides, or polychlorinated biphenyls (PCBs) were reported above the respective DNREC-RS Reporting Levels. Several metals were reported as detected, but only cobalt was reported at concentrations that exceeded the DNREC-RS Reporting Level.

A quantitative risk assessment for cobalt was conducted and the results of the calculation indicated that cobalt concentrations in soils did not pose an unacceptable risk to human health under a residential use scenario, the most conservative of the exposure scenario. Following discussion of the sampling results with Verdantas and D’Huy Engineering, DNREC-RS requested that additional sampling be conducted to evaluate environmental conditions in materials beneath the stone fill.

Supplemental sampling activities were completed in June 2023 and are summarized below:

A. FIELD ACTIVITIES

1. Test Pit Excavation

On June 13, 2023, Verdantas oversaw the excavation of six test pits by the City of Wilmington's contractor, Allen Meyers (Figure 2).

The field assessment conformed to the Work Plan, with the exception of the proposed test pit location on the northern side of the berm adjacent to the pump house. Review of the site prior to commencing with field activities indicated that the northern side of the berm was not accessible due to the steep incline of the berm. After on-site consultation with DNREC-RS, the location of the Test Pit 6 (TP-6) was moved to the center of the southern berm, between test pits TP-2 and TP-3.

Six test pits were excavated to a depth of approximately six feet below the ground surface (bgs), the limit of the reach of the excavation equipment. During field activities, excavated soils were reviewed by Verdantas personnel for indications of environmental impact using visual and olfactory observations along with a photoionization detector (PID) to screen for VOCs. VOCs were not detected by the PID and no indications of environmental impact (e.g., odors, staining, debris) were observed.

Soil samples were collected from the test pits as described in the next section. Following soil sample collection, the test pits were backfilled with excavated materials and tamped down using the excavator bucket. No other restorative effort was taken. The excavator bucket was decontaminated before excavation of the initial test pit, before each subsequent test pit, and prior to leaving the Site.

Soils encountered generally consisted of topsoil from the surface to 0.5 feet bgs, underlain by reddish-brown sandy silt with gravel. Approximately 2–4-inch sized stone was observed generally between 2 to 3 feet bgs in all the test pits. Stone as large as 10-12 inches in diameter was observed in TP-6. Soils beneath the stone layer generally consisted of brown sand with little clay.

2. Soil Sample Collection

A total of 12 soil samples were collected, comprised of one shallow soil sample and one deep soil sample from each of the six test pits. The shallow soil samples were collected from the surface to 2 feet bgs. The deep soil samples were collected from 5-6 feet bgs.

Soil samples were collected in general accordance with the Standard Operating Procedures for Chemical Analytical Programs (SOPCAP) under the Hazardous Substance Cleanup Act (HSCA). Quality Assurance/Quality Control (QA/QC) samples included the collection of one blind duplicate, one matrix spike, one matrix spike duplicate, one field blank, and two equipment blanks. One equipment blank was collected from the excavator bucket prior to excavation of the first test pit and a second equipment blank was collected from the excavator bucket following completion of the last test pit.

Following collection, the soil samples were transported to DNREC-RS' laboratory for screening for VOCs, SVOCs, pesticides, PCBs, and metals.

B. ENVIRONMENTAL DATA SUMMARY

1. DNREC-RS Screening Results & Confirmatory Sample Selection

The findings of the soil screening completed by DNREC-RS indicated that VOCs, pesticides, and PCBs were not present in the 12 soil samples. Several soil samples were reported with the presence of polycyclic aromatic hydrocarbons (PAHs), total petroleum hydrocarbons (TPH), tentatively identified compounds (TICs), and metals. A copy of DNREC-RS' Soil Screening Report is included as Attachment A.

Following review of the soil screening results and based on the selection criteria presented in the Work Plan, Verdantas and DNREC-RS selected the samples for analysis as presented in Table A, below, by a HSCA-certified laboratory.

Table A: Confirmatory Soil Sample Selection

Sample ID	Sample Depth	Confirmation Analyses				
		TAL Metals	TCL VOCs	TCL SVOCs	TCL Pesticides	PCB Homologs
TP-1S	Shallow	X		X		
TP-1D	Deep	X		X		
TP-2S	Shallow	X	X	X	X	
TP-2D	Deep	X		X		
TP-3S	Shallow	X		X		
TP-3D	Deep	X	X	X	X	X
TP-DUP	Deep	X	X	X	X	
TP-4S	Shallow	X		X		
TP-4D	Deep	X		X		
TP-5S	Shallow	X	X	X	X	X
TP-5D	Deep	X		X		
TP-6S	Shallow	X		X		
TP-6D	Deep	X	X	X	X	
EB-1	Equipment Blank	X	X	X	X	
EB-2	Equipment Blank	X	X	X	X	
FB	Field Blank	X	X	X	X	
TB	Trip Blank		X			

2. Analytical Results

Soil samples were submitted to Eurofins Test America (Eurofins) for confirmatory laboratory analysis of the parameters listed in Table A, above. Results of the analyses are detailed below and provided in Tables 1, 2, and 3. A copy of Eurofins analytical report is included as Attachment B.

a. TAL Metals, Mercury, and Cyanide

Twenty metals and mercury were reported as detected in the soil samples. Aluminum, chromium, cobalt, iron, mercury, thallium, and vanadium were reported in several samples at concentrations that exceeded the respective DNREC-RS Screening Levels. Chromium, cobalt, and iron were reported at concentrations that also exceeded respective DNREC-RS Reporting Levels in several samples.

b. TCL SVOCs

Twenty-one SVOCs were reported as detected in the soil samples. However, only one soil sample, the shallow soil sample collected from TP-3, was reported by the laboratory with SVOCs at concentrations exceeding the DNREC-RS Screening and/or Reporting Levels. Benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, dibenz(a,h)anthracene, and indeno(1,2,3-c,d)pyrene were reported in shallow soil sample TP-3S at concentrations exceeding the respective DNREC-RS Screening Levels. Only benzo(a)pyrene in shallow soil sample TP-3S also exceeded the DNREC-RS Reporting Level.

c. TCL VOCs

Four VOCs were reported as detected in the soil samples, however, none of the reported concentrations exceeded the DNREC-RS Screening or Reporting Levels.

d. TCL Pesticides

No pesticides were detected in the analyzed samples.

e. PCB Homologs

No PCB homologs were detected in the analyzed samples.

The locations of shallow soil exceedances are depicted on Figure 3 and locations of deep soil exceedances are depicted on Figure 4.

C. RISK CALCULATION

Due to the reported DNREC-RS Screening Level exceedances, Verdantas utilized the Delaware Risk Assessment Calculator (DERAC) Program to perform a human health risk assessment (HHRA) in general accordance with DNREC's "Guidance for Human Health Risk Assessment under the Hazardous Substance Cleanup Act" (HHRA Guidance), July 2020. Although future residential use of the Site is not anticipated, Verdantas considered the residential land use exposure scenario due to the HHRA Guidance requirement that potential commercial exposure to sensitive receptors (i.e., playgrounds or potential exposed soil) be evaluated under a child residential risk. Other exposure scenarios were considered and included the excavator, outdoor worker, recreator, and trespasser scenarios.

At the request of DNREC-RS, Verdantas also performed a modified residential risk assessment to assess the potential "urban garden use" exposure scenario. In accordance with DNREC-RS' request, an exposure frequency duration of 20 days/year for a child and 60 days/year for an adult was utilized for the urban garden exposure scenario. This is more conservative than the exposure frequency duration of 10 days/year for a child and 60 days/year for an adult considered in the US Environmental Protection Agency (USEPA) Exposure Factors Handbook (November 2011). Selection of exposure pathways are detailed on Table 4.

Substances identified at concentrations that exceeded DNREC-RS Screening Levels were considered Contaminants of Potential Concern (COPCs) for exposures to shallow soil and combined shallow and deep soil (combined soil). Selected COPC are summarized on Tables 5 and 6. Following DNREC's policy for the calculation of Exposure Point Concentrations (EPCs), and using all data collected to date (e.g., November and December 2022, and June 2023), a 95% Upper Confidence Limit (UCL) was calculated for each COPC under the shallow and combined soil scenarios using the USEPA-developed statistical software ProUCL 5.1 (ProUCL) (Table 6 and Attachment C). Based on the ProUCL outputs, the recommended 95% UCL for several analytes were below the respective DNREC-RS Screening Level. Therefore, those analytes were not retained for further evaluation. The analytes that were retained as COPCs include:

- Shallow Soil COPCs – cobalt, thallium, vanadium, benzo(a)pyrene, benz(a)anthracene, and benzo(b)fluoranthene.
- Combined Soil COPCs – cobalt, thallium, and benzo(a)pyrene.

Using the COPCs identified above, Verdantas input the EPCs for each analyte into the DERAC, a program developed by DNREC for use in human health risk assessments, to provide quantitative assessment of cancer and non-cancer risks. The risk calculations were compared to the Hazardous Substance Cleanup Act target cancer risk value and target non-cancer (hazard index) risk value of 1×10^{-5} and 1, respectively.

Future risk calculations for exposure to soil are included in Tables 7-18 and tabulated as follows:

Shallow Soil

<u>Scenario</u>	<u>Total Risk</u>	<u>Total Hazard Index</u>	<u>Child Hazard Index</u>
Resident	3 x 10⁻⁵	0.7	2
Urban Garden Use	2 x 10 ⁻⁶	0.1	0.1
Outdoor Worker	2 x 10 ⁻⁶	0.1	NA
Excavator	2 x 10 ⁻⁸	0.01	NA
Recreator	7 x 10 ⁻⁶	0.2	1
<u>Scenario</u>	<u>Total Risk</u>	<u>Total Hazard Index</u>	<u>Child Hazard Index</u>
Trespasser	5 x 10 ⁻⁷	0.04	NA

Notes:

- **Bold** = Risk scenario exceeds comparative regulatory values of 1 or 1 x 10⁻⁵.
- NA = Not Applicable.

Combined Shallow and Deep Soil

<u>Scenario</u>	<u>Total Risk</u>	<u>Total Hazard Index</u>	<u>Child Hazard Index</u>
Resident	5 x 10 ⁻⁶	0.6	2
Urban Garden Use	4 x 10 ⁻⁷	0.1	0.1
Outdoor Worker	3 x 10 ⁻⁷	0.1	NA
Excavator	3 x 10 ⁻⁹	0.004	NA
Recreator	1 x 10 ⁻⁶	0.1	0.4
Trespasser	8 x 10 ⁻⁸	0.03	NA

Notes:

- **Bold** = Risk scenario exceeds comparative regulatory value of 1 or 1 x 10⁻⁵.
- NA = Not Applicable

The results indicate that:

- Regulated substances in shallow soil are present at an unacceptable cancer risk under the resident scenario;
- Regulated substances in combined shallow and deep soil are present at an acceptable cancer risk under the resident scenario;
- Regulated substances in shallow and combined shallow and deep soil are present at an unacceptable non-cancer risk under the resident child HI scenario; and
- Regulated substances in shallow and combined shallow and deep soil are present at an acceptable cancer and non-cancer risk under the urban garden, outdoor worker, excavator, recreator, and trespasser scenarios.

Copies of the DERAC Outputs are included as Attachment D. The unacceptable non-cancer risk under the Child HI scenario for shallow and combined soil is driven by the calculated EPC value for cobalt.

D. CONCLUSIONS & RECOMMENDATIONS

Verdantas collected soil samples from the earthen berm surrounding the Rodney Reservoir in November and December 2022, and in June 2023. Analytical results for the samples were compared to DNREC-RS Screening Levels. No VOCs, pesticides, or PCBs were reported at concentrations that were above the DNREC-RS Screening Levels. Several SVOCs were reported above DNREC-RS Screening Levels in one shallow soil sample identified as TP-3S. Several metals, including cobalt, were reported in both shallow and deep soil samples at concentrations exceeding DNREC-RS Screening Levels.

A risk assessment was performed using the calculated 95% UCL concentrations of COPCs identified in shallow soil and combined soil. Under the outdoor worker, excavator, recreator, trespasser and urban garden use scenarios, regulated substances in shallow soil and combined soil are present at an acceptable cancer and non-cancer risk. Additionally, regulated substances in combined soil are present at an acceptable cancer risk under the resident scenario.

The results of the calculations indicated that regulated substances in shallow soil pose an unacceptable cancer risk under the resident scenario. Additionally, regulated substances in shallow and combined soil pose an unacceptable non-cancer risk under the resident child HI scenario. This result was driven by cobalt concentrations reported for the soil samples.

Although soils at the Site do not pose an unacceptable risk under non-residential scenarios, as a conservative measure, Verdantas recommends that the following actions be implemented during and following demolition activities at the Site:

- Soil disturbing activities at the Site should be conducted in accordance with DNREC's generic Contaminated Materials Management Plan (CMMP, dated April 25, 2018);
- An Air Monitoring Work Plan should be developed and implemented during soil disturbing activities to monitor airborne particulate concentrations during demolition activities; and
- Following regrading and stabilization activities, additional soil sampling be completed to assess the final shallow soil conditions at the Site. Additionally, an updated risk assessment should be performed to confirm that the conclusions presented in this report remain valid.


At your convenience we would like to request a meeting to discuss the findings and recommendations of this assessment. Should you have any questions, concerns, or comments regarding this report, please feel free to contact our office at 302-239-6634.

Sincerely,

VERDANTAS LLC



Emaad Fayaz
Staff Engineer II



Robert B. Smagala Jr.
Environmental Project Manager

MEF/RBS:acj
DHuyEng\16530 - Rodney Reservoir Soil Sampling\Working\Report\Test Pit Investigation\Revised Report\Rpt-16530-20230913 - Final.docx

Attachments

Tables

- Table 1: Analytical Soil Results
- Table 2: Aqueous Blanks
- Table 3: Solid Blanks
- Tables 4-18: Risk Assessment

Figures

- Figure 1: Site Location Map
- Figure 2: Site Features Sketch
- Figure 3: Shallow Soil Exceedance Sketch
- Figure 4: Deep Soil Exceedance Sketch

Attachments

October 10, 2023
Ms. Mariya Chiger
Project Number: 16530



Attachment A – DNREC Soil Screening Results
Attachment B – Eurofins Analytical Report (Attachment Sent Separately)
Attachment C – ProUCL Inputs/Outputs
Attachment D – DERAC Outputs

TABLES

TABLE 1:	ANALYTICAL SOIL RESULTS
TABLE 2:	AQUEOUS BLANKS
TABLE 3:	SOLID BLANKS
TABLES 4-18:	RISK ASSESSMENT

Table 1 - Analytical Soil Results
Rodney Reservoir Site
July 2023

Station Name	Units	DNREC HSCA Soil Reporting Level (Feb 2022)	DNREC HSCA Soil Screening Level (April 2023)	TP-1		TP-1		TP-2		TP-2		TP-3		TP-3		TP-3		TP-3		TP-4		TP-4		TP-5		TP-5		TP-6		TP-6	
Field Sample				TP-1D	TP-1S	TP-2D	TP-2S	TP-3D	TP-DUP	TP-3D AVG	TP-3S	TP-4D	TP-4S	TP-5D	TP-5S	TP-6D	TP-6S														
Sample Date				6/13/2023	6/13/2023	6/13/2023	6/13/2023	6/13/2023	6/13/2023	6/13/2023	6/13/2023	6/13/2023	6/13/2023	6/13/2023	6/13/2023	6/13/2023	6/13/2023	6/13/2023													
Delivery Group				460-282595-1	460-282595-1	460-282595-1	460-282595-1	460-282595-1	460-282595-1	460-282595-1	460-282595-1	460-282595-1	460-282595-1	460-282595-1	460-282595-1	460-282595-1	460-282595-1	460-282595-1	460-282595-1												
Matrix				Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil												
	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	Result	Q	
Metals																															
Aluminum	mg/kg	77000	51200	20700		42600		56000		37200		54800		59300		57050		63300		40900		44900		37300		51600		22400		32100	
Antimony	mg/kg	31	3.1	0.18	J	0.33	J	0.38	J	0.22	J F1	0.24	J	0.28	J	0.26		0.26	J	0.3	J	0.33	J	0.39	J	0.31	J	0.46	J	0.6	J
Arsenic	mg/kg	11	11	4.6		5.8		5.7		5	F1	5		5.3	J	5.15		4.6		5.8		5.3		5.6		5.2		6.8		5.7	
Barium	mg/kg	15000	1500	85		134		174		138		150		190		170		167		121		136		120		167		97.7		121	
Beryllium	mg/kg	NS	16	0.6		0.89		0.93		0.97		0.86		1		0.93		0.98		1.1		1		1		1.1		0.92		0.87	
Cadmium	mg/kg	7.1	0.71	0.87	U	0.84	U	0.96	U	1.2	U	0.86	U	0.9	U	0.88		0.84	U	0.84	U	1	U	0.92	U	0.96	U	0.16	J	0.18	J
Calcium	mg/kg	NS	NS	640		1040		1090		765	F1	730		963		846.5		854		963		814		921		850		1720		2360	
Chromium	mg/kg	214	214	53.6		130		303		161		191		578		384.5		76		175		177		163		60.5		63.1		88.6	
Cobalt	mg/kg	34	34	12.2		24.3		45.2		34.6		27.7		74.4		51.05		59.5		32.7		94.5		21.9		34.4		12.3		20.3	
Copper	mg/kg	3100	310	12.9		54.2		101		44.2		48.6		137		92.8		53.9		41.9		57		33.4		50.2		17.7		32.8	
Iron	mg/kg	74767	74767	21600		50000		59600		51600		48000		90400		69200		54700		59000		49900		56100		54000		30100		34000	
Lead	mg/kg	400	400	8.5		27.2		12.1	F1	22.6	F1	24.7		8.4		16.55		17.8		25.3		24.9		31.3		25.8		23.2		60.8	
Magnesium	mg/kg	NS	NS	1380		1050		1150		902	F1	981		990		985.5		853		1140		999		1050		877		1140		1080	
Manganese	mg/kg	2100	2100	310		499		657		726		579		816		697.5		902		811		1160		560		693		465		521	
Mercury	mg/kg	11	1.1	0.023		2.6		0.062		0.084		0.056		0.055		0.0555		0.094		0.065		0.084		0.12		0.14		0.074		0.08	
Nickel	mg/kg	1500	150	16.6		41.7		85.8		36.1		57.1		106		81.55		44.3		36.1		45.8		33.9		27.2		17.1		25.8	
Potassium	mg/kg	NS	NS	673		709		528		407		579		418	J	498.5		523		648		574		587		541		689		558	
Selenium	mg/kg	390	39	0.34	J	0.61	J	6	U	0.51	J F1	0.61	J	11.3	U	5.955		0.59	J	0.78	J	0.73	J	0.62	J	0.61	J	0.45	J	0.5	J
Thallium	mg/kg	0.78	0.078	0.14	J	0.16	J	0.17	J	0.18	J	0.15	J	0.14	J	0.145		0.14	J	0.17	J	0.19	J	0.16	J	0.13	J	0.2	J	0.17	J
Vanadium	mg/kg	390	134	45.7		111		149		104		115		209		162		163		119		137		167		163		64		81.6	
Zinc	mg/kg	23000	2300	23.3		39.2		30.3	J	26.9		35.3		28.2	J	31.75		45.1		39.3		37.5	J	41.7		50.7		106		105	
VOCs																															
1,1-Biphenyl	mg/kg	47	4.7	0.37	U	0.37	U	0.41	U	0.39	U	0.36	U	0.4	U	0.38		0.37	U	0.38	U	0.41	U	0.39	U	0.015	J	0.38	U	0.4	U
Benzaldehyde	mg/kg	1700	170	0.37	U	0.37	U	0.41	U	0.39	U	0.36	U	0.4	U	0.38		0.37	U	0.38	U	0.41	U	0.39	U	0.42	U	0.38	U	0.6	
Methyl Acetate	mg/kg	78000	7800	NT		NT		NT		0.35	J F1	1.6	U	1.4	U	1.5		NT		NT		NT		NT		0.25	J	1.3	U	NT	
Methylene Chloride	mg/kg	350	35	NT		NT		NT		0.2	J	0.1	J	0.28	U	0.19		NT		NT		NT		NT		0.092	J	0.17	J	NT	
SVOCs																															
2-Methylnaphthalene	mg/kg	240	24	0.37	U	0.37	U	0.41	U	0.39	U	0.011	J	0.4	U	0.2055		0.37	U	0.38	U	0.41	U	0.39	U	0.072	J	0.38	U	0.4	U
Acenaphthene	mg/kg	3600	360	0.37	U	0.37	U	0.41	U	0.39	U	0.36	U	0.4	U	0.38		0.063	J	0.38	U	0.41	U	0.39	U	0.072	J	0.38	U	0.4	U
Acenaphthylene	mg/kg	NS	NS	0.37	U	0.37	U	0.012	J	0.39	U	0.01	J	0.4	U	0.205		0.25	J	0.38	U	0.41	U	0.39	U	0.042	J	0.011	J	0.033	J
Anthracene	mg/kg	18000	1800	0.37	U	0.37	U	0.41	U	0.39	U	0.36	U	0.4	U	0.38		0.45		0.38	U	0.41	U	0.39	U	0.046	J	0.38	U	0.031	J
Benzo(a)anthracene	mg/kg	11	1.1	0.037	U	0.061		0.038	J	0.039	U	0.045		0.04	U	0.0425		0.3		0.059		0.04	U	0.039	U	0.072		0.13		0.12	
Benzo(a)pyrene	mg/kg	1.1	0.24	0.037	U	0.058		0.031	J	0.018	J	0.04		0.015	J	0.0275		3.1		0.059		0.026	J	0.021	J	0.07		0.15		0.11	
Benzo(b)fluoranthene	mg/kg	11	1.1	0.037	U	0.077		0.041		0.033	J	0.052		0.019	J	0.0355		3.8		0.081		0.04	J	0.03	J	0.062		0.2		0.15	
Benzo(g,h,i)perylene	mg/kg	NS	NS	0.093	J	0.04	J	0.038	J	0.022	J	0.025	J	0.4	U	0.2125		1.8		0.034	J	0.016	J	0.013	J	0.028	J	0.09	J	0.097	J
Benzo(k)fluoranthene	mg/kg	110	11	0.037	U	0.029	J	0.021	J	0.017	J	0.028	J	0.0087	J	0.01835		1.5		0.037	J	0.015	J	0.015	J	0.026	J	0.07		0.088	
Bis(2-ethylhexyl) Phthalate	mg/kg	390	39	0.37	U	0.37	U	0.41	U	0.39	U	0.36	U	0.4	U	0.38		0.37	U	0.38	U	0.41	U	0.39	U	0.42	U	0.38	U	0.13	J
Butyl Benzyl Phthalate	mg/kg	2900	290	0.37	U	0.37	U	0.41	U	0.39	U	0.36	U	0.4	U	0.38		0.37	U	0.38	U	0.41	U	0.39	U	0.42	U	0.38	U	0.02	J
Carbazole	mg/kg	NS	NS	0.37	U	0.37	U	0.41	U	0.39	U	0.36	U	0.4	U	0.38		0.057	J	0.38	U	0.41	U	0.39	U	0.42	U	0.38	U	0.4	U
Chrysene	mg/kg	1100	110	0.37	U	0.083	J	0.037	J	0.024	J	0.043	J	0.4	U	0.2215		2.5		0.065	J	0.038	J	0.027	J	0.069	J	0.12	J	0.12	J
Dibenz(a,h)anthracene	mg/kg	1.1	0.17	0.038		0.037	U	0.041	U	0.039	U	0.036	U	0.04	U	0.038		0.5		0.038	U	0.041	U	0.039	U	0.042	U	0.038	U	0.017	J
Dibenzofuran	mg/kg	78	7.8	0.37	U	0.37	U	0.41	U	0.39	U	0.36	U	0.4	U	0.38		0.024	J	0.38	U	0.41	U	0.39	U	0.42	U	0.38	U	0.4	U
Fluoranthene	mg/kg	2400	240	0.37	U	0.11	J	0.056	J	0.029	J	0.069	J	0.02	J	0.0445		6		0.11	J	0.06	J	0.041	J	0.1	J	0.24	J	0.22	J
Fluorene	mg/kg	2400	240	0.37	U	0.37	U	0.41	U	0.39	U	0.36	U	0.4	U	0.38		0.056													

Table 2 - Aqueous Blanks
Rodney Reservoir Site
July 2023

Station Name	Units	EB-1		EB-2		FB	
Field Sample		EB-1 Water		EB-2 Water		FB-Water	
Sample Date		6/13/2023		6/13/2023		6/13/2023	
Delivery Group		460-282595-1		460-282595-1		460-282595-1	
Matrix		Water		Water		Water	
		Result	Q	Result	Q	Result	Q
Metals							
Aluminum	ug/l	164		80		40	U
Barium	ug/l	2.9	J	1.3	J	4	U
Calcium	ug/l	222	J	76.6	J	500	U
Iron	ug/l	149		82	J	120	U
Lead	ug/l	1.5		1.2	U	1.2	U
Manganese	ug/l	15.2		6.2	J	8	U

J : Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

U : Indicates the analyte was analyzed for but not detected.

Table 3 - Solid Blanks
Rodney Reservoir Site
July 2023

Station Name	Units	EB-1		EB-2		FB		TB	
Sample Date		6/13/2023		6/13/2023		6/13/2023		6/13/2023	
Delivery Group		460-282595-1		460-282595-1		460-282595-1		460-282595-1	
Matrix		Soil		Soil		Soil		Soil	
		Result	Q	Result	Q	Result	Q	Result	Q
VOCs									
Methylene Chloride	mg/kg	0.22	U	0.21	U	0.07	J	0.12	U
SVOCs									
Fluoranthene	mg/kg	0.016	J	0.017	J	0.33	U	NT	
Phenanthrene	mg/kg	0.33	U	0.015	J	0.33	U	NT	
Pyrene	mg/kg	0.019	J	0.019	J	0.33	U	NT	

NT - Not Tested

J : Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.

U : Indicates the analyte was analyzed for but not detected.

TABLE 4 - Selection of Exposure Pathways

Rodney Reservoir Site - P00074

1500 W Ninth Street

Wilmington, Delaware

Receptor Population	Scenario Timeframe	Medium	Exposure Medium	Exposure Point	Receptor Age	Exposure Route	Rationale for Selection or Elimination of Exposure Pathway
Resident	Future	Soil	Shallow Soil	Shallow Soil	Child/Adult	Ingestion, Dermal, Inhalation	HHRA Guidance requires child residential risk be evaluated for exposure to sensitive receptors.
Resident	Future	Soil	Shallow and Deep Soil	Shallow and Deep Soil	Child/Adult	Ingestion, Dermal, Inhalation	HHRA Guidance requires child residential risk be evaluated for exposure to sensitive receptors.
Outdoor Worker	Future	Soil	Shallow Soil	Shallow Soil	Adult	Ingestion, Dermal, Inhalation	Proposed development is likely to have outside workers.
Outdoor Worker	Future	Soil	Shallow and Deep Soil	Shallow and Deep Soil	Adult	Ingestion, Dermal, Inhalation	Proposed development is likely to have outside workers.
Excavation Worker	Future	Soil	Shallow Soil	Shallow Soil	Adult	Ingestion, Dermal, Inhalation	Proposed redevelopment may require shallow soil work.
Excavation Worker	Future	Soil	Shallow and Deep Soil	Shallow and Deep Soil	Adult	Ingestion, Dermal, Inhalation	Proposed redevelopment may require shallow and deep soil work.
Recreator	Future	Soil	Shallow Soil	Shallow Soil	Child/Adult	Ingestion, Dermal, Inhalation	Proposed development may contain recreational use as open space.
Recreator	Future	Soil	Shallow and Deep Soil	Shallow and Deep Soil	Child/Adult	Ingestion, Dermal, Inhalation	Proposed development may contain recreational use as open space.
Trespasser	Future	Soil	Shallow Soil	Shallow Soil	Adult	Ingestion, Dermal, Inhalation	Contact with soil by future trespassers is possible.
Trespasser	Future	Soil	Shallow and Deep Soil	Shallow and Deep Soil	Adult	Ingestion, Dermal, Inhalation	Contact with soil by future trespassers is possible.
Urban Garden Use (Modified Resident)	Future	Soil	Shallow Soil	Shallow Soil	Child/Adult	Ingestion, Dermal, Inhalation	Requested by DNREC to assess the potential urban garden use exposure scenario.
Urban Garden Use (Modified Resident)	Future	Soil	Shallow and Deep Soil	Shallow and Deep Soil	Child/Adult	Ingestion, Dermal, Inhalation	Requested by DNREC to assess the potential urban garden use exposure scenario.

TABLE 5 - Selection of Contaminants of Potential Concern - Soil

Rodney Reservoir Site - P00074

1500 W Ninth Street

Wilmington, Delaware

Exposure Medium	Chemical	Maximum Concentration	Lab Qualifier	Units	Screening Level (February 2022)	COPC Flag (Y/N)	Comment
Shallow Soil	Benzo[a]pyrene	3.10		mg/kg	0.24	Y	Max exceeds screening level.
	Benzo[b]fluoranthene	3.80		mg/kg	1.1	Y	Max exceeds screening level.
	Dibenz(a,h)anthracene	0.50		mg/kg	0.17	Y	Max exceeds screening level.
	Benz(a)anthracene	3.00		mg/kg	1.1	Y	Max exceeds screening level.
	Indeno(1,2,3-cd)pyrene	2.30		mg/kg	1.3	Y	Max exceeds screening level.
	Cobalt	94.50		mg/kg	34	Y	Max exceeds screening level.
	Aluminum	63300		mg/kg	51200	Y	Max exceeds screening level.
	Thallium	0.19		mg/kg	0.078	Y	Max exceeds screening level.
	Vanadium	163.00		mg/kg	134	Y	Max exceeds screening level.
	Mercury	2.60		mg/kg	1.1	Y	Max exceeds screening level.
Combined Shallow and Deep Soil	Benzo[a]pyrene	3.10		mg/kg	0.24	Y	Max exceeds screening level.
	Benzo[b]fluoranthene	3.80		mg/kg	1.1	Y	Max exceeds screening level.
	Dibenz(a,h)anthracene	0.50		mg/kg	0.17	Y	Max exceeds screening level.
	Benz(a)anthracene	3.00		mg/kg	1.1	Y	Max exceeds screening level.
	Indeno(1,2,3-cd)pyrene	2.30		mg/kg	1.3	Y	Max exceeds screening level.
	Cobalt	94.50		mg/kg	34	Y	Max exceeds screening level.
	Aluminum	63300		mg/kg	51200	Y	Max exceeds screening level.
	Thallium	0.20		mg/kg	0.078	Y	Max exceeds screening level.
	Vanadium	167.00		mg/kg	134	Y	Max exceeds screening level.
	Mercury	2.60		mg/kg	1.1	Y	Max exceeds screening level.
	Chromium	384.50		mg/kg	214	Y	Max exceeds screening level.

TABLE 6 -Selection of Exposure Point Concentrations (EPC)

Rodney Reservoir Site - P00074

1500 W Ninth Street

Wilmington, Delaware

Exposure Medium	Exposure Point	COPC	# of Detects/# of Samples	Mean Detects	95% UCL	Maximum Concentration	Units	Selected EPC	Distribution/Comment
Soil	Shallow Soil	Cobalt	24/25	33.93	39.04	94.50	mg/kg	39.04	95% KM (t) UCL
		Aluminum	10/10	41840.00	48529.00	63300.00	mg/kg	48529.00	95% Student's-t UCL is below the screening value. Therefore, this substance will not be further evaluated as a COPC for shallow soil.
		Thallium	10/10	0.16	0.17	0.19	mg/kg	0.17	95% Student's-t UCL
		Vanadium	10/10	116.70	134.50	163.00	mg/kg	134.50	95% Student's-t UCL
		Mercury	10/10	0.34	0.80	2.60	mg/kg	0.80	95% Student's-t UCL is below the screening value. Therefore, this substance will not be further evaluated as a COPC for shallow soil.
		Benzo(a)pyrene	9/10	0.44	6.03	3.10	mg/kg	3.10	Maximum concentration. Suggested 95% UCL exceeds the maximum reported detection.
		Benz(a)anthracene	9/10	0.46	6.00	3.00	mg/kg	3.00	Maximum concentration. Suggested 95% UCL exceeds the maximum reported detection.
		Benzo(b)fluoranthene	10/10	0.50	1.96	3.80	mg/kg	1.96	95% Adjusted Gamma UCL
		Dibenz(a,h)anthracene	4/10	0.15	0.13	0.50	mg/kg	0.13	95% Halls Bootstrap is below the screening value. Therefore, this substance will not be further evaluated as a COPC for shallow soil.
		Indeno(1,2,3-cd)pyrene	9/10	0.31	0.70	2.30	mg/kg	0.70	KM (t) UCL is below the screening value. Therefore, this substance will not be further evaluated as a COCP for shallow soil.
Soil	Shallow & Deep	Cobalt	30/31	32.99	37.49	94.50	mg/kg	37.49	95% KM (t) UCL
		Chromium	16/16	139.90	179.70	384.50	mg/kg	179.70	95% Student's-t UCL is below the screening value. Therefore, this substance will not be further evaluated as a COPC for combined shallow and deep soil.
		Aluminum	16/16	40797.00	46408.00	63300.00	mg/kg	46408.00	95% Student's-t UCL is below the screening value. Therefore, this substance will not be further evaluated as a COPC for combined shallow and deep soil.
		Thallium	16/16	0.16	0.17	0.20	mg/kg	0.17	95% Student's-t UCL
		Vanadium	16/16	117.00	133.90	167.00	mg/kg	133.90	95% Student's-t UCL is below the screening value. Therefore, this substance will not be further evaluated as a COPC for combined shallow and deep soil.
		Mercury	16/16	0.24	0.52	2.60	mg/kg	0.52	95% Student's-t UCL is below the screening value. Therefore, this substance will not be further evaluated as a COPC for combined shallow and deep soil.
		Benzo(a)pyrene	14/16	0.31	0.59	3.10	mg/kg	0.59	KM H-UCL
		Benz(a)anthracene	13/16	0.34	0.63	3.00	mg/kg	0.63	KM H-UCL is below the screening value. Therefore, this substance will not be further evaluated as a COPC for combined shallow and deep soil.
		Benzo(b)fluoranthene	15/16	0.36	0.78	3.80	mg/kg	0.78	KM H-UCL is below the screening value. Therefore, this substance will not be further evaluated as a COPC for combined shallow and deep soil.
		Dibenz(a,h)anthracene	6/16	0.11	0.11	0.50	mg/kg	0.11	95% KM (t) UCL is below the screening value. Therefore, this substance will not be further evaluated as a COPC for combined shallow and deep soil.
Indeno(1,2,3-cd)pyrene	15/16	0.21	0.30	2.30	mg/kg	0.30	KM H-UCL is below the screening value. Therefore, this substance will not be further evaluated as a COPC for combined shallow and deep soil.		

TABLE 7 - Risk Summary for Receptors - Resident, Shallow Soil

Rodney Reservoir Site

Timeframe: Future

Exposure Media	Exposure Route	DERAC Input Constituent	COPC	EPC	Units	Carcinogenic Risk	Hazard Quotient	Child Hazard Quotient	Target Organ	Comment	
Shallow Soil	Ingestion	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	1.96E-06	--	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	2.0E-05	0.04	0.132			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	1.28E-06	-	--			
		Cobalt	Cobalt	39.04	mg/kg	--	0.50	1.660			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	0.07	0.217			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	--	0.10	0.341			
	Total for Exposure Route						2.34E-05	0.71	2.35		
	Dermal	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	6.54E-07	--	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	6.8E-06	0.01	0.0408			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	4.27E-07	--	--			
		Cobalt	Cobalt	39.04	mg/kg	--	--	--			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--	--			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	--	--	--			
	Total for Exposure Route						7.83E-06	0.015	0.041		
	Inhalation	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	4.04E-08	--	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	1.35E-09	0.00	0.0011			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	8.53E-11	--	--			
		Cobalt	Cobalt	39.04	mg/kg	9.21E-08	0.00	0.0046			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--	--			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	-	0.00	0.0009			
	Total for Exposure Route						1.34E-07	0.007	0.0066		
Total for Exposure Media						3.14E-05	0.73	2.40			
Cumulative Carcinogenic Risk (One significant figure)						3E-05					
Hazard Index (One significant figure)							0.7	2			

TABLE 8 - Risk Summary for Receptors - Resident, Combined Soil

Rodney Reservoir Site

Timeframe: Future

Exposure Media	Exposure Route	DERAC Input Constituent	COPC	EPC	Units	Carcinogenic Risk	Hazard Quotient	Child Hazard Quotient	Target Organ	Comment	
Combined Shallow & Deep Soil		Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	3.9E-06	0.01	0.025			
		Cobalt	Cobalt	37.49	mg/kg	--	0.48	1.600			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	0.07	0.217			
	Total for Exposure Route						3.85E-06	0.56	1.84		
			Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	1.3E-06	0.003	0.0078		
			Cobalt	Cobalt	37.49	mg/kg	--	--	--		
			Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--	--		
	Total for Exposure Route						1.29E-06	0.003	0.008		
			Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	2.57E-10	0.0002	0.0002		
			Cobalt	Cobalt	37.49	mg/kg	8.84E-08	0.004	0.0044		
			Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--	--		
	Total for Exposure Route						8.87E-08	0.005	0.0046		
Total for Exposure Media						5.23E-06	0.56	1.85			
Cumulative Carcinogenic Risk (One significant figure)						5E-06					
Hazard Index (One significant figure)							0.6	2			

TABLE 9 - Risk Summary for Receptors - Outdoor Worker, Shallow Soil

Rodney Reservoir Site

Timeframe: Future

Exposure Media	Exposure Route	DERAC Input Constituent	COPC	EPC	Units	Carcinogenic Risk	Hazard Quotient	Target Organ	Comment	
Shallow Soil	Ingestion	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	5.39E-08	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	8.5E-07	0.01			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	8.26E-08	--			
		Cobalt	Cobalt	39.04	mg/kg	--	0.10			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	0.01			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	--	0.02			
	Total for Exposure Route						9.90E-07	0.14		
	Dermal	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	2.97E-08	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	4.7E-07	0.00			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	4.54E-08	--			
		Cobalt	Cobalt	39.04	mg/kg	--	--			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	--	--			
	Total for Exposure Route						5.44E-07	0.004		
	Inhalation	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	1.96E-09	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	1.00E-10	0.0002			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	9.72E-12	--			
		Cobalt	Cobalt	39.04	mg/kg	1.90E-08	0.0010			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	-	0.02			
	Total for Exposure Route						2.11E-08	0.022		
Total for Exposure Media						1.55E-06	0.17			
Cumulative Carcinogenic Risk (One significant figure)						2E-06				
Hazard Index (One significant figure)							0.2			

TABLE 10 - Risk Summary for Receptors - Outdoor Worker, Combined Soil

Rodney Reservoir Site

Timeframe: Future

Exposure Media	Exposure Route	DERAC Input Constituent	COPC	EPC	Units	Carcinogenic Risk	Hazard Quotient	Target Organ	Comment	
Combined Shallow & Deep Soil		Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	1.6E-07	0.00			
		Cobalt	Cobalt	37.49	mg/kg	--	0.10			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	0.01			
	Total for Exposure Route						1.62E-07	0.11		
			Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	8.9E-08	0.001		
			Cobalt	Cobalt	37.49	mg/kg	--	--		
			Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--		
	Total for Exposure Route						8.93E-08	0.001		
			Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	1.91E-11	0.00004		
			Cobalt	Cobalt	37.49	mg/kg	1.82E-08	0.001		
			Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--		
	Total for Exposure Route						1.82E-08	0.001		
Total for Exposure Media						2.70E-07	0.11			
Cumulative Carcinogenic Risk (One significant figure)						3E-07				
Hazard Index (One significant figure)							0.1			

TABLE 11 - Risk Summary for Receptors - Excavator, Shallow Soil

Rodney Reservoir Site

Timeframe: Future

Exposure Media	Exposure Route	DERAC Input Constituent	COPC	EPC	Units	Carcinogenic Risk	Hazard Quotient	Target Organ	Comment	
Shallow Soil	Ingestion	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	6.33E-10	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	1.0E-08	0.002			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	9.69E-10	--			
		Cobalt	Cobalt	39.04	mg/kg	--	0.003			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	0.001			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	--	0.003			
	Total for Exposure Route						1.16E-08	0.01		
	Dermal	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	2.64E-10	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	4.2E-09	0.001			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	4.04E-10	--			
		Cobalt	Cobalt	39.04	mg/kg	--	--			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	--	--			
	Total for Exposure Route						4.84E-09	0.001		
	Inhalation	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	6.98E-12	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	3.57E-13	0.00002			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	3.46E-14	--			
		Cobalt	Cobalt	39.04	mg/kg	6.74E-11	--			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	-	--			
	Total for Exposure Route						7.48E-11	0.00002		
Total for Exposure Media						1.65E-08	0.01			
Cumulative Carcinogenic Risk (One significant figure)						2E-08				
Hazard Index (One significant figure)							0.01			

TABLE 12 - Risk Summary for Receptors - Excavator, Combined Soil

Rodney Reservoir Site

Timeframe: Future

Exposure Media	Exposure Route	DERAC Input Constituent	COPC	EPC	Units	Carcinogenic Risk	Hazard Quotient	Target Organ	Comment	
Combined Shallow & Deep Soil		Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	1.9E-09	0.0004			
		Cobalt	Cobalt	37.49	mg/kg	--	0.003			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	0.001			
	Total for Exposure Route						1.91E-09	0.004		
			Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	7.9E-10	0.0002		
			Cobalt	Cobalt	37.49	mg/kg	--	--		
			Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--		
	Total for Exposure Route						7.94E-10	0.0002		
			Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	6.08E-14	0.000004		
			Cobalt	Cobalt	37.49	mg/kg	6.48E-11	0.00003		
			Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--		
	Total for Exposure Route						6.49E-11	0.00003		
Total for Exposure Media						2.77E-09	0.004			
Cumulative Carcinogenic Risk (One significant figure)						3E-09				
Hazard Index (One significant figure)							0.004			

TABLE 13 - Risk Summary for Receptors - Recreator, Shallow Soil

Rodney Reservoir Site

Timeframe: Future

Exposure Media	Exposure Route	DERAC Input Constituent	COPC	EPC	Units	Carcinogenic Risk	Hazard Quotient	Child Hazard Quotient	Target Organ	Comment	
Shallow Soil	Ingestion	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	4.20E-07	--	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	4.3E-06	0.01	0.028			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	2.74E-07	-	--			
		Cobalt	Cobalt	39.04	mg/kg	--	0.11	0.357			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	0.01	0.047			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	--	0.02	0.073			
	Total for Exposure Route						5.03E-06	0.15	0.50		
	Dermal	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	1.40E-07	--	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	1.5E-06	0.003	0.0087			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	9.15E-08	--	--			
		Cobalt	Cobalt	39.04	mg/kg	--	--	--			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--	--			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	--	--	--			
	Total for Exposure Route						1.68E-06	0.003	0.009		
	Inhalation	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	3.61E-10	--	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	1.20E-11	0.00001	0.00001			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	7.62E-13	--	--			
		Cobalt	Cobalt	39.04	mg/kg	8.22E-10	0.00004	0.00004			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--	--			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	-	0.00001	0.00001			
	Total for Exposure Route						1.20E-09	0.0001	0.0001		
Total for Exposure Media						6.72E-06	0.16	0.51			
Cumulative Carcinogenic Risk (One significant figure)						7E-06					
Hazard Index (One significant figure)							0.2	1			

TABLE 14 - Risk Summary for Receptors - Recreator, Combined Soil

Rodney Reservoir Site

Timeframe: Future

Exposure Media	Exposure Route	DERAC Input Constituent	COPC	EPC	Units	Carcinogenic Risk	Hazard Quotient	Child Hazard Quotient	Target Organ	Comment	
Combined Shallow & Deep Soil		Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	8.3E-07	0.002	0.005			
		Cobalt	Cobalt	37.49	mg/kg	--	0.10	0.342			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	0.01	0.047			
	Total for Exposure Route						8.26E-07	0.12	0.39		
			Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	2.8E-07	0.001	0.0017		
			Cobalt	Cobalt	37.49	mg/kg	--	--	--		
			Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--	--		
	Total for Exposure Route						2.75E-07	0.001	0.002		
			Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	2.29E-12	0.000002	0.000002		
			Cobalt	Cobalt	37.49	mg/kg	7.89E-10	0.00004	0.00004		
			Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--	--		
	Total for Exposure Route						7.91E-10	0.00004	0.00004		
Total for Exposure Media						1.10E-06	0.12	0.40			
Cumulative Carcinogenic Risk (One significant figure)						1E-06					
Hazard Index (One significant figure)							0.1	0.4			

TABLE 15 - Risk Summary for Receptors - Trespasser, Shallow Soil

Rodney Reservoir Site

Timeframe: Future

Exposure Media	Exposure Route	DERAC Input Constituent	COPC	EPC	Units	Carcinogenic Risk	Hazard Quotient	Target Organ	Comment	
Shallow Soil	Ingestion	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	2.55E-08	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	2.6E-07	0.002			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	1.67E-08	-			
		Cobalt	Cobalt	39.04	mg/kg	--	0.03			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	0.00			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	--	0.01			
	Total for Exposure Route						3.06E-07	0.04		
	Dermal	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	1.40E-08	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	1.5E-07	0.001			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	9.16E-09	--			
		Cobalt	Cobalt	39.04	mg/kg	--	--			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	--	--			
	Total for Exposure Route						1.68E-07	0.001		
	Inhalation	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	4.53E-10	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	1.51E-11	0.00003			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	9.57E-13	--			
		Cobalt	Cobalt	39.04	mg/kg	9.53E-10	0.00012			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	-	0.00003			
	Total for Exposure Route						1.42E-09	0.0002		
Total for Exposure Media						4.76E-07	0.04			
Cumulative Carcinogenic Risk (One significant figure)						5E-07				
Hazard Index (One significant figure)							0.04			

TABLE 16 - Risk Summary for Receptors - Trespasser, Combined Soil

Rodney Reservoir Site

Timeframe: Future

Exposure Media	Exposure Route	DERAC Input Constituent	COPC	EPC	Units	Carcinogenic Risk	Hazard Quotient	Target Organ	Comment	
Combined Shallow & Deep Soil		Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	5.1E-08	0.0004			
		Cobalt	Cobalt	37.49	mg/kg	--	0.02			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	0.003			
	Total for Exposure Route						5.11E-08	0.03		
			Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	2.8E-08	0.0002		
			Cobalt	Cobalt	37.49	mg/kg	--	--		
			Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--		
	Total for Exposure Route						2.80E-08	0.0002		
			Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	2.93E-12	0.000006		
			Cobalt	Cobalt	37.49	mg/kg	9.16E-10	0.00012		
			Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--		
	Total for Exposure Route						9.19E-10	0.00012		
Total for Exposure Media						8.00E-08	0.03			
Cumulative Carcinogenic Risk (One significant figure)						8E-08				
Hazard Index (One significant figure)							0.03			

TABLE 17 - Risk Summary for Receptors - Urban Garden Use (Modified Resident), Shallow Soil

Rodney Reservoir Site

Timeframe: Future

Exposure Media	Exposure Route	DERAC Input Constituent	COPC	EPC	Units	Carcinogenic Risk	Hazard Quotient	Child Hazard Quotient	Target Organ	Comment	
Shallow Soil	Ingestion	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	1.35E-07	--	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	1.4E-06	0.003	0.008			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	8.85E-08	-	--			
		Cobalt	Cobalt	39.04	mg/kg	--	0.04	0.095			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	0.01	0.012			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	--	0.01	0.020			
	Total for Exposure Route						1.62E-06	0.06	0.13		
	Dermal	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	5.02E-08	--	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	5.2E-07	0.001	0.0023			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	3.28E-08	--	--			
		Cobalt	Cobalt	39.04	mg/kg	--	--	--			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--	--			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	--	--	--			
	Total for Exposure Route						6.02E-07	0.001	0.002		
	Inhalation	Benz(a)anthracene	Benz(a)anthracene	3.00	mg/kg	5.86E-09	--	--			
		Benzo(a)pyrene	Benzo(a)pyrene	3.1	mg/kg	1.96E-10	0.0002	0.0001			
		Benzo(b)fluoranthene	Benzo(b)fluoranthene	1.96	mg/kg	1.24E-11	--	--			
		Cobalt	Cobalt	39.04	mg/kg	1.34E-08	0.001	0.0003			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--	--			
		Vanadium and Compounds	Vanadium	134.50	mg/kg	-	0.0001	0.0001			
	Total for Exposure Route						1.95E-08	0.001	0.0004		
Total for Exposure Media						2.24E-06	0.06	0.14			
Cumulative Carcinogenic Risk (One significant figure)						2E-06					
Hazard Index (One significant figure)							0.1	0.1			

TABLE 18 - Risk Summary for Receptors - Urban Garden Use (Modified Resident), Combined Soil



Rodney Reservoir Site

Timeframe: Future

Exposure Media	Exposure Route	DERAC Input Constituent	COPC	EPC	Units	Carcinogenic Risk	Hazard Quotient	Child Hazard Quotient	Target Organ	Comment	
Combined Shallow & Deep Soil		Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	2.7E-07	0.001	0.001			
		Cobalt	Cobalt	37.49	mg/kg	--	0.04	0.091			
		Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	0.01	0.012			
	Total for Exposure Route						2.71E-07	0.05	0.11		
			Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	1.0E-07	0.0003	0.0005		
			Cobalt	Cobalt	37.49	mg/kg	--	--	--		
			Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--	--		
	Total for Exposure Route						1.00E-07	0.0003	0.0005		
			Benzo(a)pyrene	Benzo(a)pyrene	0.6	mg/kg	3.79E-11	0.00003	0.00001		
			Cobalt	Cobalt	37.49	mg/kg	1.28E-08	0.001	0.0003		
			Thallium (Soluble Salts)	Thallium	0.17	mg/kg	--	--	--		
	Total for Exposure Route						1.28E-08	0.001	0.0003		
Total for Exposure Media						3.84E-07	0.05	0.11			
Cumulative Carcinogenic Risk (One significant figure)						4E-07					
Hazard Index (One significant figure)							0.1	0.1			

FIGURES

- FIGURE 1: SITE LOCATION MAP**
- FIGURE 2: SITE FEATURES SKETCH**
- FIGURE 3: SHALLOW SOIL EXCEEDANCE SKETCH**
- FIGURE 4: DEEP SOIL EXCEEDANCE SKETCH**



Note:
The aerial photo was acquired through New Castle County.
Aerial photography dated 2021.

 Site Boundary



DISCLAIMER:
Verdantas LLC has furnished this map to the company identified in the title block (Client) for its sole and exclusive use as a preliminary planning and screening tool and field verification is necessary to confirm these data. This map is reproduced from geospatial information compiled from third-party sources which may change over time. Areas depicted by the map are approximate and may not be accurate to mapping, surveying or engineering standards. Verdantas LLC makes no representation or guarantee as to the content, accuracy, timeliness or completeness of any information or spatial location depicted on this map. This map is provided without warranty of any kind, including but not limited to, the implied warranties of merchantability or fitness for a particular purpose. In no event will Verdantas LLC, its owners, officers, employees or agents, be liable for damages of any kind arising out of the use of this map by Client or any other party.

September 2023


Earthen Berm Soil Sampling
Rodney Reservoir Site

Figure



Site Location Map

1

North Rodney Street & West 9th Street
Wilmington, New Castle County, Delaware



Note:
The aerial photo was acquired through New Castle County.
Aerial photography dated 2021.

 Site Boundary
 Test Pit Locations




DISCLAIMER:
Verdantas LLC has furnished this map to the company identified in the title block (Client) for its sole and exclusive use as a preliminary planning and screening tool and field verification is necessary to confirm these data. This map is reproduced from geospatial information compiled from third-party sources which may change over time. Areas depicted by the map are approximate and may not be accurate to mapping, surveying or engineering standards. Verdantas LLC makes no representation or guarantee as to the content, accuracy, timeliness or completeness of any information or spatial location depicted on this map. This map is provided without warranty of any kind, including but not limited to, the implied warranties of merchantability or fitness for a particular purpose. In no event will Verdantas LLC, its owners, officers, employees or agents, be liable for damages of any kind arising out of the use of this map by Client or any other party.

September 2023
Earthen Berm Soil Sampling
Rodney Reservoir Site

Site Features Sketch

North Rodney Street & West 9th Street
Wilmington, New Castle County, Delaware

Figure
2



Note:
Notes:
1. mg/kg = milligrams per kilogram.
2. Analytical results are displayed for concentrations that exceed the DNREC-RS April 2023 Soil Screening Levels
The aerial photo was acquired through New Castle County. Aerial photography dated 2021.

TP-5S
Aluminium - 51,600 mg/kg
Cobalt - 34.4 mg/kg
Thallium - 0.13 mg/kg
Vanadium - 163 mg/kg

TP-4S
Cobalt - 94.5 mg/kg
Thallium - 0.19 mg/kg
Vanadium - 137 mg/kg

TP-3S
Aluminium - 63,300 mg/kg
Cobalt - 59.5 mg/kg
Thallium - 0.14 mg/kg
Vanadium - 163 mg/kg
Benzo(a)anthracene - 3 mg/kg
Benzo(a)pyrene - 3.1 mg/kg
Benzo(b)flouranthene - 3.8 mg/kg
Dibenz(a,h)anthracene - 0.5 mg/kg
Indeno(1,2,3-c,d)pyrene - 2.3 mg/kg

TP-1S
Mercury - 2.6 mg/kg

TP-2S
Cobalt - 34.6 mg/kg
Thallium - 0.18 mg/kg

TP-6S
Thallium - 0.17 mg/kg

Site Boundary
 Test Pit Locations

DISCLAIMER:
Verdantas LLC has furnished this map to the company identified in the title block (Client) for its sole and exclusive use as a preliminary planning and screening tool and field verification is necessary to confirm these data. This map is reproduced from geospatial information compiled from third-party sources which may change over time. Areas depicted by the map are approximate and may not be accurate to mapping, surveying or engineering standards. Verdantas LLC makes no representation or guarantee as to the content, accuracy, timeliness or completeness of any information or spatial location depicted on this map. This map is provided without warranty of any kind, including but not limited to, the implied warranties of merchantability or fitness for a particular purpose. In no event will Verdantas LLC, its owners, officers, employees or agents, be liable for damages of any kind arising out of the use of this map by Client or any other party.


September 2023

Earthen Berm Soil Sampling
Rodney Reservoir Site
Shallow Soil Exceedance Sketch

Figure
3

North Rodney Street & West 9th Street
Wilmington, New Castle County, Delaware





Note:

Notes:

1. mg/kg = milligrams per kilogram.
2. Analytical results are displayed for concentrations that exceed the DNREC-RS April 2023 Soil Screening Levels

The aerial photo was acquired through New Castle County, Aerial photography dated 2021.

TP-5D
Thallium - 0.16 mg/kg
Vanadium - 167 mg/kg

TP-4D
Thallium - 0.17 mg/kg

TP-4

TP-5

TP-3

TP-6

TP-2



TP-1

TP-1D
Thallium - 0.14 mg/kg

TP-2D
Aluminum - 56,000 mg/kg
Chromium - 303 mg/kg
Cobalt - 45.2 mg/kg
Thallium - 0.17 mg/kg
Vanadium - 149 mg/kg

TP-3D
Aluminium - 59,300 mg/kg
Chromium - 578 mg/kg
Cobalt - 74.4 mg/kg
Iron - 90,400
Thallium - 0.14 mg/kg
Vanadium - 209 mg/kg

TP-6D
Thallium - 0.20 mg/kg

 Site Boundary
 Test Pit Locations



DISCLAIMER:
Verdantas LLC has furnished this map to the company identified in the title block (Client) for its sole and exclusive use as a preliminary planning and screening tool and field verification is necessary to confirm these data. This map is reproduced from geospatial information compiled from third-party sources which may change over time. Areas depicted by the map are approximate and may not be accurate to mapping, surveying or engineering standards. Verdantas LLC makes no representation or guarantee as to the content, accuracy, timeliness or completeness of any information or spatial location depicted on this map. This map is provided without warranty of any kind, including but not limited to, the implied warranties of merchantability or fitness for a particular purpose. In no event will Verdantas LLC, its owners, officers, employees or agents, be liable for damages of any kind arising out of the use of this map by Client or any other party.

September 2023

Earthen Berm Soil Sampling
Rodney Reservoir Site

**Deep Soil
Exceedance Sketch**

North Rodney Street & West 9th Street
Wilmington, New Castle County, Delaware

Figure
4

October 9, 2023
Ms. Mariya Chiger
Project Number: 16530



ATTACHMENT A

DNREC SOIL SCREENING REPORT

EDXRF Analysis Report

Thermo Fisher Scientific Inc., Madison, Wisconsin, USA

Sample List: 2023/06/14 15:18

Analysis Technique: Fundamental Parameters (Alphas)

Method File: C:\...\QUANTX\Methods\Metals Full List Original.MTH

Analyzed: 06/14/23 19:29:06

Last Calibrated: 07/12/22 13:22:38

Software version: 7.2 (Build 134)

Conditions

Low Zc

Voltage	12 kV	Current	Auto
Livetime	200 seconds	Counts Limit	0
Filter	Aluminum	Atmosphere	Air
Maximum Energy	40 keV	Count Rate	Medium
Warmup time	10 seconds		

High Zb

Voltage	50 kV	Current	Auto
Livetime	200 seconds	Counts Limit	0
Filter	Cu Thick	Atmosphere	Air
Maximum Energy	40 keV	Count Rate	Medium
Warmup time	10 seconds		

Mid Zc

Voltage	28 kV	Current	Auto
Livetime	200 seconds	Counts Limit	0
Filter	Pd Thick	Atmosphere	Air
Maximum Energy	40 keV	Count Rate	Medium
Warmup time	10 seconds		

Results

Element	Concentration	Peak (cps/mA)	Background (cps/mA)
tp1s			
Ca	2806 ppm	117	37
V	174.7 ppm	29	151
Cr	159.4 ppm	53	77
Mn	842.3 ppm	333	61
Fe	42894 ppm	21267	2124
Ti	5000 ppm	558	150
Ag	0 ppm	0	3
Cd	[1.0] ppm	1	6
Ba	268 ppm	76	239
Sb	[0.3] ppm	0	17
Co	35.30 ppm	88	279
Ni	71.2 ppm	21	-5
Cu	39.1 ppm	5	12
Zn	35.6 ppm	6	13
As	3.27 ppm	8	11
Se	0.82 ppm	1	8
Hg	[0.6] ppm	0	9
Tl	0 ppm	0	12
Pb	26.1 ppm	7	17
SiO5	94.764 % Diff		

tp1d

Ca	2076 ppm	86	34
V	104.4 ppm	17	151
Cr	69.7 ppm	23	52
Mn	577.3 ppm	236	55
Fe	26189 ppm	13593	1431
Ti	5494 ppm	614	130
Ag	0 ppm	0	4
Cd	0 ppm	0	8
Ba	375 ppm	119	286
Sb	0 ppm	0	21
Co	20.34 ppm	52	164
Ni	38.3 ppm	13	-0
Cu	14.6 ppm	2	11
Zn	31.3 ppm	7	11
As	1.69 ppm	5	11

Se	[0.42] ppm	1	10
Hg	0 ppm	0	10
Tl	0 ppm	0	12
Pb	8.3 ppm	2	15
SiO5	96.5 % Diff		

tp2s

Ca	2494 ppm	105	44
V	201 ppm	33	171
Cr	230.5 ppm	76	96
Mn	1014.8 ppm	384	80
Fe	66293 ppm	30969	2953
Ti	5114 ppm	572	181
Ag	[0.8] ppm	0	3
Cd	[0.2] ppm	0	6
Ba	324 ppm	79	220
Sb	[1.6] ppm	1	17
Co	50.36 ppm	121	411
Ni	108.6 ppm	27	-10
Cu	43.2 ppm	5	13
Zn	50.0 ppm	8	11
As	2.76 ppm	6	9
Se	[0.22] ppm	0	9
Hg	[0.2] ppm	0	9
Tl	0 ppm	0	11
Pb	7.3 ppm	2	19
SiO5	92.406 % Diff		

tp2d

Ca	2540 ppm	107	44
V	272 ppm	44	145
Cr	443.2 ppm	147	113
Mn	1731 ppm	642	88
Fe	82149 ppm	37135	3502
Ti	3431 ppm	384	185
Ag	0 ppm	0	3
Cd	[0.7] ppm	0	6
Ba	321 ppm	72	215
Sb	0 ppm	0	16
Co	65.07 ppm	154	525
Ni	162.8 ppm	37	-15
Cu	112.0 ppm	12	13
Zn	41.0 ppm	6	11
As	2.19 ppm	4	8
Se	0 ppm	0	8
Hg	[1.6] ppm	0	8
Tl	[0.6] ppm	0	9
Pb	0 ppm	0	20
SiO5	90.873 % Diff		

tp3s

Ca	2979 ppm	125	43
V	236 ppm	39	152
Cr	93.4 ppm	31	88
Mn	1294.4 ppm	495	64
Fe	61285 ppm	29027	2782
Ti	4495 ppm	501	169
Ag	[0.6] ppm	0	4
Cd	[1.0] ppm	0	6
Ba	299 ppm	75	236
Sb	0 ppm	0	18
Co	50.04 ppm	121	402
Ni	90.5 ppm	23	-8
Cu	69.0 ppm	8	11
Zn	58.3 ppm	9	12
As	2.53 ppm	5	9
Se	[0.10] ppm	0	9
Hg	[1.6] ppm	0	8
Tl	[0.5] ppm	0	10
Pb	[5.5] ppm	1	20
SiO5	92.904 % Diff		

tp3d

Ca	2515 ppm	105	39
V	200 ppm	33	158
Cr	163.4 ppm	54	82
Mn	1239.3 ppm	483	69
Fe	51608 ppm	25028	2486

Ti	4999 ppm	559	163
Ag	0 ppm	0	3
Cd	[1.5] ppm	1	6
Ba	280 ppm	74	243
Sb	[2.2] ppm	1	18
Co	42.10 ppm	103	315
Ni	79.6 ppm	22	-7
Cu	40.2 ppm	5	12
Zn	52.0 ppm	9	11
As	2.73 ppm	6	10
Se	0 ppm	0	9
Hg	[0.9] ppm	0	9
Tl	0 ppm	0	10
Pb	14.9 ppm	4	17
SiO5	93.876 % Diff		

tp4s

Ca	4524 ppm	190	49
V	220 ppm	36	151
Cr	239.4 ppm	78	95
Mn	1292.1 ppm	492	72
Fe	60721 ppm	28611	2769
Ti	4415 ppm	489	166
Ag	[0.3] ppm	0	3
Cd	0 ppm	0	5
Ba	204 ppm	51	175
Sb	[1.2] ppm	0	13
Co	49.68 ppm	120	402
Ni	97.1 ppm	25	-9
Cu	55.9 ppm	7	11
Zn	55.7 ppm	9	11
As	4.25 ppm	9	9
Se	0.68 ppm	1	8
Hg	3.3 ppm	1	7
Tl	0 ppm	0	11
Pb	21.9 ppm	5	21
SiO5	92.809 % Diff		

tp4d

Ca	2563 ppm	107	42
V	195 ppm	32	167
Cr	135.5 ppm	45	87
Mn	1558.7 ppm	605	60
Fe	52044 ppm	25132	2486
Ti	5368 ppm	599	166
Ag	3.8 ppm	1	3
Cd	0 ppm	0	7
Ba	314 ppm	83	283
Sb	0 ppm	0	20
Co	42.89 ppm	105	312
Ni	78.8 ppm	22	-6
Cu	46.8 ppm	6	11
Zn	47.7 ppm	8	12
As	4.21 ppm	9	11
Se	0 ppm	0	9
Hg	[2.3] ppm	1	8
Tl	[0.1] ppm	0	11
Pb	31.7 ppm	7	19
SiO5	93.756 % Diff		

tp5s

Ca	2130 ppm	89	36
V	169.0 ppm	28	152
Cr	84.5 ppm	28	74
Mn	950.7 ppm	376	62
Fe	46110 ppm	22788	2257
Ti	4799 ppm	537	155
Ag	0 ppm	0	3
Cd	[0.4] ppm	0	5
Ba	222 ppm	61	194
Sb	[1.9] ppm	1	15
Co	37.49 ppm	93	292
Ni	66.3 ppm	19	-5
Cu	30.4 ppm	4	12
Zn	62.1 ppm	11	12
As	3.48 ppm	8	11
Se	0 ppm	0	9
Hg	2.3 ppm	1	8

Tl	0 ppm	0	11
Pb	21.5 ppm	5	19
SiO5	94.531 % Diff		

tp5d

Ca	2140 ppm	90	36
V	229 ppm	38	158
Cr	126.7 ppm	42	93
Mn	1055.5 ppm	401	75
Fe	67049 ppm	31441	2998
Ti	4493 ppm	503	176
Ag	0 ppm	0	3
Cd	0 ppm	0	7
Ba	288 ppm	70	240
Sb	[2.6] ppm	1	17
Co	50.16 ppm	121	418
Ni	99.4 ppm	25	-10
Cu	60.3 ppm	7	12
Zn	55.5 ppm	9	11
As	3.18 ppm	7	9
Se	[0.16] ppm	0	8
Hg	0 ppm	0	9
Tl	0 ppm	0	11
Pb	[5.6] ppm	1	21
SiO5	92.434 % Diff		

tp6s

Ca	3243 ppm	135	35
V	98.2 ppm	16	116
Cr	54.7 ppm	18	56
Mn	764.6 ppm	312	49
Fe	29587 ppm	15303	1625
Ti	3628 ppm	404	111
Ag	[0.7] ppm	0	4
Cd	[0.2] ppm	0	7
Ba	256 ppm	79	270
Sb	[2.1] ppm	1	20
Co	27.69 ppm	71	214
Ni	48.4 ppm	16	-2
Cu	35.1 ppm	5	12
Zn	70.5 ppm	14	14
As	6.88 ppm	19	13
Se	[0.28] ppm	0	10
Hg	[1.9] ppm	1	9
Tl	0 ppm	0	15
Pb	58.7 ppm	17	22
SiO5	96.212 % Diff		

tp6d

Ca	2826 ppm	118	38
V	145.2 ppm	24	138
Cr	112.3 ppm	37	65
Mn	1099.3 ppm	440	51
Fe	38520 ppm	19363	1959
Ti	4491 ppm	501	139
Ag	0 ppm	0	4
Cd	0 ppm	0	7
Ba	308 ppm	89	264
Sb	[1.2] ppm	0	19
Co	34.97 ppm	87	282
Ni	63.5 ppm	19	-5
Cu	26.0 ppm	4	11
Zn	56.2 ppm	11	12
As	3.84 ppm	10	10
Se	[0.11] ppm	0	9
Hg	0 ppm	0	9
Tl	0 ppm	0	12
Pb	25.2 ppm	7	17
SiO5	95.229 % Diff		

2710

Ca	10977 ppm	442	89
V	52.4 ppm	8	109
Cr	76.8 ppm	24	52
Mn	9692 ppm	3608	224
Fe	31864 ppm	14944	2126
Ti	2606 ppm	270	106
Ag	46.9 ppm	10	5

Cd	21.0 ppm	10	8
Ba	645 ppm	149	258
Sb	46.6 ppm	14	19
Co	24.26 ppm	56	162
Ni	51.9 ppm	15	-2
Cu	2479 ppm	338	70
Zn	5656 ppm	1023	241
As	535.3 ppm	1170	274
Se	10.05 ppm	13	24
Hg	23.6 ppm	7	21
Tl	0 ppm	0	298
Pb	4752 ppm	1070	459
SiO5	93.044 % Diff		

Address:

Chain of Custody Record

664168



Environment Testing
America

TAL-8210

Regulatory Program: DW NPDES RCRA Other:

Client Contact

Project Manager: Robert Smayda Jr

Site Contact: Robert Smayda Jr

Date:

COC No: 1 of 1 COCs

Tel/Email: TSM@eurofins.com

Lab Contact: Doreen Pappas

Carrier:

Sampler: CWR-24 Sample (NEX)

For Lab Use Only:

Walk-in Client:

Lab Sampling:

Job / SDG No.:

Analysis Turnaround Time

Carrier:

Sample Specific Notes:

Sample Identification

Carrier:

Sample Specific Notes:

Sample ID	Sample Date	Sample Time	Sample Type (G-Comp, G-grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)
TP-1S	6/13/13	1100	G	S	3	N	DNREC Screening VOCs DNREC Screening SVOCs DNREC Screening Pesticides DNREC Screening PCBs DNREC Screening Metals DNREC Screening Cu Moisture
TP-1D		1115					
TP-2S		1025					
TP-2D		0935					
TP-3S		0945					
TP-3D		0900					
TP-4S		0915					
TP-4D		0820					
TP-5S		0840					
TP-5D		1140					
TP-6S		1150					
TP-6D							

Preservation Used: 1=Ice, 2=HCl, 3=H2SO4, 4=HNO3, 5=NaOH, 6=Other: NACH

Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

Special Instructions/QC Requirements & Comments:

Non-Hazard Flammable Skin Irritant Poison B Unknown

Return to Client Disposal by Lab Archive for _____ Months

Custody Seals Intact: Yes No

Custody Seal No.:

Relinquished by: Elverson Company: Verdantas Date/Time: 6/13/13 1445

Relinquished by: Elverson Company: Verdantas Date/Time: 6/13/13 1445

Relinquished by: Elverson Company: Verdantas Date/Time: 6/13/13 1445

Relinquished by: Elverson Company: Verdantas Date/Time: 6/13/13 1445

Relinquished by: Elverson Company: Verdantas Date/Time: 6/13/13 1445

Relinquished by: Elverson Company: Verdantas Date/Time: 6/13/13 1445

Address: _____

Chain of Custody Record

664169



Environment Testing
America

TAL-8210

Regulatory Program: DW NPDES RCRA Other:

Client Contact

Project Manager: Robert Swartz

Site Contact: Robert Swartz

Date:

COC No: 2 of 2 COCs

Tel/Email: (508) 461-1111 / rswartz@eurofins.com

Lab Contact: Amya Pineda

Carrier:

Sampler: Edward Taylor (MET)

Company Name: Verdant LLC

Address: 5000 Limestone Rd

For Lab Use Only:

City/State/Zip: Wilmington DE 19807

Phone: 302 735 6604

Walk-in Client:

Fax: _____

Project Name: Redwing Reservoir

Lab Sampling:

Site: Redwing Reservoir

PO # 16530

Job / SDG No.:

Sample Identification

Sample Date

Sample Time

Sample Type (G-Comp, G-Grab)

Matrix

of Cont.

Filtered Sample (Y/N)

Perform MS/MSD (Y/N)

Sample Specific Notes:

Sample ID	Sample Date	Sample Time	Sample Type (G-Comp, G-Grab)	Matrix	# of Cont.	Filtered Sample (Y/N)	Perform MS/MSD (Y/N)
TR-DUP	4/13/23	0800	G	S	3	X	X
TR-25-MS/MSD		1010		S	6	X	X
EB-1		0800		S/AQ	4	X	X
EB-2		1200		S/AQ	4	X	X
FB		1215		S/AQ	4	X	X
TB	4/13/23	1215		AQ	1	X	X

Preservation Used: 1=Ice, 2=HCl, 3=H2SO4, 4=HNO3, 5=NaOH, 6=Other

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)

Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample.

Special Instructions/QC Requirements & Comments:

Return to Client Disposal by Lab Archive for _____ Months

Relinquished by: _____

Company: Verdant

Date/Time: 6/14/23 (1445)

Received by: _____

Company: Verdant

Date/Time: 6/13/23 1445

Relinquished by: _____

Company: Verdant

Date/Time: _____

Received by: _____

Company: Verdant

Date/Time: _____

Relinquished by: _____

Company: Verdant

Date/Time: _____

Received by: _____

Company: Verdant

Date/Time: _____

October 9, 2023
Ms. Mariya Chiger
Project Number: 16530



ATTACHMENT B

EUROFINS LABORATORY REPORT (ATTACHMENT SENT SEPARATELY)

October 9, 2023
Ms. Mariya Chiger
Project Number: 16530



ATTACHMENT C

PROUCL INPUTS AND OUTPUTS

SHALLOW SOIL PRO-UCL INPUT/OUTPUT

	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Data Sets with Non-Detects											
2												
3	User Selected Options											
4	Date/Time of Computation		ProUCL 5.2 7/19/2023 2:18:55 PM									
5	From File		WorkSheet.xls									
6	Full Precision		OFF									
7	Confidence Coefficient		95%									
8	Number of Bootstrap Operations		2000									
9												
10	Cobalt											
11												
12	General Statistics											
13	Total Number of Observations				25		Number of Distinct Observations				24	
14	Number of Detects				24		Number of Non-Detects				1	
15	Number of Distinct Detects				23		Number of Distinct Non-Detects				1	
16	Minimum Detect				9		Minimum Non-Detect				0.18	
17	Maximum Detect				94.5		Maximum Non-Detect				0.18	
18	Variance Detects				323.5		Percent Non-Detects				4%	
19	Mean Detects				33.93		SD Detects				17.99	
20	Median Detects				28		CV Detects				0.53	
21	Skewness Detects				1.896		Kurtosis Detects				4.69	
22	Mean of Logged Detects				3.413		SD of Logged Detects				0.477	
23												
24	Normal GOF Test on Detects Only											
25	Shapiro Wilk Test Statistic				0.827		Shapiro Wilk GOF Test					
26	1% Shapiro Wilk Critical Value				0.884		Detected Data Not Normal at 1% Significance Level					
27	Lilliefors Test Statistic				0.194		Lilliefors GOF Test					
28	1% Lilliefors Critical Value				0.205		Detected Data appear Normal at 1% Significance Level					
29	Detected Data appear Approximate Normal at 1% Significance Level											
30												
31	Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs											
32	KM Mean		32.58		KM Standard Error of Mean				3.775			
33	90KM SD		18.48		95% KM (BCA) UCL				38.95			
34	95% KM (t) UCL		39.04		95% KM (Percentile Bootstrap) UCL				38.82			
35	95% KM (z) UCL		38.79		95% KM Bootstrap t UCL				40.75			
36	90% KM Chebyshev UCL		43.91		95% KM Chebyshev UCL				49.04			
37	97.5% KM Chebyshev UCL		56.16		99% KM Chebyshev UCL				70.14			
38												
39	Gamma GOF Tests on Detected Observations Only											
40	A-D Test Statistic		0.62		Anderson-Darling GOF Test							
41	5% A-D Critical Value		0.747		Detected data appear Gamma Distributed at 5% Significance Level							
42	K-S Test Statistic		0.13		Kolmogorov-Smirnov GOF							
43	5% K-S Critical Value		0.178		Detected data appear Gamma Distributed at 5% Significance Level							
44	Detected data appear Gamma Distributed at 5% Significance Level											
45												
46	Gamma Statistics on Detected Data Only											
47	k hat (MLE)		4.641		k star (bias corrected MLE)				4.089			
48	Theta hat (MLE)		7.311		Theta star (bias corrected MLE)				8.299			
49	nu hat (MLE)		222.8		nu star (bias corrected)				196.3			
50	Mean (detects)		33.93									

	A	B	C	D	E	F	G	H	I	J	K	L
101												
102	DL/2 Statistics											
103	DL/2 Normal						DL/2 Log-Transformed					
104	Mean in Original Scale					32.58	Mean in Log Scale					3.18
105	SD in Original Scale					18.86	SD in Log Scale					1.254
106	95% t UCL (Assumes normality)					39.03	95% H-Stat UCL					109.1
107	DL/2 is not a recommended method, provided for comparisons and historical reasons											
108												
109	Nonparametric Distribution Free UCL Statistics											
110	Detected Data appear Approximate Normal Distributed at 1% Significance Level											
111												
112	Suggested UCL to Use											
113	95% KM (t) UCL					39.04						
114												
115	When a data set follows an approximate distribution passing only one of the GOF tests,											
116	it is suggested to use a UCL based upon a distribution passing both GOF tests in ProUCL											
117												
118	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
119	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
120	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
121												
122												
123	Aluminum											
124												
125	General Statistics											
126	Total Number of Observations					10	Number of Distinct Observations					10
127							Number of Missing Observations					0
128	Minimum					29200	Mean					41840
129	Maximum					63300	Median					40500
130	SD					11538	Std. Error of Mean					3649
131	Coefficient of Variation					0.276	Skewness					0.627
132												
133	Normal GOF Test											
134	Shapiro Wilk Test Statistic					0.925	Shapiro Wilk GOF Test					
135	1% Shapiro Wilk Critical Value					0.781	Data appear Normal at 1% Significance Level					
136	Lilliefors Test Statistic					0.17	Lilliefors GOF Test					
137	1% Lilliefors Critical Value					0.304	Data appear Normal at 1% Significance Level					
138	Data appear Normal at 1% Significance Level											
139												
140	Assuming Normal Distribution											
141	95% Normal UCL						95% UCLs (Adjusted for Skewness)					
142	95% Student's-t UCL					48529	95% Adjusted-CLT UCL (Chen-1995)					48615
143							95% Modified-t UCL (Johnson-1978)					48649
144												
145	Gamma GOF Test											
146	A-D Test Statistic					0.3	Anderson-Darling Gamma GOF Test					
147	5% A-D Critical Value					0.725	Detected data appear Gamma Distributed at 5% Significance Level					
148	K-S Test Statistic					0.18	Kolmogorov-Smirnov Gamma GOF Test					
149	5% K-S Critical Value					0.266	Detected data appear Gamma Distributed at 5% Significance Level					
150	Detected data appear Gamma Distributed at 5% Significance Level											

	A	B	C	D	E	F	G	H	I	J	K	L
151												
152	Gamma Statistics											
153	k hat (MLE)				15.24		k star (bias corrected MLE)				10.74	
154	Theta hat (MLE)				2745		Theta star (bias corrected MLE)				3897	
155	nu hat (MLE)				304.8		nu star (bias corrected)				214.7	
156	MLE Mean (bias corrected)				41840		MLE Sd (bias corrected)				12770	
157							Approximate Chi Square Value (0.05)				181.8	
158	Adjusted Level of Significance				0.0267		Adjusted Chi Square Value				176.5	
159												
160	Assuming Gamma Distribution											
161	95% Approximate Gamma UCL				49414		95% Adjusted Gamma UCL				50888	
162												
163	Lognormal GOF Test											
164	Shapiro Wilk Test Statistic				0.939		Shapiro Wilk Lognormal GOF Test					
165	10% Shapiro Wilk Critical Value				0.869		Data appear Lognormal at 10% Significance Level					
166	Lilliefors Test Statistic				0.165		Lilliefors Lognormal GOF Test					
167	10% Lilliefors Critical Value				0.241		Data appear Lognormal at 10% Significance Level					
168	Data appear Lognormal at 10% Significance Level											
169												
170	Lognormal Statistics											
171	Minimum of Logged Data				10.28		Mean of logged Data				10.61	
172	Maximum of Logged Data				11.06		SD of logged Data				0.27	
173												
174	Assuming Lognormal Distribution											
175	95% H-UCL				49999		90% Chebyshev (MVUE) UCL				52578	
176	95% Chebyshev (MVUE) UCL				57453		97.5% Chebyshev (MVUE) UCL				64218	
177	99% Chebyshev (MVUE) UCL				77507							
178												
179	Nonparametric Distribution Free UCL Statistics											
180	Data appear to follow a Discernible Distribution											
181												
182	Nonparametric Distribution Free UCLs											
183	95% CLT UCL				47842		95% BCA Bootstrap UCL				47600	
184	95% Standard Bootstrap UCL				47419		95% Bootstrap-t UCL				49705	
185	95% Hall's Bootstrap UCL				48404		95% Percentile Bootstrap UCL				47420	
186	90% Chebyshev(Mean, Sd) UCL				52786		95% Chebyshev(Mean, Sd) UCL				57744	
187	97.5% Chebyshev(Mean, Sd) UCL				64626		99% Chebyshev(Mean, Sd) UCL				78144	
188												
189	Suggested UCL to Use											
190	95% Student's-t UCL				48529							
191												
192	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
193	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
194	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
195												
196												
197	Thallium											
198												
199	General Statistics											
200	Total Number of Observations				10		Number of Distinct Observations				6	

	A	B	C	D	E	F	G	H	I	J	K	L
201											Number of Missing Observations	0
202					Minimum	0.13					Mean	0.159
203					Maximum	0.19					Median	0.16
204					SD	0.0208					Std. Error of Mean	0.00657
205					Coefficient of Variation	0.131					Skewness	0.0723
206												
207	Normal GOF Test											
208					Shapiro Wilk Test Statistic	0.92					Shapiro Wilk GOF Test	
209					1% Shapiro Wilk Critical Value	0.781					Data appear Normal at 1% Significance Level	
210					Lilliefors Test Statistic	0.22					Lilliefors GOF Test	
211					1% Lilliefors Critical Value	0.304					Data appear Normal at 1% Significance Level	
212	Data appear Normal at 1% Significance Level											
213												
214	Assuming Normal Distribution											
215	95% Normal UCL						95% UCLs (Adjusted for Skewness)					
216					95% Student's-t UCL	0.171					95% Adjusted-CLT UCL (Chen-1995)	0.17
217											95% Modified-t UCL (Johnson-1978)	0.171
218												
219	Gamma GOF Test											
220					A-D Test Statistic	0.452					Anderson-Darling Gamma GOF Test	
221					5% A-D Critical Value	0.724					Detected data appear Gamma Distributed at 5% Significance Level	
222					K-S Test Statistic	0.232					Kolmogorov-Smirnov Gamma GOF Test	
223					5% K-S Critical Value	0.266					Detected data appear Gamma Distributed at 5% Significance Level	
224	Detected data appear Gamma Distributed at 5% Significance Level											
225												
226	Gamma Statistics											
227					k hat (MLE)	64.69					k star (bias corrected MLE)	45.35
228					Theta hat (MLE)	0.00246					Theta star (bias corrected MLE)	0.00351
229					nu hat (MLE)	1294					nu star (bias corrected)	906.9
230					MLE Mean (bias corrected)	0.159					MLE Sd (bias corrected)	0.0236
231											Approximate Chi Square Value (0.05)	838
232					Adjusted Level of Significance	0.0267					Adjusted Chi Square Value	826.5
233												
234	Assuming Gamma Distribution											
235					95% Approximate Gamma UCL	0.172					95% Adjusted Gamma UCL	0.174
236												
237	Lognormal GOF Test											
238					Shapiro Wilk Test Statistic	0.919					Shapiro Wilk Lognormal GOF Test	
239					10% Shapiro Wilk Critical Value	0.869					Data appear Lognormal at 10% Significance Level	
240					Lilliefors Test Statistic	0.218					Lilliefors Lognormal GOF Test	
241					10% Lilliefors Critical Value	0.241					Data appear Lognormal at 10% Significance Level	
242	Data appear Lognormal at 10% Significance Level											
243												
244	Lognormal Statistics											
245					Minimum of Logged Data	-2.04					Mean of logged Data	-1.847
246					Maximum of Logged Data	-1.661					SD of logged Data	0.131
247												
248	Assuming Lognormal Distribution											
249					95% H-UCL	0.172					90% Chebyshev (MVUE) UCL	0.179
250					95% Chebyshev (MVUE) UCL	0.188					97.5% Chebyshev (MVUE) UCL	0.2

	A	B	C	D	E	F	G	H	I	J	K	L
251	99% Chebyshev (MVUE) UCL					0.225						
252												
253	Nonparametric Distribution Free UCL Statistics											
254	Data appear to follow a Discernible Distribution											
255												
256	Nonparametric Distribution Free UCLs											
257	95% CLT UCL					0.17	95% BCA Bootstrap UCL					0.169
258	95% Standard Bootstrap UCL					0.169	95% Bootstrap-t UCL					0.172
259	95% Hall's Bootstrap UCL					0.169	95% Percentile Bootstrap UCL					0.169
260	90% Chebyshev(Mean, Sd) UCL					0.179	95% Chebyshev(Mean, Sd) UCL					0.188
261	97.5% Chebyshev(Mean, Sd) UCL					0.2	99% Chebyshev(Mean, Sd) UCL					0.224
262												
263	Suggested UCL to Use											
264	95% Student's-t UCL					0.171						
265												
266	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
267	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
268	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
269												
270												
271	Vanadium											
272												
273	General Statistics											
274	Total Number of Observations					10	Number of Distinct Observations					9
275							Number of Missing Observations					0
276	Minimum					79.5	Mean					116.7
277	Maximum					163	Median					113
278	SD					30.73	Std. Error of Mean					9.717
279	Coefficient of Variation					0.263	Skewness					0.403
280												
281	Normal GOF Test											
282	Shapiro Wilk Test Statistic					0.918	Shapiro Wilk GOF Test					
283	1% Shapiro Wilk Critical Value					0.781	Data appear Normal at 1% Significance Level					
284	Lilliefors Test Statistic					0.135	Lilliefors GOF Test					
285	1% Lilliefors Critical Value					0.304	Data appear Normal at 1% Significance Level					
286	Data appear Normal at 1% Significance Level											
287												
288	Assuming Normal Distribution											
289	95% Normal UCL					95% UCLs (Adjusted for Skewness)						
290	95% Student's-t UCL					134.5	95% Adjusted-CLT UCL (Chen-1995)					134
291							95% Modified-t UCL (Johnson-1978)					134.7
292												
293	Gamma GOF Test											
294	A-D Test Statistic					0.293	Anderson-Darling Gamma GOF Test					
295	5% A-D Critical Value					0.725	Detected data appear Gamma Distributed at 5% Significance Level					
296	K-S Test Statistic					0.154	Kolmogorov-Smirnov Gamma GOF Test					
297	5% K-S Critical Value					0.266	Detected data appear Gamma Distributed at 5% Significance Level					
298	Detected data appear Gamma Distributed at 5% Significance Level											
299												
300	Gamma Statistics											

	A	B	C	D	E	F	G	H	I	J	K	L
301					k hat (MLE)	16.21					k star (bias corrected MLE)	11.41
302					Theta hat (MLE)	7.2					Theta star (bias corrected MLE)	10.23
303					nu hat (MLE)	324.1					nu star (bias corrected)	228.2
304					MLE Mean (bias corrected)	116.7					MLE Sd (bias corrected)	34.54
305											Approximate Chi Square Value (0.05)	194.3
306					Adjusted Level of Significance	0.0267					Adjusted Chi Square Value	188.8
307												
308					Assuming Gamma Distribution							
309					95% Approximate Gamma UCL	137.1					95% Adjusted Gamma UCL	141
310												
311					Lognormal GOF Test							
312					Shapiro Wilk Test Statistic	0.931					Shapiro Wilk Lognormal GOF Test	
313					10% Shapiro Wilk Critical Value	0.869					Data appear Lognormal at 10% Significance Level	
314					Lilliefors Test Statistic	0.143					Lilliefors Lognormal GOF Test	
315					10% Lilliefors Critical Value	0.241					Data appear Lognormal at 10% Significance Level	
316					Data appear Lognormal at 10% Significance Level							
317												
318					Lognormal Statistics							
319					Minimum of Logged Data	4.376					Mean of logged Data	4.728
320					Maximum of Logged Data	5.094					SD of logged Data	0.263
321												
322					Assuming Lognormal Distribution							
323					95% H-UCL	138.8					90% Chebyshev (MVUE) UCL	146
324					95% Chebyshev (MVUE) UCL	159.3					97.5% Chebyshev (MVUE) UCL	177.7
325					99% Chebyshev (MVUE) UCL	213.9						
326												
327					Nonparametric Distribution Free UCL Statistics							
328					Data appear to follow a Discernible Distribution							
329												
330					Nonparametric Distribution Free UCLs							
331					95% CLT UCL	132.7					95% BCA Bootstrap UCL	132.1
332					95% Standard Bootstrap UCL	131.5					95% Bootstrap-t UCL	136.4
333					95% Hall's Bootstrap UCL	135.5					95% Percentile Bootstrap UCL	131.6
334					90% Chebyshev(Mean, Sd) UCL	145.8					95% Chebyshev(Mean, Sd) UCL	159
335					97.5% Chebyshev(Mean, Sd) UCL	177.4					99% Chebyshev(Mean, Sd) UCL	213.4
336												
337					Suggested UCL to Use							
338					95% Student's-t UCL	134.5						
339												
340					Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.							
341					Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.							
342					However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.							
343												
344												
345					Mercury							
346												
347					General Statistics							
348					Total Number of Observations	10					Number of Distinct Observations	8
349											Number of Missing Observations	0
350					Minimum	0.057					Mean	0.344

	A	B	C	D	E	F	G	H	I	J	K	L	
351					Maximum	2.6					Median	0.089	
352					SD	0.793					Std. Error of Mean	0.251	
353					Coefficient of Variation	2.308					Skewness	3.157	
354													
355	Normal GOF Test												
356					Shapiro Wilk Test Statistic	0.392					Shapiro Wilk GOF Test		
357					1% Shapiro Wilk Critical Value	0.781					Data Not Normal at 1% Significance Level		
358					Lilliefors Test Statistic	0.501					Lilliefors GOF Test		
359					1% Lilliefors Critical Value	0.304					Data Not Normal at 1% Significance Level		
360	Data Not Normal at 1% Significance Level												
361													
362	Assuming Normal Distribution												
363					95% Normal UCL						95% UCLs (Adjusted for Skewness)		
364					95% Student's-t UCL	0.803					95% Adjusted-CLT UCL (Chen-1995)	1.024	
365											95% Modified-t UCL (Johnson-1978)	0.845	
366													
367	Gamma GOF Test												
368					A-D Test Statistic	2.576					Anderson-Darling Gamma GOF Test		
369					5% A-D Critical Value	0.768					Data Not Gamma Distributed at 5% Significance Level		
370					K-S Test Statistic	0.465					Kolmogorov-Smirnov Gamma GOF Test		
371					5% K-S Critical Value	0.279					Data Not Gamma Distributed at 5% Significance Level		
372	Data Not Gamma Distributed at 5% Significance Level												
373													
374	Gamma Statistics												
375					k hat (MLE)	0.615					k star (bias corrected MLE)	0.497	
376					Theta hat (MLE)	0.559					Theta star (bias corrected MLE)	0.691	
377					nu hat (MLE)	12.3					nu star (bias corrected)	9.945	
378					MLE Mean (bias corrected)	0.344					MLE Sd (bias corrected)	0.487	
379											Approximate Chi Square Value (0.05)	3.907	
380					Adjusted Level of Significance	0.0267					Adjusted Chi Square Value	3.277	
381													
382	Assuming Gamma Distribution												
383					95% Approximate Gamma UCL	0.875					95% Adjusted Gamma UCL	1.043	
384													
385	Lognormal GOF Test												
386					Shapiro Wilk Test Statistic	0.578					Shapiro Wilk Lognormal GOF Test		
387					10% Shapiro Wilk Critical Value	0.869					Data Not Lognormal at 10% Significance Level		
388					Lilliefors Test Statistic	0.362					Lilliefors Lognormal GOF Test		
389					10% Lilliefors Critical Value	0.241					Data Not Lognormal at 10% Significance Level		
390	Data Not Lognormal at 10% Significance Level												
391													
392	Lognormal Statistics												
393					Minimum of Logged Data	-2.865					Mean of logged Data	-2.069	
394					Maximum of Logged Data	0.956					SD of logged Data	1.09	
395													
396	Assuming Lognormal Distribution												
397					95% H-UCL	0.757					90% Chebyshev (MVUE) UCL	0.44	
398					95% Chebyshev (MVUE) UCL	0.544					97.5% Chebyshev (MVUE) UCL	0.688	
399					99% Chebyshev (MVUE) UCL	0.971							
400													

	A	B	C	D	E	F	G	H	I	J	K	L
401	Nonparametric Distribution Free UCL Statistics											
402	Data do not follow a Discernible Distribution											
403												
404	Nonparametric Distribution Free UCLs											
405	95% CLT UCL				0.756		95% BCA Bootstrap UCL				1.095	
406	95% Standard Bootstrap UCL				0.735		95% Bootstrap-t UCL				12.91	
407	95% Hall's Bootstrap UCL				6.926		95% Percentile Bootstrap UCL				0.844	
408	90% Chebyshev(Mean, Sd) UCL				1.096		95% Chebyshev(Mean, Sd) UCL				1.437	
409	97.5% Chebyshev(Mean, Sd) UCL				1.91		99% Chebyshev(Mean, Sd) UCL				2.839	
410												
411	Suggested UCL to Use											
412	95% Student's-t UCL				0.803							
413												
414	The calculated UCLs are based on assumptions that the data were collected in a random and unbiased manner.											
415	Please verify the data were collected from random locations.											
416	If the data were collected using judgmental or other non-random methods,											
417	then contact a statistician to correctly calculate UCLs.											
418												
419	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
420	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
421	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
422												
423	Benzo(a)pyrene											
424												
425	General Statistics											
426	Total Number of Observations				10		Number of Distinct Observations				9	
427	Number of Detects				9		Number of Non-Detects				1	
428	Number of Distinct Detects				8		Number of Distinct Non-Detects				1	
429	Minimum Detect				0.018		Minimum Non-Detect				0.011	
430	Maximum Detect				3.1		Maximum Non-Detect				0.011	
431	Variance Detects				1.007		Percent Non-Detects				10%	
432	Mean Detects				0.444		SD Detects				1.003	
433	Median Detects				0.07		CV Detects				2.258	
434	Skewness Detects				2.92		Kurtosis Detects				8.622	
435	Mean of Logged Detects				-2.275		SD of Logged Detects				1.625	
436												
437	Normal GOF Test on Detects Only											
438	Shapiro Wilk Test Statistic				0.484		Shapiro Wilk GOF Test					
439	1% Shapiro Wilk Critical Value				0.764		Detected Data Not Normal at 1% Significance Level					
440	Lilliefors Test Statistic				0.406		Lilliefors GOF Test					
441	1% Lilliefors Critical Value				0.316		Detected Data Not Normal at 1% Significance Level					
442	Detected Data Not Normal at 1% Significance Level											
443												
444	Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs											
445	KM Mean				0.401		KM Standard Error of Mean				0.304	
446	90KM SD				0.907		95% KM (BCA) UCL				0.999	
447	95% KM (t) UCL				0.958		95% KM (Percentile Bootstrap) UCL				0.981	
448	95% KM (z) UCL				0.901		95% KM Bootstrap t UCL				6.026	
449	90% KM Chebyshev UCL				1.313		95% KM Chebyshev UCL				1.727	
450	97.5% KM Chebyshev UCL				2.3		99% KM Chebyshev UCL				3.427	

	A	B	C	D	E	F	G	H	I	J	K	L
451												
452	Gamma GOF Tests on Detected Observations Only											
453	A-D Test Statistic				0.986		Anderson-Darling GOF Test					
454	5% A-D Critical Value				0.781		Detected Data Not Gamma Distributed at 5% Significance Level					
455	K-S Test Statistic				0.267		Kolmogorov-Smirnov GOF					
456	5% K-S Critical Value				0.296		Detected data appear Gamma Distributed at 5% Significance Level					
457	Detected data follow Appr. Gamma Distribution at 5% Significance Level											
458	Note GOF tests may be unreliable for small sample sizes											
459												
460	Gamma Statistics on Detected Data Only											
461	k hat (MLE)				0.442		k star (bias corrected MLE)				0.369	
462	Theta hat (MLE)				1.004		Theta star (bias corrected MLE)				1.204	
463	nu hat (MLE)				7.963		nu star (bias corrected)				6.642	
464	Mean (detects)				0.444							
465												
466	Gamma ROS Statistics using Imputed Non-Detects											
467	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
468	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
469	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
470	This is especially true when the sample size is small.											
471	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
472	Minimum				0.01		Mean				0.401	
473	Maximum				3.1		Median				0.064	
474	SD				0.956		CV				2.385	
475	k hat (MLE)				0.411		k star (bias corrected MLE)				0.354	
476	Theta hat (MLE)				0.975		Theta star (bias corrected MLE)				1.131	
477	nu hat (MLE)				8.221		nu star (bias corrected)				7.088	
478	Adjusted Level of Significance (β)				0.0267							
479	Approximate Chi Square Value (7.09, α)				2.219		Adjusted Chi Square Value (7.09, β)				1.777	
480	95% Gamma Approximate UCL				1.28		95% Gamma Adjusted UCL				1.599	
481												
482	Estimates of Gamma Parameters using KM Estimates											
483	Mean (KM)				0.401		SD (KM)				0.907	
484	Variance (KM)				0.822		SE of Mean (KM)				0.304	
485	k hat (KM)				0.195		k star (KM)				0.204	
486	nu hat (KM)				3.91		nu star (KM)				4.07	
487	theta hat (KM)				2.051		theta star (KM)				1.97	
488	80% gamma percentile (KM)				0.533		90% gamma percentile (KM)				1.213	
489	95% gamma percentile (KM)				2.056		99% gamma percentile (KM)				4.372	
490												
491	Gamma Kaplan-Meier (KM) Statistics											
492	Approximate Chi Square Value (4.07, α)				0.75		Adjusted Chi Square Value (4.07, β)				0.541	
493	95% KM Approximate Gamma UCL				2.177		95% KM Adjusted Gamma UCL				3.019	
494												
495	Lognormal GOF Test on Detected Observations Only											
496	Shapiro Wilk Test Statistic				0.905		Shapiro Wilk GOF Test					
497	10% Shapiro Wilk Critical Value				0.859		Detected Data appear Lognormal at 10% Significance Level					
498	Lilliefors Test Statistic				0.15		Lilliefors GOF Test					
499	10% Lilliefors Critical Value				0.252		Detected Data appear Lognormal at 10% Significance Level					
500	Detected Data appear Lognormal at 10% Significance Level											

	A	B	C	D	E	F	G	H	I	J	K	L
501	Note GOF tests may be unreliable for small sample sizes											
502												
503	Lognormal ROS Statistics Using Imputed Non-Detects											
504	Mean in Original Scale				0.4		Mean in Log Scale				-2.667	
505	SD in Original Scale				0.956		SD in Log Scale				1.971	
506	95% t UCL (assumes normality of ROS data)				0.954		95% Percentile Bootstrap UCL				0.983	
507	95% BCA Bootstrap UCL				1.3		95% Bootstrap t UCL				6.215	
508	95% H-UCL (Log ROS)				16.05							
509												
510	Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution											
511	KM Mean (logged)				-2.499		KM Geo Mean				0.0822	
512	KM SD (logged)				1.601		95% Critical H Value (KM-Log)				4.441	
513	KM Standard Error of Mean (logged)				0.537		95% H-UCL (KM -Log)				3.163	
514	KM SD (logged)				1.601		95% Critical H Value (KM-Log)				4.441	
515	KM Standard Error of Mean (logged)				0.537							
516												
517	DL/2 Statistics											
518	DL/2 Normal						DL/2 Log-Transformed					
519	Mean in Original Scale				0.4		Mean in Log Scale				-2.568	
520	SD in Original Scale				0.956		SD in Log Scale				1.79	
521	95% t UCL (Assumes normality)				0.955		95% H-Stat UCL				7.043	
522	DL/2 is not a recommended method, provided for comparisons and historical reasons											
523												
524	Nonparametric Distribution Free UCL Statistics											
525	Detected Data appear Approximate Gamma Distributed at 5% Significance Level											
526												
527	Suggested UCL to Use											
528	95% KM Bootstrap t UCL				6.026		95% Hall's Bootstrap				3.163	
529												
530	The calculated UCLs are based on assumptions that the data were collected in a random and unbiased manner.											
531	Please verify the data were collected from random locations.											
532	If the data were collected using judgmental or other non-random methods,											
533	then contact a statistician to correctly calculate UCLs.											
534												
535	When a data set follows an approximate distribution passing only one of the GOF tests,											
536	it is suggested to use a UCL based upon a distribution passing both GOF tests in ProUCL											
537												
538	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
539	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
540	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
541												
542	Benz(a)anthracene											
543												
544	General Statistics											
545	Total Number of Observations				10		Number of Distinct Observations				10	
546	Number of Detects				9		Number of Non-Detects				1	
547	Number of Distinct Detects				9		Number of Distinct Non-Detects				1	
548	Minimum Detect				0.014		Minimum Non-Detect				0.03	
549	Maximum Detect				3		Maximum Non-Detect				0.03	
550	Variance Detects				0.941		Percent Non-Detects				10%	

	A	B	C	D	E	F	G	H	I	J	K	L	
551				Mean Detects		0.459					SD Detects	0.97	
552				Median Detects		0.072					CV Detects	2.115	
553				Skewness Detects		2.816					Kurtosis Detects	8.095	
554				Mean of Logged Detects		-2.176					SD of Logged Detects	1.64	
555													
556	Normal GOF Test on Detects Only												
557				Shapiro Wilk Test Statistic		0.52		Shapiro Wilk GOF Test					
558				1% Shapiro Wilk Critical Value		0.764		Detected Data Not Normal at 1% Significance Level					
559				Lilliefors Test Statistic		0.387		Lilliefors GOF Test					
560				1% Lilliefors Critical Value		0.316		Detected Data Not Normal at 1% Significance Level					
561	Detected Data Not Normal at 1% Significance Level												
562													
563	Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs												
564				KM Mean		0.414		KM Standard Error of Mean				0.294	
565				90KM SD		0.878		95% KM (BCA) UCL				0.984	
566				95% KM (t) UCL		0.954		95% KM (Percentile Bootstrap) UCL				0.956	
567				95% KM (z) UCL		0.899		95% KM Bootstrap t UCL				6.016	
568				90% KM Chebyshev UCL		1.298		95% KM Chebyshev UCL				1.698	
569				97.5% KM Chebyshev UCL		2.253		99% KM Chebyshev UCL				3.344	
570													
571	Gamma GOF Tests on Detected Observations Only												
572				A-D Test Statistic		0.86		Anderson-Darling GOF Test					
573				5% A-D Critical Value		0.778		Detected Data Not Gamma Distributed at 5% Significance Level					
574				K-S Test Statistic		0.281		Kolmogorov-Smirnov GOF					
575				5% K-S Critical Value		0.296		Detected data appear Gamma Distributed at 5% Significance Level					
576	Detected data follow Appr. Gamma Distribution at 5% Significance Level												
577	Note GOF tests may be unreliable for small sample sizes												
578													
579	Gamma Statistics on Detected Data Only												
580				k hat (MLE)		0.461		k star (bias corrected MLE)				0.381	
581				Theta hat (MLE)		0.996		Theta star (bias corrected MLE)				1.203	
582				nu hat (MLE)		8.293		nu star (bias corrected)				6.862	
583				Mean (detects)		0.459							
584													
585	Gamma ROS Statistics using Imputed Non-Detects												
586	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs												
587	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)												
588	For such situations, GROS method may yield incorrect values of UCLs and BTVs												
589	This is especially true when the sample size is small.												
590	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates												
591				Minimum		0.01		Mean				0.414	
592				Maximum		3		Median				0.0665	
593				SD		0.926		CV				2.237	
594				k hat (MLE)		0.424		k star (bias corrected MLE)				0.364	
595				Theta hat (MLE)		0.975		Theta star (bias corrected MLE)				1.138	
596				nu hat (MLE)		8.485		nu star (bias corrected)				7.273	
597				Adjusted Level of Significance (β)		0.0267							
598				Approximate Chi Square Value (7.27, α)		2.322		Adjusted Chi Square Value (7.27, β)				1.866	
599				95% Gamma Approximate UCL		1.296		95% Gamma Adjusted UCL				1.613	
600													

	A	B	C	D	E	F	G	H	I	J	K	L
601	Estimates of Gamma Parameters using KM Estimates											
602	Mean (KM)				0.414		SD (KM)				0.878	
603	Variance (KM)				0.771		SE of Mean (KM)				0.294	
604	k hat (KM)				0.223		k star (KM)				0.222	
605	nu hat (KM)				4.452		nu star (KM)				4.45	
606	theta hat (KM)				1.861		theta star (KM)				1.862	
607	80% gamma percentile (KM)				0.574		90% gamma percentile (KM)				1.251	
608	95% gamma percentile (KM)				2.074		99% gamma percentile (KM)				4.301	
609												
610	Gamma Kaplan-Meier (KM) Statistics											
611	Approximate Chi Square Value (4.45, α)				0.907		Adjusted Chi Square Value (4.45, β)				0.666	
612	95% KM Approximate Gamma UCL				2.032		95% KM Adjusted Gamma UCL				2.766	
613												
614	Lognormal GOF Test on Detected Observations Only											
615	Shapiro Wilk Test Statistic				0.939		Shapiro Wilk GOF Test					
616	10% Shapiro Wilk Critical Value				0.859		Detected Data appear Lognormal at 10% Significance Level					
617	Lilliefors Test Statistic				0.165		Lilliefors GOF Test					
618	10% Lilliefors Critical Value				0.252		Detected Data appear Lognormal at 10% Significance Level					
619	Detected Data appear Lognormal at 10% Significance Level											
620	Note GOF tests may be unreliable for small sample sizes											
621												
622	Lognormal ROS Statistics Using Imputed Non-Detects											
623	Mean in Original Scale				0.414		Mean in Log Scale				-2.452	
624	SD in Original Scale				0.926		SD in Log Scale				1.775	
625	95% t UCL (assumes normality of ROS data)				0.95		95% Percentile Bootstrap UCL				0.957	
626	95% BCA Bootstrap UCL				1.281		95% Bootstrap t UCL				6.256	
627	95% H-UCL (Log ROS)				7.372							
628												
629	Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution											
630	KM Mean (logged)				-2.385		KM Geo Mean				0.0921	
631	KM SD (logged)				1.595		95% Critical H Value (KM-Log)				4.429	
632	KM Standard Error of Mean (logged)				0.535		95% H-UCL (KM -Log)				3.464	
633	KM SD (logged)				1.595		95% Critical H Value (KM-Log)				4.429	
634	KM Standard Error of Mean (logged)				0.535							
635												
636	DL/2 Statistics											
637	DL/2 Normal						DL/2 Log-Transformed					
638	Mean in Original Scale				0.414		Mean in Log Scale				-2.378	
639	SD in Original Scale				0.925		SD in Log Scale				1.673	
640	95% t UCL (Assumes normality)				0.951		95% H-Stat UCL				4.922	
641	DL/2 is not a recommended method, provided for comparisons and historical reasons											
642												
643	Nonparametric Distribution Free UCL Statistics											
644	Detected Data appear Approximate Gamma Distributed at 5% Significance Level											
645												
646	Suggested UCL to Use											
647	95% KM Bootstrap t UCL				6.016		95% Hall's Bootstrap				3.464	
648												
649	The calculated UCLs are based on assumptions that the data were collected in a random and unbiased manner.											
650	Please verify the data were collected from random locations.											

	A	B	C	D	E	F	G	H	I	J	K	L
651	If the data were collected using judgmental or other non-random methods,											
652	then contact a statistician to correctly calculate UCLs.											
653												
654	When a data set follows an approximate distribution passing only one of the GOF tests,											
655	it is suggested to use a UCL based upon a distribution passing both GOF tests in ProUCL											
656												
657	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
658	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
659	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
660												
661												
662	Benzo(b)fluoranthene											
663												
664	General Statistics											
665	Total Number of Observations				10		Number of Distinct Observations				10	
666							Number of Missing Observations				0	
667	Minimum				0.012		Mean				0.502	
668	Maximum				3.8		Median				0.0695	
669	SD				1.171		Std. Error of Mean				0.37	
670	Coefficient of Variation				2.334		Skewness				3.048	
671												
672	Normal GOF Test											
673	Shapiro Wilk Test Statistic				0.47		Shapiro Wilk GOF Test					
674	1% Shapiro Wilk Critical Value				0.781		Data Not Normal at 1% Significance Level					
675	Lilliefors Test Statistic				0.388		Lilliefors GOF Test					
676	1% Lilliefors Critical Value				0.304		Data Not Normal at 1% Significance Level					
677	Data Not Normal at 1% Significance Level											
678												
679	Assuming Normal Distribution											
680	95% Normal UCL						95% UCLs (Adjusted for Skewness)					
681	95% Student's-t UCL				1.181		95% Adjusted-CLT UCL (Chen-1995)				1.492	
682							95% Modified-t UCL (Johnson-1978)				1.24	
683												
684	Gamma GOF Test											
685	A-D Test Statistic				1.054		Anderson-Darling Gamma GOF Test					
686	5% A-D Critical Value				0.791		Data Not Gamma Distributed at 5% Significance Level					
687	K-S Test Statistic				0.258		Kolmogorov-Smirnov Gamma GOF Test					
688	5% K-S Critical Value				0.284		Detected data appear Gamma Distributed at 5% Significance Level					
689	Detected data follow Appr. Gamma Distribution at 5% Significance Level											
690												
691	Gamma Statistics											
692	k hat (MLE)				0.423		k star (bias corrected MLE)				0.362	
693	Theta hat (MLE)				1.187		Theta star (bias corrected MLE)				1.384	
694	nu hat (MLE)				8.452		nu star (bias corrected)				7.25	
695	MLE Mean (bias corrected)				0.502		MLE Sd (bias corrected)				0.833	
696							Approximate Chi Square Value (0.05)				2.309	
697	Adjusted Level of Significance				0.0267		Adjusted Chi Square Value				1.855	
698												
699	Assuming Gamma Distribution											
700	95% Approximate Gamma UCL				1.576		95% Adjusted Gamma UCL				1.961	

	A	B	C	D	E	F	G	H	I	J	K	L
701												
702	Lognormal GOF Test											
703	Shapiro Wilk Test Statistic				0.927		Shapiro Wilk Lognormal GOF Test					
704	10% Shapiro Wilk Critical Value				0.869		Data appear Lognormal at 10% Significance Level					
705	Lilliefors Test Statistic				0.178		Lilliefors Lognormal GOF Test					
706	10% Lilliefors Critical Value				0.241		Data appear Lognormal at 10% Significance Level					
707	Data appear Lognormal at 10% Significance Level											
708												
709	Lognormal Statistics											
710	Minimum of Logged Data				-4.423		Mean of logged Data				-2.233	
711	Maximum of Logged Data				1.335		SD of logged Data				1.672	
712												
713	Assuming Lognormal Distribution											
714	95% H-UCL				5.669		90% Chebyshev (MVUE) UCL				0.896	
715	95% Chebyshev (MVUE) UCL				1.15		97.5% Chebyshev (MVUE) UCL				1.502	
716	99% Chebyshev (MVUE) UCL				2.193							
717												
718	Nonparametric Distribution Free UCL Statistics											
719	Data appear to follow a Discernible Distribution											
720												
721	Nonparametric Distribution Free UCLs											
722	95% CLT UCL				1.111		95% BCA Bootstrap UCL				1.597	
723	95% Standard Bootstrap UCL				1.069		95% Bootstrap-t UCL				7.188	
724	95% Hall's Bootstrap UCL				3.997		95% Percentile Bootstrap UCL				1.208	
725	90% Chebyshev(Mean, Sd) UCL				1.613		95% Chebyshev(Mean, Sd) UCL				2.116	
726	97.5% Chebyshev(Mean, Sd) UCL				2.814		99% Chebyshev(Mean, Sd) UCL				4.186	
727												
728	Suggested UCL to Use											
729	95% Adjusted Gamma UCL				1.961							
730												
731	The calculated UCLs are based on assumptions that the data were collected in a random and unbiased manner.											
732	Please verify the data were collected from random locations.											
733	If the data were collected using judgmental or other non-random methods,											
734	then contact a statistician to correctly calculate UCLs.											
735												
736	When a data set follows an approximate distribution passing only one of the GOF tests,											
737	it is suggested to use a UCL based upon a distribution passing both GOF tests in ProUCL											
738												
739	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
740	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
741	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
742												
743	Dibenz(a,h)anthracene											
744												
745	General Statistics											
746	Total Number of Observations				10		Number of Distinct Observations				6	
747	Number of Detects				4		Number of Non-Detects				6	
748	Number of Distinct Detects				4		Number of Distinct Non-Detects				3	
749	Minimum Detect				0.017		Minimum Non-Detect				0.016	
750	Maximum Detect				0.5		Maximum Non-Detect				0.018	

	A	B	C	D	E	F	G	H	I	J	K	L
751	Variance Detects					0.0556	Percent Non-Detects					60%
752	Mean Detects					0.147	SD Detects					0.236
753	Median Detects					0.035	CV Detects					1.607
754	Skewness Detects					1.982	Kurtosis Detects					3.938
755	Mean of Logged Detects					-2.899	SD of Logged Detects					1.531
756												
757	Normal GOF Test on Detects Only											
758	Shapiro Wilk Test Statistic					0.676	Shapiro Wilk GOF Test					
759	1% Shapiro Wilk Critical Value					0.687	Detected Data Not Normal at 1% Significance Level					
760	Lilliefors Test Statistic					0.414	Lilliefors GOF Test					
761	1% Lilliefors Critical Value					0.413	Detected Data Not Normal at 1% Significance Level					
762	Detected Data Not Normal at 1% Significance Level											
763												
764	Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs											
765	KM Mean					0.0683	KM Standard Error of Mean					0.0526
766	90KM SD					0.144	95% KM (BCA) UCL					N/A
767	95% KM (t) UCL					0.165	95% KM (Percentile Bootstrap) UCL					N/A
768	95% KM (z) UCL					0.155	95% KM Bootstrap t UCL					N/A
769	90% KM Chebyshev UCL					0.226	95% KM Chebyshev UCL					0.298
770	97.5% KM Chebyshev UCL					0.397	99% KM Chebyshev UCL					0.592
771												
772	Gamma GOF Tests on Detected Observations Only											
773	A-D Test Statistic					0.596	Anderson-Darling GOF Test					
774	5% A-D Critical Value					0.676	Detected data appear Gamma Distributed at 5% Significance Level					
775	K-S Test Statistic					0.372	Kolmogorov-Smirnov GOF					
776	5% K-S Critical Value					0.408	Detected data appear Gamma Distributed at 5% Significance Level					
777	Detected data appear Gamma Distributed at 5% Significance Level											
778	Note GOF tests may be unreliable for small sample sizes											
779												
780	Gamma Statistics on Detected Data Only											
781	k hat (MLE)					0.626	k star (bias corrected MLE)					0.323
782	Theta hat (MLE)					0.234	Theta star (bias corrected MLE)					0.454
783	nu hat (MLE)					5.01	nu star (bias corrected)					2.586
784	Mean (detects)					0.147						
785												
786	Gamma ROS Statistics using Imputed Non-Detects											
787	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
788	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
789	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
790	This is especially true when the sample size is small.											
791	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
792	Minimum					0.01	Mean					0.0647
793	Maximum					0.5	Median					0.01
794	SD					0.153	CV					2.371
795	k hat (MLE)					0.531	k star (bias corrected MLE)					0.438
796	Theta hat (MLE)					0.122	Theta star (bias corrected MLE)					0.148
797	nu hat (MLE)					10.62	nu star (bias corrected)					8.769
798	Adjusted Level of Significance (β)					0.0267						
799	Approximate Chi Square Value (8.77, α)					3.188	Adjusted Chi Square Value (8.77, β)					2.632
800	95% Gamma Approximate UCL					0.178	95% Gamma Adjusted UCL					N/A

	A	B	C	D	E	F	G	H	I	J	K	L
801												
802	Estimates of Gamma Parameters using KM Estimates											
803	Mean (KM)				0.0683		SD (KM)				0.144	
804	Variance (KM)				0.0208		SE of Mean (KM)				0.0526	
805	k hat (KM)				0.225		k star (KM)				0.224	
806	nu hat (KM)				4.493		nu star (KM)				4.479	
807	theta hat (KM)				0.304		theta star (KM)				0.305	
808	80% gamma percentile (KM)				0.095		90% gamma percentile (KM)				0.206	
809	95% gamma percentile (KM)				0.342		99% gamma percentile (KM)				0.707	
810												
811	Gamma Kaplan-Meier (KM) Statistics											
812	Approximate Chi Square Value (4.48, α)				0.919		Adjusted Chi Square Value (4.48, β)				0.676	
813	95% KM Approximate Gamma UCL				0.333		95% KM Adjusted Gamma UCL				0.453	
814												
815	Lognormal GOF Test on Detected Observations Only											
816	Shapiro Wilk Test Statistic				0.849		Shapiro Wilk GOF Test					
817	10% Shapiro Wilk Critical Value				0.792		Detected Data appear Lognormal at 10% Significance Level					
818	Lilliefors Test Statistic				0.291		Lilliefors GOF Test					
819	10% Lilliefors Critical Value				0.346		Detected Data appear Lognormal at 10% Significance Level					
820	Detected Data appear Lognormal at 10% Significance Level											
821	Note GOF tests may be unreliable for small sample sizes											
822												
823	Lognormal ROS Statistics Using Imputed Non-Detects											
824	Mean in Original Scale				0.0594		Mean in Log Scale				-5.479	
825	SD in Original Scale				0.156		SD in Log Scale				2.509	
826	95% t UCL (assumes normality of ROS data)				0.15		95% Percentile Bootstrap UCL				0.155	
827	95% BCA Bootstrap UCL				0.207		95% Bootstrap t UCL				1.081	
828	95% H-UCL (Log ROS)				25.15							
829												
830	Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution											
831	KM Mean (logged)				-3.638		KM Geo Mean				0.0263	
832	KM SD (logged)				1.033		95% Critical H Value (KM-Log)				3.172	
833	KM Standard Error of Mean (logged)				0.377		95% H-UCL (KM -Log)				0.134	
834	KM SD (logged)				1.033		95% Critical H Value (KM-Log)				3.172	
835	KM Standard Error of Mean (logged)				0.377							
836												
837	DL/2 Statistics											
838	DL/2 Normal						DL/2 Log-Transformed					
839	Mean in Original Scale				0.0638		Mean in Log Scale				-4.021	
840	SD in Original Scale				0.154		SD in Log Scale				1.31	
841	95% t UCL (Assumes normality)				0.153		95% H-Stat UCL				0.219	
842	DL/2 is not a recommended method, provided for comparisons and historical reasons											
843												
844	Nonparametric Distribution Free UCL Statistics											
845	Detected Data appear Gamma Distributed at 5% Significance Level											
846												
847	Suggested UCL to Use											
848	95% KM Bootstrap t UCL				N/A		95% Hall's Bootstrap				0.134	
849												
850	The calculated UCLs are based on assumptions that the data were collected in a random and unbiased manner.											

	A	B	C	D	E	F	G	H	I	J	K	L
851	Please verify the data were collected from random locations.											
852	If the data were collected using judgmental or other non-random methods,											
853	then contact a statistician to correctly calculate UCLs.											
854												
855	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
856	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
857	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
858												
859	Indeno(1,2,3-cd)pyrene											
860												
861	General Statistics											
862	Total Number of Observations			10		Number of Distinct Observations			8			
863	Number of Detects			9		Number of Non-Detects			1			
864	Number of Distinct Detects			8		Number of Distinct Non-Detects			1			
865	Minimum Detect			0.016		Minimum Non-Detect			0.016			
866	Maximum Detect			2.3		Maximum Non-Detect			0.016			
867	Variance Detects			0.558		Percent Non-Detects			10%			
868	Mean Detects			0.314		SD Detects			0.747			
869	Median Detects			0.042		CV Detects			2.377			
870	Skewness Detects			2.967		Kurtosis Detects			8.851			
871	Mean of Logged Detects			-2.645		SD of Logged Detects			1.559			
872												
873	Normal GOF Test on Detects Only											
874	Shapiro Wilk Test Statistic			0.453		Shapiro Wilk GOF Test						
875	1% Shapiro Wilk Critical Value			0.764		Detected Data Not Normal at 1% Significance Level						
876	Lilliefors Test Statistic			0.455		Lilliefors GOF Test						
877	1% Lilliefors Critical Value			0.316		Detected Data Not Normal at 1% Significance Level						
878	Detected Data Not Normal at 1% Significance Level											
879												
880	Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs											
881	KM Mean			0.284		KM Standard Error of Mean			0.226			
882	90KM SD			0.674		95% KM (BCA) UCL			0.737			
883	95% KM (t) UCL			0.699		95% KM (Percentile Bootstrap) UCL			0.721			
884	95% KM (z) UCL			0.656		95% KM Bootstrap t UCL			4.905			
885	90% KM Chebyshev UCL			0.963		95% KM Chebyshev UCL			1.27			
886	97.5% KM Chebyshev UCL			1.696		99% KM Chebyshev UCL			2.534			
887												
888	Gamma GOF Tests on Detected Observations Only											
889	A-D Test Statistic			1.25		Anderson-Darling GOF Test						
890	5% A-D Critical Value			0.782		Detected Data Not Gamma Distributed at 5% Significance Level						
891	K-S Test Statistic			0.32		Kolmogorov-Smirnov GOF						
892	5% K-S Critical Value			0.296		Detected Data Not Gamma Distributed at 5% Significance Level						
893	Detected Data Not Gamma Distributed at 5% Significance Level											
894												
895	Gamma Statistics on Detected Data Only											
896	k hat (MLE)			0.436		k star (bias corrected MLE)			0.365			
897	Theta hat (MLE)			0.72		Theta star (bias corrected MLE)			0.861			
898	nu hat (MLE)			7.852		nu star (bias corrected)			6.568			
899	Mean (detects)			0.314								
900												

	A	B	C	D	E	F	G	H	I	J	K	L
951												
952	DL/2 Statistics											
953	DL/2 Normal						DL/2 Log-Transformed					
954	Mean in Original Scale					0.284	Mean in Log Scale					-2.864
955	SD in Original Scale					0.711	SD in Log Scale					1.624
956	95% t UCL (Assumes normality)					0.696	95% H-Stat UCL					2.43
957	DL/2 is not a recommended method, provided for comparisons and historical reasons											
958												
959	Nonparametric Distribution Free UCL Statistics											
960	Detected Data appear Approximate Lognormal Distributed at 10% Significance Level											
961												
962	Suggested UCL to Use											
963	KM (t) UCL					0.699						
964												
965	The calculated UCLs are based on assumptions that the data were collected in a random and unbiased manner.											
966	Please verify the data were collected from random locations.											
967	If the data were collected using judgmental or other non-random methods,											
968	then contact a statistician to correctly calculate UCLs.											
969												
970	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
971	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
972	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
973												

COMBINED SOIL PRO-UCL INPUT/OUTPUT

	A	B	C	D	E	F	G	H	I	J	K	L
1	UCL Statistics for Data Sets with Non-Detects											
2												
3	User Selected Options											
4	Date/Time of Computation			ProUCL 5.2 7/19/2023 3:05:50 PM								
5	From File			WorkSheet.xls								
6	Full Precision			OFF								
7	Confidence Coefficient			95%								
8	Number of Bootstrap Operations			2000								
9												
10	Cobalt											
11												
12	General Statistics											
13	Total Number of Observations				31		Number of Distinct Observations				30	
14	Number of Detects				30		Number of Non-Detects				1	
15	Number of Distinct Detects				29		Number of Distinct Non-Detects				1	
16	Minimum Detect				9		Minimum Non-Detect				0.18	
17	Maximum Detect				94.5		Maximum Non-Detect				0.18	
18	Variance Detects				307.6		Percent Non-Detects				3.226%	
19	Mean Detects				32.99		SD Detects				17.54	
20	Median Detects				28		CV Detects				0.532	
21	Skewness Detects				1.659		Kurtosis Detects				4.055	
22	Mean of Logged Detects				3.375		SD of Logged Detects				0.504	
23												
24	Normal GOF Test on Detects Only											
25	Shapiro Wilk Test Statistic				0.875		Shapiro Wilk GOF Test					
26	1% Shapiro Wilk Critical Value				0.9		Detected Data Not Normal at 1% Significance Level					
27	Lilliefors Test Statistic				0.163		Lilliefors GOF Test					
28	1% Lilliefors Critical Value				0.185		Detected Data appear Normal at 1% Significance Level					
29	Detected Data appear Approximate Normal at 1% Significance Level											
30												
31	Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs											
32	KM Mean		31.93		KM Standard Error of Mean				3.275			
33	90KM SD		17.93		95% KM (BCA) UCL				37.49			
34	95% KM (t) UCL		37.49		95% KM (Percentile Bootstrap) UCL				37.4			
35	95% KM (z) UCL		37.32		95% KM Bootstrap t UCL				38.8			
36	90% KM Chebyshev UCL		41.76		95% KM Chebyshev UCL				46.21			
37	97.5% KM Chebyshev UCL		52.39		99% KM Chebyshev UCL				64.52			
38												
39	Gamma GOF Tests on Detected Observations Only											
40	A-D Test Statistic		0.319		Anderson-Darling GOF Test							
41	5% A-D Critical Value		0.749		Detected data appear Gamma Distributed at 5% Significance Level							
42	K-S Test Statistic		0.0972		Kolmogorov-Smirnov GOF							
43	5% K-S Critical Value		0.161		Detected data appear Gamma Distributed at 5% Significance Level							
44	Detected data appear Gamma Distributed at 5% Significance Level											
45												
46	Gamma Statistics on Detected Data Only											
47	k hat (MLE)		4.268		k star (bias corrected MLE)				3.863			
48	Theta hat (MLE)		7.73		Theta star (bias corrected MLE)				8.54			
49	nu hat (MLE)		256.1		nu star (bias corrected)				231.8			
50	Mean (detects)		32.99									

	A	B	C	D	E	F	G	H	I	J	K	L
101												
102	DL/2 Statistics											
103	DL/2 Normal						DL/2 Log-Transformed					
104	Mean in Original Scale					31.93	Mean in Log Scale					3.188
105	SD in Original Scale					18.23	SD in Log Scale					1.151
106	95% t UCL (Assumes normality)					37.49	95% H-Stat UCL					81.28
107	DL/2 is not a recommended method, provided for comparisons and historical reasons											
108												
109	Nonparametric Distribution Free UCL Statistics											
110	Detected Data appear Approximate Normal Distributed at 1% Significance Level											
111												
112	Suggested UCL to Use											
113	95% KM (t) UCL					37.49						
114												
115	When a data set follows an approximate distribution passing only one of the GOF tests,											
116	it is suggested to use a UCL based upon a distribution passing both GOF tests in ProUCL											
117												
118	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
119	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
120	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
121												
122												
123	Chromium											
124												
125	General Statistics											
126	Total Number of Observations					16	Number of Distinct Observations					16
127							Number of Missing Observations					0
128	Minimum					53.6	Mean					139.9
129	Maximum					384.5	Median					114
130	SD					90.7	Std. Error of Mean					22.68
131	Coefficient of Variation					0.648	Skewness					1.711
132												
133	Normal GOF Test											
134	Shapiro Wilk Test Statistic					0.811	Shapiro Wilk GOF Test					
135	1% Shapiro Wilk Critical Value					0.844	Data Not Normal at 1% Significance Level					
136	Lilliefors Test Statistic					0.216	Lilliefors GOF Test					
137	1% Lilliefors Critical Value					0.248	Data appear Normal at 1% Significance Level					
138	Data appear Approximate Normal at 1% Significance Level											
139												
140	Assuming Normal Distribution											
141	95% Normal UCL						95% UCLs (Adjusted for Skewness)					
142	95% Student's-t UCL					179.7	95% Adjusted-CLT UCL (Chen-1995)					187.6
143							95% Modified-t UCL (Johnson-1978)					181.3
144												
145	Gamma GOF Test											
146	A-D Test Statistic					0.449	Anderson-Darling Gamma GOF Test					
147	5% A-D Critical Value					0.744	Detected data appear Gamma Distributed at 5% Significance Level					
148	K-S Test Statistic					0.141	Kolmogorov-Smirnov Gamma GOF Test					
149	5% K-S Critical Value					0.217	Detected data appear Gamma Distributed at 5% Significance Level					
150	Detected data appear Gamma Distributed at 5% Significance Level											

	A	B	C	D	E	F	G	H	I	J	K	L
151												
152	Gamma Statistics											
153	k hat (MLE)				3.295		k star (bias corrected MLE)				2.719	
154	Theta hat (MLE)				42.47		Theta star (bias corrected MLE)				51.47	
155	nu hat (MLE)				105.4		nu star (bias corrected)				86.99	
156	MLE Mean (bias corrected)				139.9		MLE Sd (bias corrected)				84.86	
157					Approximate Chi Square Value (0.05)				66.49			
158	Adjusted Level of Significance				0.0335		Adjusted Chi Square Value				64.45	
159												
160	Assuming Gamma Distribution											
161	95% Approximate Gamma UCL				183.1		95% Adjusted Gamma UCL				188.8	
162												
163	Lognormal GOF Test											
164	Shapiro Wilk Test Statistic				0.955		Shapiro Wilk Lognormal GOF Test					
165	10% Shapiro Wilk Critical Value				0.906		Data appear Lognormal at 10% Significance Level					
166	Lilliefors Test Statistic				0.116		Lilliefors Lognormal GOF Test					
167	10% Lilliefors Critical Value				0.196		Data appear Lognormal at 10% Significance Level					
168	Data appear Lognormal at 10% Significance Level											
169												
170	Lognormal Statistics											
171	Minimum of Logged Data				3.982		Mean of logged Data				4.782	
172	Maximum of Logged Data				5.952		SD of logged Data				0.562	
173												
174	Assuming Lognormal Distribution											
175	95% H-UCL				190		90% Chebyshev (MVUE) UCL				198.7	
176	95% Chebyshev (MVUE) UCL				226.2		97.5% Chebyshev (MVUE) UCL				264.2	
177	99% Chebyshev (MVUE) UCL				339							
178												
179	Nonparametric Distribution Free UCL Statistics											
180	Data appear to follow a Discernible Distribution											
181												
182	Nonparametric Distribution Free UCLs											
183	95% CLT UCL				177.2		95% BCA Bootstrap UCL				189.9	
184	95% Standard Bootstrap UCL				176.5		95% Bootstrap-t UCL				208.8	
185	95% Hall's Bootstrap UCL				381.9		95% Percentile Bootstrap UCL				178.4	
186	90% Chebyshev(Mean, Sd) UCL				207.9		95% Chebyshev(Mean, Sd) UCL				238.8	
187	97.5% Chebyshev(Mean, Sd) UCL				281.5		99% Chebyshev(Mean, Sd) UCL				365.5	
188												
189	Suggested UCL to Use											
190	95% Student's-t UCL				179.7							
191												
192	When a data set follows an approximate distribution passing only one of the GOF tests,											
193	it is suggested to use a UCL based upon a distribution passing both GOF tests in ProUCL											
194												
195	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
196	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
197	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
198												
199												
200	Aluminum											

	A	B	C	D	E	F	G	H	I	J	K	L	
201													
202	General Statistics												
203	Total Number of Observations				16		Number of Distinct Observations				16		
204									Number of Missing Observations				0
205	Minimum				20700		Mean				40797		
206	Maximum				63300		Median				39650		
207	SD				12803		Std. Error of Mean				3201		
208	Coefficient of Variation				0.314		Skewness				0.15		
209													
210	Normal GOF Test												
211	Shapiro Wilk Test Statistic				0.966		Shapiro Wilk GOF Test						
212	1% Shapiro Wilk Critical Value				0.844		Data appear Normal at 1% Significance Level						
213	Lilliefors Test Statistic				0.113		Lilliefors GOF Test						
214	1% Lilliefors Critical Value				0.248		Data appear Normal at 1% Significance Level						
215	Data appear Normal at 1% Significance Level												
216													
217	Assuming Normal Distribution												
218	95% Normal UCL						95% UCLs (Adjusted for Skewness)						
219	95% Student's-t UCL				46408		95% Adjusted-CLT UCL (Chen-1995)				46190		
220							95% Modified-t UCL (Johnson-1978)				46428		
221													
222	Gamma GOF Test												
223	A-D Test Statistic				0.212		Anderson-Darling Gamma GOF Test						
224	5% A-D Critical Value				0.739		Detected data appear Gamma Distributed at 5% Significance Level						
225	K-S Test Statistic				0.125		Kolmogorov-Smirnov Gamma GOF Test						
226	5% K-S Critical Value				0.215		Detected data appear Gamma Distributed at 5% Significance Level						
227	Detected data appear Gamma Distributed at 5% Significance Level												
228													
229	Gamma Statistics												
230	k hat (MLE)				10.26		k star (bias corrected MLE)				8.38		
231	Theta hat (MLE)				3975		Theta star (bias corrected MLE)				4869		
232	nu hat (MLE)				328.4		nu star (bias corrected)				268.2		
233	MLE Mean (bias corrected)				40797		MLE Sd (bias corrected)				14093		
234									Approximate Chi Square Value (0.05)				231.2
235	Adjusted Level of Significance				0.0335		Adjusted Chi Square Value				227.3		
236													
237	Assuming Gamma Distribution												
238	95% Approximate Gamma UCL				47311		95% Adjusted Gamma UCL				48123		
239													
240	Lognormal GOF Test												
241	Shapiro Wilk Test Statistic				0.96		Shapiro Wilk Lognormal GOF Test						
242	10% Shapiro Wilk Critical Value				0.906		Data appear Lognormal at 10% Significance Level						
243	Lilliefors Test Statistic				0.116		Lilliefors Lognormal GOF Test						
244	10% Lilliefors Critical Value				0.196		Data appear Lognormal at 10% Significance Level						
245	Data appear Lognormal at 10% Significance Level												
246													
247	Lognormal Statistics												
248	Minimum of Logged Data				9.938		Mean of logged Data				10.57		
249	Maximum of Logged Data				11.06		SD of logged Data				0.332		
250													

	A	B	C	D	E	F	G	H	I	J	K	L
251	Assuming Lognormal Distribution											
252					95% H-UCL	48281					90% Chebyshev (MVUE) UCL	51222
253					95% Chebyshev (MVUE) UCL	55905					97.5% Chebyshev (MVUE) UCL	62405
254					99% Chebyshev (MVUE) UCL	75173						
255												
256	Nonparametric Distribution Free UCL Statistics											
257	Data appear to follow a Discernible Distribution											
258												
259	Nonparametric Distribution Free UCLs											
260					95% CLT UCL	46062					95% BCA Bootstrap UCL	46288
261					95% Standard Bootstrap UCL	45862					95% Bootstrap-t UCL	46532
262					95% Hall's Bootstrap UCL	45982					95% Percentile Bootstrap UCL	45856
263					90% Chebyshev(Mean, Sd) UCL	50399					95% Chebyshev(Mean, Sd) UCL	54749
264					97.5% Chebyshev(Mean, Sd) UCL	60786					99% Chebyshev(Mean, Sd) UCL	72645
265												
266	Suggested UCL to Use											
267					95% Student's-t UCL	46408						
268												
269	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
270	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
271	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
272												
273												
274	Thallium											
275												
276	General Statistics											
277					Total Number of Observations	16					Number of Distinct Observations	8
278											Number of Missing Observations	0
279					Minimum	0.13					Mean	0.161
280					Maximum	0.2					Median	0.16
281					SD	0.0203					Std. Error of Mean	0.00507
282					Coefficient of Variation	0.126					Skewness	0.245
283												
284	Normal GOF Test											
285					Shapiro Wilk Test Statistic	0.951					Shapiro Wilk GOF Test	
286					1% Shapiro Wilk Critical Value	0.844					Data appear Normal at 1% Significance Level	
287					Lilliefors Test Statistic	0.165					Lilliefors GOF Test	
288					1% Lilliefors Critical Value	0.248					Data appear Normal at 1% Significance Level	
289	Data appear Normal at 1% Significance Level											
290												
291	Assuming Normal Distribution											
292					95% Normal UCL						95% UCLs (Adjusted for Skewness)	
293					95% Student's-t UCL	0.17					95% Adjusted-CLT UCL (Chen-1995)	0.17
294											95% Modified-t UCL (Johnson-1978)	0.17
295												
296	Gamma GOF Test											
297					A-D Test Statistic	0.389					Anderson-Darling Gamma GOF Test	
298					5% A-D Critical Value	0.736					Detected data appear Gamma Distributed at 5% Significance Level	
299					K-S Test Statistic	0.176					Kolmogorov-Smirnov Gamma GOF Test	
300					5% K-S Critical Value	0.214					Detected data appear Gamma Distributed at 5% Significance Level	

	A	B	C	D	E	F	G	H	I	J	K	L
301	Detected data appear Gamma Distributed at 5% Significance Level											
302												
303	Gamma Statistics											
304	k hat (MLE)				67.74		k star (bias corrected MLE)				55.08	
305	Theta hat (MLE)				0.00238		Theta star (bias corrected MLE)				0.00293	
306	nu hat (MLE)				2168		nu star (bias corrected)				1763	
307	MLE Mean (bias corrected)				0.161		MLE Sd (bias corrected)				0.0217	
308					Approximate Chi Square Value (0.05)				1666			
309	Adjusted Level of Significance				0.0335		Adjusted Chi Square Value				1655	
310												
311	Assuming Gamma Distribution											
312	95% Approximate Gamma UCL				0.171		95% Adjusted Gamma UCL				0.172	
313												
314	Lognormal GOF Test											
315	Shapiro Wilk Test Statistic				0.952		Shapiro Wilk Lognormal GOF Test					
316	10% Shapiro Wilk Critical Value				0.906		Data appear Lognormal at 10% Significance Level					
317	Lilliefors Test Statistic				0.169		Lilliefors Lognormal GOF Test					
318	10% Lilliefors Critical Value				0.196		Data appear Lognormal at 10% Significance Level					
319	Data appear Lognormal at 10% Significance Level											
320												
321	Lognormal Statistics											
322	Minimum of Logged Data				-2.04		Mean of logged Data				-1.832	
323	Maximum of Logged Data				-1.609		SD of logged Data				0.126	
324												
325	Assuming Lognormal Distribution											
326	95% H-UCL				0.171		90% Chebyshev (MVUE) UCL				0.176	
327	95% Chebyshev (MVUE) UCL				0.183		97.5% Chebyshev (MVUE) UCL				0.193	
328	99% Chebyshev (MVUE) UCL				0.212							
329												
330	Nonparametric Distribution Free UCL Statistics											
331	Data appear to follow a Discernible Distribution											
332												
333	Nonparametric Distribution Free UCLs											
334	95% CLT UCL				0.17		95% BCA Bootstrap UCL				0.169	
335	95% Standard Bootstrap UCL				0.169		95% Bootstrap-t UCL				0.17	
336	95% Hall's Bootstrap UCL				0.169		95% Percentile Bootstrap UCL				0.169	
337	90% Chebyshev(Mean, Sd) UCL				0.176		95% Chebyshev(Mean, Sd) UCL				0.183	
338	97.5% Chebyshev(Mean, Sd) UCL				0.193		99% Chebyshev(Mean, Sd) UCL				0.212	
339												
340	Suggested UCL to Use											
341	95% Student's-t UCL				0.17							
342												
343	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
344	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
345	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
346												
347												
348	Vanadium											
349												
350	General Statistics											

	A	B	C	D	E	F	G	H	I	J	K	L
351	Total Number of Observations					16	Number of Distinct Observations					15
352							Number of Missing Observations					0
353	Minimum					45.7	Mean					117.1
354	Maximum					167	Median					117
355	SD					38.25	Std. Error of Mean					9.562
356	Coefficient of Variation					0.327	Skewness					-0.262
357												
358	Normal GOF Test											
359	Shapiro Wilk Test Statistic					0.943	Shapiro Wilk GOF Test					
360	1% Shapiro Wilk Critical Value					0.844	Data appear Normal at 1% Significance Level					
361	Lilliefors Test Statistic					0.13	Lilliefors GOF Test					
362	1% Lilliefors Critical Value					0.248	Data appear Normal at 1% Significance Level					
363	Data appear Normal at 1% Significance Level											
364												
365	Assuming Normal Distribution											
366	95% Normal UCL						95% UCLs (Adjusted for Skewness)					
367	95% Student's-t UCL					133.9	95% Adjusted-CLT UCL (Chen-1995)					132.2
368							95% Modified-t UCL (Johnson-1978)					133.8
369												
370	Gamma GOF Test											
371	A-D Test Statistic					0.389	Anderson-Darling Gamma GOF Test					
372	5% A-D Critical Value					0.74	Detected data appear Gamma Distributed at 5% Significance Level					
373	K-S Test Statistic					0.117	Kolmogorov-Smirnov Gamma GOF Test					
374	5% K-S Critical Value					0.215	Detected data appear Gamma Distributed at 5% Significance Level					
375	Detected data appear Gamma Distributed at 5% Significance Level											
376												
377	Gamma Statistics											
378	k hat (MLE)					8.538	k star (bias corrected MLE)					6.978
379	Theta hat (MLE)					13.72	Theta star (bias corrected MLE)					16.78
380	nu hat (MLE)					273.2	nu star (bias corrected)					223.3
381	MLE Mean (bias corrected)					117.1	MLE Sd (bias corrected)					44.33
382							Approximate Chi Square Value (0.05)					189.7
383	Adjusted Level of Significance					0.0335	Adjusted Chi Square Value					186.2
384												
385	Assuming Gamma Distribution											
386	95% Approximate Gamma UCL					137.8	95% Adjusted Gamma UCL					140.4
387												
388	Lognormal GOF Test											
389	Shapiro Wilk Test Statistic					0.913	Shapiro Wilk Lognormal GOF Test					
390	10% Shapiro Wilk Critical Value					0.906	Data appear Lognormal at 10% Significance Level					
391	Lilliefors Test Statistic					0.135	Lilliefors Lognormal GOF Test					
392	10% Lilliefors Critical Value					0.196	Data appear Lognormal at 10% Significance Level					
393	Data appear Lognormal at 10% Significance Level											
394												
395	Lognormal Statistics											
396	Minimum of Logged Data					3.822	Mean of logged Data					4.703
397	Maximum of Logged Data					5.118	SD of logged Data					0.376
398												
399	Assuming Lognormal Distribution											
400	95% H-UCL					142.8	90% Chebyshev (MVUE) UCL					151.7

	A	B	C	D	E	F	G	H	I	J	K	L
401	95% Chebyshev (MVUE) UCL					167	97.5% Chebyshev (MVUE) UCL					188.3
402	99% Chebyshev (MVUE) UCL					230.1						
403												
404	Nonparametric Distribution Free UCL Statistics											
405	Data appear to follow a Discernible Distribution											
406												
407	Nonparametric Distribution Free UCLs											
408	95% CLT UCL					132.8	95% BCA Bootstrap UCL					132
409	95% Standard Bootstrap UCL					132.3	95% Bootstrap-t UCL					133.1
410	95% Hall's Bootstrap UCL					131.9	95% Percentile Bootstrap UCL					132.3
411	90% Chebyshev(Mean, Sd) UCL					145.8	95% Chebyshev(Mean, Sd) UCL					158.8
412	97.5% Chebyshev(Mean, Sd) UCL					176.8	99% Chebyshev(Mean, Sd) UCL					212.2
413												
414	Suggested UCL to Use											
415	95% Student's-t UCL					133.9						
416												
417	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
418	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
419	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
420												
421	Note: For highly negatively-skewed data, confidence limits (e.g., Chen, Johnson, Lognormal, and Gamma) may not be											
422	reliable. Chen's and Johnson's methods provide adjustments for positively skewed data sets.											
423												
424												
425	Mercury											
426												
427	General Statistics											
428	Total Number of Observations					16	Number of Distinct Observations					13
429							Number of Missing Observations					0
430	Minimum					0.023	Mean					0.24
431	Maximum					2.6	Median					0.082
432	SD					0.63	Std. Error of Mean					0.158
433	Coefficient of Variation					2.627	Skewness					3.986
434												
435	Normal GOF Test											
436	Shapiro Wilk Test Statistic					0.313	Shapiro Wilk GOF Test					
437	1% Shapiro Wilk Critical Value					0.844	Data Not Normal at 1% Significance Level					
438	Lilliefors Test Statistic					0.5	Lilliefors GOF Test					
439	1% Lilliefors Critical Value					0.248	Data Not Normal at 1% Significance Level					
440	Data Not Normal at 1% Significance Level											
441												
442	Assuming Normal Distribution											
443	95% Normal UCL						95% UCLs (Adjusted for Skewness)					
444	95% Student's-t UCL					0.516	95% Adjusted-CLT UCL (Chen-1995)					0.667
445							95% Modified-t UCL (Johnson-1978)					0.542
446												
447	Gamma GOF Test											
448	A-D Test Statistic					3.591	Anderson-Darling Gamma GOF Test					
449	5% A-D Critical Value					0.782	Data Not Gamma Distributed at 5% Significance Level					
450	K-S Test Statistic					0.427	Kolmogorov-Smirnov Gamma GOF Test					

	A	B	C	D	E	F	G	H	I	J	K	L	
451	5% K-S Critical Value				0.225	Data Not Gamma Distributed at 5% Significance Level							
452	Data Not Gamma Distributed at 5% Significance Level												
453													
454	Gamma Statistics												
455	k hat (MLE)				0.662	k star (bias corrected MLE)				0.579			
456	Theta hat (MLE)				0.363	Theta star (bias corrected MLE)				0.414			
457	nu hat (MLE)				21.17	nu star (bias corrected)				18.53			
458	MLE Mean (bias corrected)				0.24	MLE Sd (bias corrected)				0.315			
459						Approximate Chi Square Value (0.05)				9.777			
460	Adjusted Level of Significance				0.0335	Adjusted Chi Square Value				9.059			
461													
462	Assuming Gamma Distribution												
463	95% Approximate Gamma UCL				0.455	95% Adjusted Gamma UCL				0.491			
464													
465	Lognormal GOF Test												
466	Shapiro Wilk Test Statistic				0.673	Shapiro Wilk Lognormal GOF Test							
467	10% Shapiro Wilk Critical Value				0.906	Data Not Lognormal at 10% Significance Level							
468	Lilliefors Test Statistic				0.285	Lilliefors Lognormal GOF Test							
469	10% Lilliefors Critical Value				0.196	Data Not Lognormal at 10% Significance Level							
470	Data Not Lognormal at 10% Significance Level												
471													
472	Lognormal Statistics												
473	Minimum of Logged Data				-3.772	Mean of logged Data				-2.349			
474	Maximum of Logged Data				0.956	SD of logged Data				0.974			
475													
476	Assuming Lognormal Distribution												
477	95% H-UCL				0.3	90% Chebyshev (MVUE) UCL				0.265			
478	95% Chebyshev (MVUE) UCL				0.319	97.5% Chebyshev (MVUE) UCL				0.393			
479	99% Chebyshev (MVUE) UCL				0.539								
480													
481	Nonparametric Distribution Free UCL Statistics												
482	Data do not follow a Discernible Distribution												
483													
484	Nonparametric Distribution Free UCLs												
485	95% CLT UCL				0.499	95% BCA Bootstrap UCL				0.716			
486	95% Standard Bootstrap UCL				0.487	95% Bootstrap-t UCL				4.732			
487	95% Hall's Bootstrap UCL				2.475	95% Percentile Bootstrap UCL				0.553			
488	90% Chebyshev(Mean, Sd) UCL				0.712	95% Chebyshev(Mean, Sd) UCL				0.926			
489	97.5% Chebyshev(Mean, Sd) UCL				1.223	99% Chebyshev(Mean, Sd) UCL				1.807			
490													
491	Suggested UCL to Use												
492	95% Student's-t UCL				0.516								
493													
494	The calculated UCLs are based on assumptions that the data were collected in a random and unbiased manner.												
495	Please verify the data were collected from random locations.												
496	If the data were collected using judgmental or other non-random methods,												
497	then contact a statistician to correctly calculate UCLs.												
498													
499	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.												
500	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.												

	A	B	C	D	E	F	G	H	I	J	K	L
501	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
502												
503	Benzo(a)pyrene											
504												
505	General Statistics											
506	Total Number of Observations				16		Number of Distinct Observations				15	
507	Number of Detects				14		Number of Non-Detects				2	
508	Number of Distinct Detects				13		Number of Distinct Non-Detects				2	
509	Minimum Detect				0.018		Minimum Non-Detect				0.0099	
510	Maximum Detect				3.1		Maximum Non-Detect				0.011	
511	Variance Detects				0.657		Percent Non-Detects				12.5%	
512	Mean Detects				0.307		SD Detects				0.81	
513	Median Detects				0.0585		CV Detects				2.639	
514	Skewness Detects				3.642		Kurtosis Detects				13.44	
515	Mean of Logged Detects				-2.554		SD of Logged Detects				1.396	
516												
517	Normal GOF Test on Detects Only											
518	Shapiro Wilk Test Statistic				0.387		Shapiro Wilk GOF Test					
519	1% Shapiro Wilk Critical Value				0.825		Detected Data Not Normal at 1% Significance Level					
520	Lilliefors Test Statistic				0.415		Lilliefors GOF Test					
521	1% Lilliefors Critical Value				0.263		Detected Data Not Normal at 1% Significance Level					
522	Detected Data Not Normal at 1% Significance Level											
523												
524	Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs											
525	KM Mean		0.27		KM Standard Error of Mean				0.191			
526	90KM SD		0.737		95% KM (BCA) UCL				0.644			
527	95% KM (t) UCL		0.605		95% KM (Percentile Bootstrap) UCL				0.638			
528	95% KM (z) UCL		0.584		95% KM Bootstrap t UCL				3.573			
529	90% KM Chebyshev UCL		0.844		95% KM Chebyshev UCL				1.103			
530	97.5% KM Chebyshev UCL		1.464		99% KM Chebyshev UCL				2.172			
531												
532	Gamma GOF Tests on Detected Observations Only											
533	A-D Test Statistic		1.815		Anderson-Darling GOF Test							
534	5% A-D Critical Value		0.8		Detected Data Not Gamma Distributed at 5% Significance Level							
535	K-S Test Statistic		0.278		Kolmogorov-Smirnov GOF							
536	5% K-S Critical Value		0.243		Detected Data Not Gamma Distributed at 5% Significance Level							
537	Detected Data Not Gamma Distributed at 5% Significance Level											
538												
539	Gamma Statistics on Detected Data Only											
540	k hat (MLE)		0.467		k star (bias corrected MLE)				0.415			
541	Theta hat (MLE)		0.657		Theta star (bias corrected MLE)				0.74			
542	nu hat (MLE)		13.09		nu star (bias corrected)				11.61			
543	Mean (detects)		0.307									
544												
545	Gamma ROS Statistics using Imputed Non-Detects											
546	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
547	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
548	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
549	This is especially true when the sample size is small.											
550	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											

	A	B	C	D	E	F	G	H	I	J	K	L
551					Minimum	0.01					Mean	0.27
552					Maximum	3.1					Median	0.049
553					SD	0.761					CV	2.82
554					k hat (MLE)	0.433					k star (bias corrected MLE)	0.393
555					Theta hat (MLE)	0.624					Theta star (bias corrected MLE)	0.686
556					nu hat (MLE)	13.85					nu star (bias corrected)	12.59
557					Adjusted Level of Significance (β)	0.0335						
558					Approximate Chi Square Value (12.59, α)	5.617					Adjusted Chi Square Value (12.59, β)	5.095
559					95% Gamma Approximate UCL	0.605					95% Gamma Adjusted UCL	0.667
560												
561	Estimates of Gamma Parameters using KM Estimates											
562					Mean (KM)	0.27					SD (KM)	0.737
563					Variance (KM)	0.543					SE of Mean (KM)	0.191
564					k hat (KM)	0.134					k star (KM)	0.151
565					nu hat (KM)	4.292					nu star (KM)	4.821
566					theta hat (KM)	2.012					theta star (KM)	1.792
567					80% gamma percentile (KM)	0.295					90% gamma percentile (KM)	0.801
568					95% gamma percentile (KM)	1.484					99% gamma percentile (KM)	3.466
569												
570	Gamma Kaplan-Meier (KM) Statistics											
571					Approximate Chi Square Value (4.82, α)	1.07					Adjusted Chi Square Value (4.82, β)	0.886
572					95% KM Approximate Gamma UCL	1.216					95% KM Adjusted Gamma UCL	1.468
573												
574	Lognormal GOF Test on Detected Observations Only											
575					Shapiro Wilk Test Statistic	0.866					Shapiro Wilk GOF Test	
576					10% Shapiro Wilk Critical Value	0.895					Detected Data Not Lognormal at 10% Significance Level	
577					Lilliefors Test Statistic	0.173					Lilliefors GOF Test	
578					10% Lilliefors Critical Value	0.208					Detected Data appear Lognormal at 10% Significance Level	
579	Detected Data appear Approximate Lognormal at 10% Significance Level											
580												
581	Lognormal ROS Statistics Using Imputed Non-Detects											
582					Mean in Original Scale	0.269					Mean in Log Scale	-2.947
583					SD in Original Scale	0.762					SD in Log Scale	1.686
584					95% t UCL (assumes normality of ROS data)	0.603					95% Percentile Bootstrap UCL	0.634
585					95% BCA Bootstrap UCL	0.852					95% Bootstrap t UCL	3.411
586					95% H-UCL (Log ROS)	1.178						
587												
588	Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution											
589					KM Mean (logged)	-2.812					KM Geo Mean	0.0601
590					KM SD (logged)	1.431					95% Critical H Value (KM-Log)	3.421
591					KM Standard Error of Mean (logged)	0.371					95% H-UCL (KM -Log)	0.592
592					KM SD (logged)	1.431					95% Critical H Value (KM-Log)	3.421
593					KM Standard Error of Mean (logged)	0.371						
594												
595	DL/2 Statistics											
596	DL/2 Normal						DL/2 Log-Transformed					
597					Mean in Original Scale	0.269					Mean in Log Scale	-2.892
598					SD in Original Scale	0.761					SD in Log Scale	1.594
599					95% t UCL (Assumes normality)	0.603					95% H-Stat UCL	0.911
600	DL/2 is not a recommended method, provided for comparisons and historical reasons											

	A	B	C	D	E	F	G	H	I	J	K	L
601												
602	Nonparametric Distribution Free UCL Statistics											
603	Detected Data appear Approximate Lognormal Distributed at 10% Significance Level											
604												
605	Suggested UCL to Use											
606						KM H-UCL	0.592					
607												
608	The calculated UCLs are based on assumptions that the data were collected in a random and unbiased manner.											
609	Please verify the data were collected from random locations.											
610	If the data were collected using judgmental or other non-random methods,											
611	then contact a statistician to correctly calculate UCLs.											
612												
613	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
614	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
615	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
616												
617	Benz(a)anthracene											
618												
619	General Statistics											
620	Total Number of Observations				16		Number of Distinct Observations				16	
621	Number of Detects				13		Number of Non-Detects				3	
622	Number of Distinct Detects				13		Number of Distinct Non-Detects				3	
623	Minimum Detect				0.014		Minimum Non-Detect				0.028	
624	Maximum Detect				3		Maximum Non-Detect				0.03	
625	Variance Detects				0.663		Percent Non-Detects				18.75%	
626	Mean Detects				0.338		SD Detects				0.814	
627	Median Detects				0.061		CV Detects				2.406	
628	Skewness Detects				3.401		Kurtosis Detects				11.83	
629	Mean of Logged Detects				-2.371		SD of Logged Detects				1.4	
630												
631	Normal GOF Test on Detects Only											
632	Shapiro Wilk Test Statistic				0.43		Shapiro Wilk GOF Test					
633	1% Shapiro Wilk Critical Value				0.814		Detected Data Not Normal at 1% Significance Level					
634	Lilliefors Test Statistic				0.418		Lilliefors GOF Test					
635	1% Lilliefors Critical Value				0.271		Detected Data Not Normal at 1% Significance Level					
636	Detected Data Not Normal at 1% Significance Level											
637												
638	Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs											
639	KM Mean				0.278		KM Standard Error of Mean				0.186	
640	90KM SD				0.716		95% KM (BCA) UCL				0.635	
641	95% KM (t) UCL				0.604		95% KM (Percentile Bootstrap) UCL				0.631	
642	95% KM (z) UCL				0.584		95% KM Bootstrap t UCL				3.774	
643	90% KM Chebyshev UCL				0.837		95% KM Chebyshev UCL				1.09	
644	97.5% KM Chebyshev UCL				1.442		99% KM Chebyshev UCL				2.133	
645												
646	Gamma GOF Tests on Detected Observations Only											
647	A-D Test Statistic				1.635		Anderson-Darling GOF Test					
648	5% A-D Critical Value				0.791		Detected Data Not Gamma Distributed at 5% Significance Level					
649	K-S Test Statistic				0.302		Kolmogorov-Smirnov GOF					
650	5% K-S Critical Value				0.25		Detected Data Not Gamma Distributed at 5% Significance Level					

	A	B	C	D	E	F	G	H	I	J	K	L
651	Detected Data Not Gamma Distributed at 5% Significance Level											
652												
653	Gamma Statistics on Detected Data Only											
654	k hat (MLE)				0.494		k star (bias corrected MLE)				0.431	
655	Theta hat (MLE)				0.685		Theta star (bias corrected MLE)				0.785	
656	nu hat (MLE)				12.85		nu star (bias corrected)				11.22	
657	Mean (detects)				0.338							
658												
659	Gamma ROS Statistics using Imputed Non-Detects											
660	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
661	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
662	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
663	This is especially true when the sample size is small.											
664	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
665	Minimum				0.01		Mean				0.277	
666	Maximum				3		Median				0.052	
667	SD				0.74		CV				2.674	
668	k hat (MLE)				0.432		k star (bias corrected MLE)				0.392	
669	Theta hat (MLE)				0.641		Theta star (bias corrected MLE)				0.706	
670	nu hat (MLE)				13.81		nu star (bias corrected)				12.56	
671	Adjusted Level of Significance (β)				0.0335							
672	Approximate Chi Square Value (12.56, α)				5.596		Adjusted Chi Square Value (12.56, β)				5.076	
673	95% Gamma Approximate UCL				0.621		95% Gamma Adjusted UCL				0.685	
674												
675	Estimates of Gamma Parameters using KM Estimates											
676	Mean (KM)				0.278		SD (KM)				0.716	
677	Variance (KM)				0.513		SE of Mean (KM)				0.186	
678	k hat (KM)				0.15		k star (KM)				0.164	
679	nu hat (KM)				4.805		nu star (KM)				5.237	
680	theta hat (KM)				1.849		theta star (KM)				1.696	
681	80% gamma percentile (KM)				0.323		90% gamma percentile (KM)				0.832	
682	95% gamma percentile (KM)				1.501		99% gamma percentile (KM)				3.41	
683												
684	Gamma Kaplan-Meier (KM) Statistics											
685	Approximate Chi Square Value (5.24, α)				1.263		Adjusted Chi Square Value (5.24, β)				1.057	
686	95% KM Approximate Gamma UCL				1.151		95% KM Adjusted Gamma UCL				1.375	
687												
688	Lognormal GOF Test on Detected Observations Only											
689	Shapiro Wilk Test Statistic				0.888		Shapiro Wilk GOF Test					
690	10% Shapiro Wilk Critical Value				0.889		Detected Data Not Lognormal at 10% Significance Level					
691	Lilliefors Test Statistic				0.189		Lilliefors GOF Test					
692	10% Lilliefors Critical Value				0.215		Detected Data appear Lognormal at 10% Significance Level					
693	Detected Data appear Approximate Lognormal at 10% Significance Level											
694												
695	Lognormal ROS Statistics Using Imputed Non-Detects											
696	Mean in Original Scale				0.276		Mean in Log Scale				-2.84	
697	SD in Original Scale				0.74		SD in Log Scale				1.607	
698	95% t UCL (assumes normality of ROS data)				0.601		95% Percentile Bootstrap UCL				0.618	
699	95% BCA Bootstrap UCL				0.844		95% Bootstrap t UCL				3.568	
700	95% H-UCL (Log ROS)				1.002							

	A	B	C	D	E	F	G	H	I	J	K	L
701												
702	Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution											
703	KM Mean (logged)				-2.727		KM Geo Mean				0.0654	
704	KM SD (logged)				1.421		95% Critical H Value (KM-Log)				3.403	
705	KM Standard Error of Mean (logged)				0.37		95% H-UCL (KM -Log)				0.625	
706	KM SD (logged)				1.421		95% Critical H Value (KM-Log)				3.403	
707	KM Standard Error of Mean (logged)				0.37							
708												
709	DL/2 Statistics											
710	DL/2 Normal						DL/2 Log-Transformed					
711	Mean in Original Scale				0.278		Mean in Log Scale				-2.72	
712	SD in Original Scale				0.74		SD in Log Scale				1.46	
713	95% t UCL (Assumes normality)				0.602		95% H-Stat UCL				0.708	
714	DL/2 is not a recommended method, provided for comparisons and historical reasons											
715												
716	Nonparametric Distribution Free UCL Statistics											
717	Detected Data appear Approximate Lognormal Distributed at 10% Significance Level											
718												
719	Suggested UCL to Use											
720	KM H-UCL				0.625							
721												
722	The calculated UCLs are based on assumptions that the data were collected in a random and unbiased manner.											
723	Please verify the data were collected from random locations.											
724	If the data were collected using judgmental or other non-random methods,											
725	then contact a statistician to correctly calculate UCLs.											
726												
727	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
728	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
729	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
730												
731	Benzo(b)fluoranthene											
732												
733	General Statistics											
734	Total Number of Observations				16		Number of Distinct Observations				16	
735	Number of Detects				15		Number of Non-Detects				1	
736	Number of Distinct Detects				15		Number of Distinct Non-Detects				1	
737	Minimum Detect				0.012		Minimum Non-Detect				0.0096	
738	Maximum Detect				3.8		Maximum Non-Detect				0.0096	
739	Variance Detects				0.925		Percent Non-Detects				6.25%	
740	Mean Detects				0.361		SD Detects				0.962	
741	Median Detects				0.062		CV Detects				2.661	
742	Skewness Detects				3.736		Kurtosis Detects				14.2	
743	Mean of Logged Detects				-2.407		SD of Logged Detects				1.42	
744												
745	Normal GOF Test on Detects Only											
746	Shapiro Wilk Test Statistic				0.385		Shapiro Wilk GOF Test					
747	1% Shapiro Wilk Critical Value				0.835		Detected Data Not Normal at 1% Significance Level					
748	Lilliefors Test Statistic				0.417		Lilliefors GOF Test					
749	1% Lilliefors Critical Value				0.255		Detected Data Not Normal at 1% Significance Level					
750	Detected Data Not Normal at 1% Significance Level											

	A	B	C	D	E	F	G	H	I	J	K	L	
751													
752	Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs												
753	KM Mean				0.339	KM Standard Error of Mean				0.234			
754	90KM SD				0.904	95% KM (BCA) UCL				0.792			
755	95% KM (t) UCL				0.749	95% KM (Percentile Bootstrap) UCL				0.789			
756	95% KM (z) UCL				0.724	95% KM Bootstrap t UCL				4.228			
757	90% KM Chebyshev UCL				1.041	95% KM Chebyshev UCL				1.359			
758	97.5% KM Chebyshev UCL				1.8	99% KM Chebyshev UCL				2.666			
759													
760	Gamma GOF Tests on Detected Observations Only												
761	A-D Test Statistic				1.878	Anderson-Darling GOF Test							
762	5% A-D Critical Value				0.801	Detected Data Not Gamma Distributed at 5% Significance Level							
763	K-S Test Statistic				0.284	Kolmogorov-Smirnov GOF							
764	5% K-S Critical Value				0.235	Detected Data Not Gamma Distributed at 5% Significance Level							
765	Detected Data Not Gamma Distributed at 5% Significance Level												
766													
767	Gamma Statistics on Detected Data Only												
768	k hat (MLE)				0.463	k star (bias corrected MLE)				0.415			
769	Theta hat (MLE)				0.781	Theta star (bias corrected MLE)				0.872			
770	nu hat (MLE)				13.88	nu star (bias corrected)				12.44			
771	Mean (detects)				0.361								
772													
773	Gamma ROS Statistics using Imputed Non-Detects												
774	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs												
775	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)												
776	For such situations, GROS method may yield incorrect values of UCLs and BTVs												
777	This is especially true when the sample size is small.												
778	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates												
779	Minimum				0.01	Mean				0.34			
780	Maximum				3.8	Median				0.057			
781	SD				0.933	CV				2.749			
782	k hat (MLE)				0.442	k star (bias corrected MLE)				0.401			
783	Theta hat (MLE)				0.768	Theta star (bias corrected MLE)				0.847			
784	nu hat (MLE)				14.15	nu star (bias corrected)				12.83			
785	Adjusted Level of Significance (β)				0.0335								
786	Approximate Chi Square Value (12.83, α)				5.779	Adjusted Chi Square Value (12.83, β)				5.249			
787	95% Gamma Approximate UCL				0.754	95% Gamma Adjusted UCL				0.83			
788													
789	Estimates of Gamma Parameters using KM Estimates												
790	Mean (KM)				0.339	SD (KM)				0.904			
791	Variance (KM)				0.817	SE of Mean (KM)				0.234			
792	k hat (KM)				0.141	k star (KM)				0.156			
793	nu hat (KM)				4.516	nu star (KM)				5.002			
794	theta hat (KM)				2.406	theta star (KM)				2.172			
795	80% gamma percentile (KM)				0.382	90% gamma percentile (KM)				1.012			
796	95% gamma percentile (KM)				1.853	99% gamma percentile (KM)				4.274			
797													
798	Gamma Kaplan-Meier (KM) Statistics												
799	Approximate Chi Square Value (5.00, α)				1.153	Adjusted Chi Square Value (5.00, β)				0.96			
800	95% KM Approximate Gamma UCL				1.473	95% KM Adjusted Gamma UCL				1.769			

	A	B	C	D	E	F	G	H	I	J	K	L
801												
802	Lognormal GOF Test on Detected Observations Only											
803	Shapiro Wilk Test Statistic				0.893		Shapiro Wilk GOF Test					
804	10% Shapiro Wilk Critical Value				0.901		Detected Data Not Lognormal at 10% Significance Level					
805	Lilliefors Test Statistic				0.196		Lilliefors GOF Test					
806	10% Lilliefors Critical Value				0.202		Detected Data appear Lognormal at 10% Significance Level					
807	Detected Data appear Approximate Lognormal at 10% Significance Level											
808												
809	Lognormal ROS Statistics Using Imputed Non-Detects											
810	Mean in Original Scale				0.339		Mean in Log Scale				-2.616	
811	SD in Original Scale				0.933		SD in Log Scale				1.606	
812	95% t UCL (assumes normality of ROS data)				0.748		95% Percentile Bootstrap UCL				0.781	
813	95% BCA Bootstrap UCL				1.053		95% Bootstrap t UCL				4.037	
814	95% H-UCL (Log ROS)				1.249							
815												
816	Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution											
817	KM Mean (logged)				-2.547		KM Geo Mean				0.0783	
818	KM SD (logged)				1.435		95% Critical H Value (KM-Log)				3.428	
819	KM Standard Error of Mean (logged)				0.371		95% H-UCL (KM -Log)				0.781	
820	KM SD (logged)				1.435		95% Critical H Value (KM-Log)				3.428	
821	KM Standard Error of Mean (logged)				0.371							
822												
823	DL/2 Statistics											
824	DL/2 Normal						DL/2 Log-Transformed					
825	Mean in Original Scale				0.339		Mean in Log Scale				-2.591	
826	SD in Original Scale				0.933		SD in Log Scale				1.556	
827	95% t UCL (Assumes normality)				0.748		95% H-Stat UCL				1.087	
828	DL/2 is not a recommended method, provided for comparisons and historical reasons											
829												
830	Nonparametric Distribution Free UCL Statistics											
831	Detected Data appear Approximate Lognormal Distributed at 10% Significance Level											
832												
833	Suggested UCL to Use											
834	KM H-UCL				0.781							
835												
836	The calculated UCLs are based on assumptions that the data were collected in a random and unbiased manner.											
837	Please verify the data were collected from random locations.											
838	If the data were collected using judgmental or other non-random methods,											
839	then contact a statistician to correctly calculate UCLs.											
840												
841	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
842	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
843	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
844												
845	Dibenz(a,h)anthracene											
846												
847	General Statistics											
848	Total Number of Observations				16		Number of Distinct Observations				7	
849	Number of Detects				6		Number of Non-Detects				10	
850	Number of Distinct Detects				6		Number of Distinct Non-Detects				3	

	A	B	C	D	E	F	G	H	I	J	K	L
851				Minimum Detect		0.016				Minimum Non-Detect		0.016
852				Maximum Detect		0.5				Maximum Non-Detect		0.018
853				Variance Detects		0.0372				Percent Non-Detects		62.5%
854				Mean Detects		0.107				SD Detects		0.193
855				Median Detects		0.0305				CV Detects		1.807
856				Skewness Detects		2.427				Kurtosis Detects		5.915
857				Mean of Logged Detects		-3.167				SD of Logged Detects		1.286
858												
859	Normal GOF Test on Detects Only											
860				Shapiro Wilk Test Statistic		0.553				Shapiro Wilk GOF Test		
861				1% Shapiro Wilk Critical Value		0.713				Detected Data Not Normal at 1% Significance Level		
862				Lilliefors Test Statistic		0.455				Lilliefors GOF Test		
863				1% Lilliefors Critical Value		0.373				Detected Data Not Normal at 1% Significance Level		
864	Detected Data Not Normal at 1% Significance Level											
865												
866	Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs											
867				KM Mean		0.0501				KM Standard Error of Mean		0.0319
868				90KM SD		0.117				95% KM (BCA) UCL		0.11
869				95% KM (t) UCL		0.106				95% KM (Percentile Bootstrap) UCL		0.11
870				95% KM (z) UCL		0.103				95% KM Bootstrap t UCL		0.707
871				90% KM Chebyshev UCL		0.146				95% KM Chebyshev UCL		0.189
872				97.5% KM Chebyshev UCL		0.249				99% KM Chebyshev UCL		0.368
873												
874	Gamma GOF Tests on Detected Observations Only											
875				A-D Test Statistic		0.998				Anderson-Darling GOF Test		
876				5% A-D Critical Value		0.727				Detected Data Not Gamma Distributed at 5% Significance Level		
877				K-S Test Statistic		0.393				Kolmogorov-Smirnov GOF		
878				5% K-S Critical Value		0.345				Detected Data Not Gamma Distributed at 5% Significance Level		
879	Detected Data Not Gamma Distributed at 5% Significance Level											
880												
881	Gamma Statistics on Detected Data Only											
882				k hat (MLE)		0.655				k star (bias corrected MLE)		0.439
883				Theta hat (MLE)		0.163				Theta star (bias corrected MLE)		0.243
884				nu hat (MLE)		7.865				nu star (bias corrected)		5.266
885				Mean (detects)		0.107						
886												
887	Gamma ROS Statistics using Imputed Non-Detects											
888	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
889	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
890	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
891	This is especially true when the sample size is small.											
892	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
893				Minimum		0.01				Mean		0.0463
894				Maximum		0.5				Median		0.01
895				SD		0.121				CV		2.623
896				k hat (MLE)		0.619				k star (bias corrected MLE)		0.545
897				Theta hat (MLE)		0.0748				Theta star (bias corrected MLE)		0.085
898				nu hat (MLE)		19.81				nu star (bias corrected)		17.43
899				Adjusted Level of Significance (β)		0.0335						
900				Approximate Chi Square Value (17.43, α)		8.979				Adjusted Chi Square Value (17.43, β)		8.295

	A	B	C	D	E	F	G	H	I	J	K	L
901	95% Gamma Approximate UCL					0.0899	95% Gamma Adjusted UCL					0.0973
902												
903	Estimates of Gamma Parameters using KM Estimates											
904	Mean (KM)					0.0501	SD (KM)					0.117
905	Variance (KM)					0.0136	SE of Mean (KM)					0.0319
906	k hat (KM)					0.185	k star (KM)					0.192
907	nu hat (KM)					5.914	nu star (KM)					6.138
908	theta hat (KM)					0.271	theta star (KM)					0.261
909	80% gamma percentile (KM)					0.0645	90% gamma percentile (KM)					0.151
910	95% gamma percentile (KM)					0.261	99% gamma percentile (KM)					0.564
911												
912	Gamma Kaplan-Meier (KM) Statistics											
913	Approximate Chi Square Value (6.14, α)					1.711	Adjusted Chi Square Value (6.14, β)					1.459
914	95% KM Approximate Gamma UCL					0.18	95% KM Adjusted Gamma UCL					0.211
915												
916	Lognormal GOF Test on Detected Observations Only											
917	Shapiro Wilk Test Statistic					0.782	Shapiro Wilk GOF Test					
918	10% Shapiro Wilk Critical Value					0.826	Detected Data Not Lognormal at 10% Significance Level					
919	Lilliefors Test Statistic					0.299	Lilliefors GOF Test					
920	10% Lilliefors Critical Value					0.298	Detected Data Not Lognormal at 10% Significance Level					
921	Detected Data Not Lognormal at 10% Significance Level											
922												
923	Lognormal ROS Statistics Using Imputed Non-Detects											
924	Mean in Original Scale					0.0418	Mean in Log Scale					-5.139
925	SD in Original Scale					0.123	SD in Log Scale					1.91
926	95% t UCL (assumes normality of ROS data)					0.0957	95% Percentile Bootstrap UCL					0.101
927	95% BCA Bootstrap UCL					0.135	95% Bootstrap t UCL					0.443
928	95% H-UCL (Log ROS)					0.303						
929												
930	Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution											
931	KM Mean (logged)					-3.771	KM Geo Mean					0.023
932	KM SD (logged)					0.858	95% Critical H Value (KM-Log)					2.493
933	KM Standard Error of Mean (logged)					0.235	95% H-UCL (KM -Log)					0.0578
934	KM SD (logged)					0.858	95% Critical H Value (KM-Log)					2.493
935	KM Standard Error of Mean (logged)					0.235						
936												
937	DL/2 Statistics											
938	DL/2 Normal						DL/2 Log-Transformed					
939	Mean in Original Scale					0.0454	Mean in Log Scale					-4.168
940	SD in Original Scale					0.122	SD in Log Scale					1.093
941	95% t UCL (Assumes normality)					0.0988	95% H-Stat UCL					0.0628
942	DL/2 is not a recommended method, provided for comparisons and historical reasons											
943												
944	Nonparametric Distribution Free UCL Statistics											
945	Data do not follow a Discernible Distribution											
946												
947	Suggested UCL to Use											
948	95% KM (t) UCL					0.106						
949												
950	The calculated UCLs are based on assumptions that the data were collected in a random and unbiased manner.											

	A	B	C	D	E	F	G	H	I	J	K	L
951	Please verify the data were collected from random locations.											
952	If the data were collected using judgmental or other non-random methods,											
953	then contact a statistician to correctly calculate UCLs.											
954												
955	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
956	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
957	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
958												
959	Indeno(1,2,3-cd)pyrene											
960												
961	General Statistics											
962	Total Number of Observations				16		Number of Distinct Observations				12	
963	Number of Detects				15		Number of Non-Detects				1	
964	Number of Distinct Detects				12		Number of Distinct Non-Detects				1	
965	Minimum Detect				0.016		Minimum Non-Detect				0.016	
966	Maximum Detect				2.3		Maximum Non-Detect				0.016	
967	Variance Detects				0.337		Percent Non-Detects				6.25%	
968	Mean Detects				0.208		SD Detects				0.581	
969	Median Detects				0.042		CV Detects				2.792	
970	Skewness Detects				3.829		Kurtosis Detects				14.75	
971	Mean of Logged Detects				-2.862		SD of Logged Detects				1.269	
972												
973	Normal GOF Test on Detects Only											
974	Shapiro Wilk Test Statistic				0.348		Shapiro Wilk GOF Test					
975	1% Shapiro Wilk Critical Value				0.835		Detected Data Not Normal at 1% Significance Level					
976	Lilliefors Test Statistic				0.446		Lilliefors GOF Test					
977	1% Lilliefors Critical Value				0.255		Detected Data Not Normal at 1% Significance Level					
978	Detected Data Not Normal at 1% Significance Level											
979												
980	Kaplan-Meier (KM) Statistics using Normal Critical Values and other Nonparametric UCLs											
981	KM Mean				0.196		KM Standard Error of Mean				0.141	
982	90KM SD				0.545		95% KM (BCA) UCL				0.476	
983	95% KM (t) UCL				0.443		95% KM (Percentile Bootstrap) UCL				0.475	
984	95% KM (z) UCL				0.428		95% KM Bootstrap t UCL				2.953	
985	90% KM Chebyshev UCL				0.619		95% KM Chebyshev UCL				0.811	
986	97.5% KM Chebyshev UCL				1.077		99% KM Chebyshev UCL				1.6	
987												
988	Gamma GOF Tests on Detected Observations Only											
989	A-D Test Statistic				2.305		Anderson-Darling GOF Test					
990	5% A-D Critical Value				0.795		Detected Data Not Gamma Distributed at 5% Significance Level					
991	K-S Test Statistic				0.352		Kolmogorov-Smirnov GOF					
992	5% K-S Critical Value				0.234		Detected Data Not Gamma Distributed at 5% Significance Level					
993	Detected Data Not Gamma Distributed at 5% Significance Level											
994												
995	Gamma Statistics on Detected Data Only											
996	k hat (MLE)				0.493		k star (bias corrected MLE)				0.439	
997	Theta hat (MLE)				0.422		Theta star (bias corrected MLE)				0.474	
998	nu hat (MLE)				14.78		nu star (bias corrected)				13.16	
999	Mean (detects)				0.208							
1000												

	A	B	C	D	E	F	G	H	I	J	K	L
1001	Gamma ROS Statistics using Imputed Non-Detects											
1002	GROS may not be used when data set has > 50% NDs with many tied observations at multiple DLs											
1003	GROS may not be used when kstar of detects is small such as <1.0, especially when the sample size is small (e.g., <15-20)											
1004	For such situations, GROS method may yield incorrect values of UCLs and BTVs											
1005	This is especially true when the sample size is small.											
1006	For gamma distributed detected data, BTVs and UCLs may be computed using gamma distribution on KM estimates											
1007		Minimum	0.01							Mean	0.196	
1008		Maximum	2.3							Median	0.0415	
1009		SD	0.563							CV	2.879	
1010		k hat (MLE)	0.478							k star (bias corrected MLE)	0.43	
1011		Theta hat (MLE)	0.41							Theta star (bias corrected MLE)	0.455	
1012		nu hat (MLE)	15.28							nu star (bias corrected)	13.75	
1013		Adjusted Level of Significance (β)	0.0335									
1014		Approximate Chi Square Value (13.75, α)	6.401							Adjusted Chi Square Value (13.75, β)	5.838	
1015		95% Gamma Approximate UCL	0.42							95% Gamma Adjusted UCL	0.461	
1016												
1017	Estimates of Gamma Parameters using KM Estimates											
1018		Mean (KM)	0.196							SD (KM)	0.545	
1019		Variance (KM)	0.297							SE of Mean (KM)	0.141	
1020		k hat (KM)	0.129							k star (KM)	0.147	
1021		nu hat (KM)	4.137							nu star (KM)	4.694	
1022		theta hat (KM)	1.516							theta star (KM)	1.336	
1023		80% gamma percentile (KM)	0.209							90% gamma percentile (KM)	0.579	
1024		95% gamma percentile (KM)	1.083							99% gamma percentile (KM)	2.553	
1025												
1026	Gamma Kaplan-Meier (KM) Statistics											
1027		Approximate Chi Square Value (4.69, α)	1.014							Adjusted Chi Square Value (4.69, β)	0.837	
1028		95% KM Approximate Gamma UCL	0.908							95% KM Adjusted Gamma UCL	1.1	
1029												
1030	Lognormal GOF Test on Detected Observations Only											
1031		Shapiro Wilk Test Statistic	0.826							Shapiro Wilk GOF Test		
1032		10% Shapiro Wilk Critical Value	0.901							Detected Data Not Lognormal at 10% Significance Level		
1033		Lilliefors Test Statistic	0.196							Lilliefors GOF Test		
1034		10% Lilliefors Critical Value	0.202							Detected Data appear Lognormal at 10% Significance Level		
1035	Detected Data appear Approximate Lognormal at 10% Significance Level											
1036												
1037	Lognormal ROS Statistics Using Imputed Non-Detects											
1038		Mean in Original Scale	0.195							Mean in Log Scale	-3.042	
1039		SD in Original Scale	0.563							SD in Log Scale	1.422	
1040		95% t UCL (assumes normality of ROS data)	0.442							95% Percentile Bootstrap UCL	0.47	
1041		95% BCA Bootstrap UCL	0.622							95% Bootstrap t UCL	2.857	
1042		95% H-UCL (Log ROS)	0.458									
1043												
1044	Statistics using KM estimates on Logged Data and Assuming Lognormal Distribution											
1045		KM Mean (logged)	-2.942							KM Geo Mean	0.0528	
1046		KM SD (logged)	1.226							95% Critical H Value (KM-Log)	3.069	
1047		KM Standard Error of Mean (logged)	0.317							95% H-UCL (KM -Log)	0.296	
1048		KM SD (logged)	1.226							95% Critical H Value (KM-Log)	3.069	
1049		KM Standard Error of Mean (logged)	0.317									
1050												

	A	B	C	D	E	F	G	H	I	J	K	L
1051	DL/2 Statistics											
1052	DL/2 Normal						DL/2 Log-Transformed					
1053	Mean in Original Scale					0.196	Mean in Log Scale					-2.985
1054	SD in Original Scale					0.563	SD in Log Scale					1.321
1055	95% t UCL (Assumes normality)					0.442	95% H-Stat UCL					0.364
1056	DL/2 is not a recommended method, provided for comparisons and historical reasons											
1057												
1058	Nonparametric Distribution Free UCL Statistics											
1059	Detected Data appear Approximate Lognormal Distributed at 10% Significance Level											
1060												
1061	Suggested UCL to Use											
1062	KM H-UCL					0.296						
1063												
1064	The calculated UCLs are based on assumptions that the data were collected in a random and unbiased manner.											
1065	Please verify the data were collected from random locations.											
1066	If the data were collected using judgmental or other non-random methods,											
1067	then contact a statistician to correctly calculate UCLs.											
1068												
1069	Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.											
1070	Recommendations are based upon data size, data distribution, and skewness using results from simulation studies.											
1071	However, simulations results will not cover all Real World data sets; for additional insight the user may want to consult a statistician.											
1072												

October 9, 2023
Ms. Mariya Chiger
Project Number: 16530



ATTACHMENT D

DERAC OUTPUTS

SHALLOW SOIL DERAC OUTPUT

Site-specific Risk Resident Soil Inputs

Variable	Resident Soil Default Value	Site-Specific Value
A (PEF Dispersion Constant)	16.2302	16.2302
A (VF Dispersion Constant)	11.911	11.911
A (VF Dispersion Constant - mass limit)	11.911	11.911
B (PEF Dispersion Constant)	18.7762	18.7762
B (VF Dispersion Constant)	18.4385	18.4385
B (VF Dispersion Constant - mass limit)	18.4385	18.4385
City (PEF Climate Zone) Selection	Default	Default
City (VF Climate Zone) Selection	Default	Default
C (PEF Dispersion Constant)	216.108	216.108
C (VF Dispersion Constant)	209.7845	209.7845
C (VF Dispersion Constant - mass limit)	209.7845	209.7845
foc (fraction organic carbon in soil) g/g	0.006	0.006
F(x) (function dependent on U_{crit}/U) unitless	0.194	0.194
n (total soil porosity) L_{pore}/L_{crit}	0.43396	0.43396
ρ_n (dry soil bulk density) g/cm ³	1.5	1.5
ρ_n (dry soil bulk density - mass limit) g/cm ³	1.5	1.5
PEF (particulate emission factor) m ³ /kg	1359344438	1359344438
ρ_c (soil particle density) g/cm ³	2.65	2.65
Q/C_{wind} (g/m ² -s per kg/m ³)	93.77	93.77
Q/C_{vint} (g/m ² -s per kg/m ³)	68.18	68.18
Q/C_{vint} (g/m ² -s per kg/m ³ - mass limit)	68.18	68.18
A_c (PEF acres)	0.5	0.5
A_c (VF acres)	0.5	0.5
A_c (VF mass-limit acres)	0.5	0.5
$AF_{n,s}$ (mutagenic skin adherence factor) mg/cm ²	0.2	0.2
$AF_{r,s}$ (mutagenic skin adherence factor) mg/cm ²	0.2	0.2
AF_{r-1R} (mutagenic skin adherence factor) mg/cm ²	0.07	0.07
AF_{1R-7R} (mutagenic skin adherence factor) mg/cm ²	0.07	0.07
$AF_{res,a}$ (skin adherence factor - adult) mg/cm ²	0.07	0.07
$AF_{res,c}$ (skin adherence factor - child) mg/cm ²	0.2	0.2
AT_{res} (averaging time - resident carcinogenic)	365	365

Site-specific Risk Resident Soil Inputs

Variable	Resident Soil Default Value	Site-Specific Value
BW _{n,2} (mutagenic body weight) kg	15	15
BW _{2,6} (mutagenic body weight) kg	15	15
BW _{6,16} (mutagenic body weight) kg	80	80
BW _{16,26} (mutagenic body weight) kg	80	80
BW _{res-a} (body weight - adult) kg	80	80
BW _{res-c} (body weight - child) kg	15	15
DFS _{res-adj} (age-adjusted soil dermal factor) mg/kg	103390	103390
DFSM _{res-adj} (mutagenic age-adjusted soil dermal factor) mg/kg	428260	428260
ED _{res} (exposure duration) years	26	26
ED _{n,2} (mutagenic exposure duration) years	2	2
ED _{2,6} (mutagenic exposure duration) years	4	4
ED _{6,16} (mutagenic exposure duration) years	10	10
ED _{16,26} (mutagenic exposure duration) years	10	10
ED _{res-a} (exposure duration - adult) years	20	20
ED _{res-c} (exposure duration - child) years	6	6
EF _{res} (exposure frequency) days/year	350	350
EF _{n,2} (mutagenic exposure frequency) days/year	350	350
EF _{2,6} (mutagenic exposure frequency) days/year	350	350
EF _{6,16} (mutagenic exposure frequency) days/year	350	350
EF _{16,26} (mutagenic exposure frequency) days/year	350	350
EF _{res-a} (exposure frequency - adult) days/year	350	350
EF _{res-c} (exposure frequency - child) days/year	350	350
ET _{res} (exposure time) hours/day	24	24
ET _{n,2} (mutagenic exposure time) hours/day	24	24
ET _{2,6} (mutagenic exposure time) hours/day	24	24
ET _{6,16} (mutagenic exposure time) hours/day	24	24
ET _{16,26} (mutagenic exposure time) hours/day	24	24
ET _{res-a} (adult exposure time) hours/day	24	24
ET _{res-c} (child exposure time) hours/day	24	24
IFS _{res-adj} (age-adjusted soil ingestion factor) mg/kg	36750	36750
IFSM _{res-adj} (mutagenic age-adjusted soil ingestion factor) mg/kg	166833.3	166833.3

Site-specific Risk Resident Soil Inputs

Variable	Resident Soil Default Value	Site-Specific Value
IRS _{n,γ} (mutagenic soil intake rate) mg/day	200	200
IRS _{γ,ε} (mutagenic soil intake rate) mg/day	200	200
IRS _{ε,1ε} (mutagenic soil intake rate) mg/day	100	100
IRS _{1ε,γε} (mutagenic soil intake rate) mg/day	100	100
IRS _{res,a} (soil intake rate - adult) mg/day	100	100
IRS _{res,r} (soil intake rate - child) mg/day	200	200
LT (lifetime) years	70	70
SA _{n,γ} (mutagenic skin surface area) cm ² /day	2373	2373
SA _{γ,ε} (mutagenic skin surface area) cm ² /day	2373	2373
SA _{ε,1ε} (mutagenic skin surface area) cm ² /day	6032	6032
SA _{1ε,γε} (mutagenic skin surface area) cm ² /day	6032	6032
SA _{res,a} (skin surface area - adult) cm ² /day	6032	6032
SA _{res,r} (skin surface area - child) cm ² /day	2373	2373
T _w (groundwater temperature) Celsius	25	25
Theta _a (air-filled soil porosity) L _{air} /L _{cnil}	0.28396	0.28396
Theta _w (water-filled soil porosity) L _{water} /L _{cnil}	0.15	0.15
T (exposure interval) s	819936000	819936000
T (exposure interval) yr	26	26
U _m (mean annual wind speed) m/s	4.69	4.69
U _i (equivalent threshold value)	11.32	11.32
V (fraction of vegetative cover) unitless	0.5	0.5

Site-specific Risk Resident for Soil

Chemical	CAS Number	Mutagen?	VOC?	RfD (mg/kg-day)	RfD Ref	RfC (mg/m ³)	RfC Ref	SF _o (mg/kg-day) ⁻¹	SF _o Ref	IUR (ug/m ³) ⁻¹	IUR Ref	ABS _{ci}	ABS _{dorm}
Benz[a]anthracene	56-55-3	Yes	Yes	-		-		1.00E-01	IRIS Current	6.00E-05	IRIS Current	1	0.13
Benzo[a]pyrene	50-32-8	Yes	No	3.00E-04	IRIS Current	2.00E-06	IRIS Current	1.00E+00	IRIS Current	6.00E-04	IRIS Current	1	0.13
Benzo[b]fluoranthene	205-99-2	Yes	No	-		-		1.00E-01	IRIS Current	6.00E-05	IRIS Current	1	0.13
Cobalt	7440-48-4	No	No	3.00E-04	PPRTV Current	6.00E-06	PPRTV Current	-		9.00E-03	PPRTV Current	1	-
Thallium (Soluble Salts)	7440-28-0	No	No	1.00E-05	SCREEN Current	-		-		-		1	-
Vanadium and Compounds	7440-62-2	No	No	5.04E-03	SURROGATE	1.00E-04	ATSDR Final	-		-		0.026	-
*Total Risk/HI				-		-		-		-		-	-

Site-specific Risk Resident for Soil

Volatilization Factor Unlimited Reservoir (m ³ /kg)	Volatilization Factor Mass Limit (m ³ /kg)	Volatilization Factor Selected (m ³ /kg)	DA	Particulate Emission Factor (m ³ /kg)	Soil Saturation Concentration (mg/kg)	RBA	HLC (atm-m ³ /mole)	Henry's Law Constant (unitless)	H` and HLC Ref	Henry's Law Constant Used in Calcs (unitless)	Normal Boiling Point BP (K)	BP Ref
4.41E+06	-	4.41E+06	6.83E-10	1.36E+09	-	1	1.20E-05	4.91E-04	PHYSPROP	4.91E-04	7.11E+02	PHYSPROP
-	-	-	-	1.36E+09	-	1	4.57E-07	1.87E-05	PHYSPROP	1.87E-05	7.68E+02	PHYSPROP
-	-	-	-	1.36E+09	-	1	6.57E-07	2.69E-05	PHYSPROP	2.69E-05	7.16E+02	EPI
-	-	-	-	1.36E+09	-	1	-	-	-	-	3.20E+03	CRC
-	-	-	-	1.36E+09	-	1	-	-	-	-	1.73E+03	PHYSPROP
-	-	-	-	1.36E+09	-	1	-	-	-	-	3.68E+03	CRC
-	-	-	-	-	-	-	-	-	-	-	-	-

Site-specific Risk Resident for Soil

Critical Temperature $T_c \backslash$ (K)	$T_c \backslash$ Ref	$D_{ia} \backslash$ (cm ² /s)	$D_{iw} \backslash$ (cm ² /s)	Soil Concentration (mg/kg)	Child Ingestion Noncarcinogenic CDI (mg/kg-day)	Child Dermal Noncarcinogenic CDI (mg/kg-day)	Child Inhalation Noncarcinogenic CDI (mg/m ³)	Adult Ingestion Noncarcinogenic CDI (mg/kg-day)	Adult Dermal Noncarcinogenic CDI (mg/kg-day)
9.79E+02	YAWS	2.61E-02	6.75E-06	3	3.84E-05	1.18E-05	6.54E-07	3.60E-06	1.97E-06
9.69E+02	EPA 2001 Fact Sheet	2.55E-02	6.58E-06	3.1	3.96E-05	1.22E-05	2.19E-09	3.72E-06	2.04E-06
9.69E+02	EPA 2001 Fact Sheet	2.50E-02	6.43E-06	1.96	2.51E-05	7.73E-06	1.38E-09	2.35E-06	1.29E-06
7.40E+03	YAWS	-	-	39.04	4.99E-04	-	2.75E-08	4.68E-05	-
4.65E+03	YAWS	-	-	0.17	2.17E-06	-	1.20E-10	2.04E-07	-
1.13E+04	YAWS	-	-	134.5	1.72E-03	-	9.49E-08	1.61E-04	-
-		-	-	-	-	-	-	-	-

Site-specific Risk Resident for Soil

Adult Inhalation Noncarcinogenic CDI (mg/m ³)	Adjusted Ingestion Noncarcinogenic CDI (mg/kg-day)	Adjusted Dermal Noncarcinogenic CDI (mg/kg-day)	Adjusted Inhalation Noncarcinogenic CDI (mg/m ³)	Ingestion Carcinogenic CDI (mg/kg-day)	Dermal Carcinogenic CDI (mg/kg-day)	Inhalation Carcinogenic CDI (ug/m ³)	Child Ingestion HQ	Child Dermal HQ	Child Inhalation HQ
6.54E-07	1.16E-05	4.25E-06	6.54E-07	1.96E-05	6.54E-06	6.73E-04	-	-	-
2.19E-09	1.20E-05	4.39E-06	2.19E-09	2.02E-05	6.75E-06	2.25E-06	1.32E-01	4.08E-02	1.09E-03
1.38E-09	7.59E-06	2.78E-06	1.38E-09	1.28E-05	4.27E-06	1.42E-06	-	-	-
2.75E-08	1.51E-04	-	2.75E-08	5.62E-05	-	1.02E-05	1.66E+00	-	4.59E-03
1.20E-10	6.58E-07	-	1.20E-10	2.45E-07	-	4.45E-08	2.17E-01	-	-
9.49E-08	5.21E-04	-	9.49E-08	1.93E-04	-	3.52E-05	3.41E-01	-	9.49E-04
-	-	-	-	-	-	-	2.35E+00	4.08E-02	6.63E-03

Site-specific Risk Resident for Soil

Child Total HI	Adult Ingestion HQ	Adult Dermal HQ	Adult Inhalation HQ	Adult Total HI	Adjusted Ingestion HQ	Adjusted Dermal HQ	Adjusted Inhalation HQ	Adjusted Total HI	Ingestion Risk	Dermal Risk	Inhalation Risk	Total Risk
-	-	-	-	-	-	-	-	-	1.96E-06	6.54E-07	4.04E-08	2.65E-06
1.74E-01	1.24E-02	6.80E-03	1.09E-03	2.03E-02	4.00E-02	1.46E-02	1.09E-03	5.57E-02	2.02E-05	6.75E-06	1.35E-09	2.70E-05
-	-	-	-	-	-	-	-	-	1.28E-06	4.27E-07	8.53E-11	1.71E-06
1.67E+00	1.56E-01	-	4.59E-03	1.61E-01	5.04E-01	-	4.59E-03	5.09E-01	-	-	9.21E-08	9.21E-08
2.17E-01	2.04E-02	-	-	2.04E-02	6.58E-02	-	-	6.58E-02	-	-	-	-
3.42E-01	3.20E-02	-	9.49E-04	3.29E-02	1.03E-01	-	9.49E-04	1.04E-01	-	-	-	-
2.40E+00	2.21E-01	6.80E-03	6.63E-03	2.34E-01	7.13E-01	1.46E-02	6.63E-03	7.34E-01	2.35E-05	7.84E-06	1.34E-07	3.15E-05

Site-specific Risk

Outdoor Worker Soil Inputs

Variable	Outdoor Worker Soil Default Value	Site-Specific Value
A (PEF Dispersion Constant)	16.2302	16.2302
A (VF Dispersion Constant)	11.911	11.911
A (VF Dispersion Constant - mass limit)	11.911	11.911
B (PEF Dispersion Constant)	18.7762	18.7762
B (VF Dispersion Constant)	18.4385	18.4385
B (VF Dispersion Constant - mass limit)	18.4385	18.4385
City (PEF Climate Zone) Selection	Default	Default
City (VF Climate Zone) Selection	Default	Default
C (PEF Dispersion Constant)	216.108	216.108
C (VF Dispersion Constant)	209.7845	209.7845
C (VF Dispersion Constant - mass limit)	209.7845	209.7845
foc (fraction organic carbon in soil) g/g	0.006	0.006
F(x) (function dependent on U_{out}/U_{in}) unitless	0.194	0.194
n (total soil porosity) L_{pore}/L_{total}	0.43396	0.43396
ρ_b (dry soil bulk density) g/cm ³	1.5	1.5
ρ_b (dry soil bulk density - mass limit) g/cm ³	1.5	1.5
PEF (particulate emission factor) m ³ /kg	1359344438	1359344438
ρ_s (soil particle density) g/cm ³	2.65	2.65
Q/C_{wind} (g/m ² -s per kg/m ³)	93.77	93.77
Q/C_{in} (g/m ² -s per kg/m ³)	68.18	68.18
Q/C_{in} (g/m ² -s per kg/m ³ - mass limit)	68.18	68.18
A_e (PEF acres)	0.5	0.5
A_e (VF acres)	0.5	0.5
A_e (VF mass-limit acres)	0.5	0.5
AF_{out} (skin adherence factor - outdoor worker) mg/cm ²	0.12	0.12
AT_{out} (averaging time - outdoor worker)	365	365
BW_{out} (body weight - outdoor worker)	80	80
ED_{out} (exposure duration - outdoor worker) yr	25	25
EF_{out} (exposure frequency - outdoor worker) day/yr	225	225
ET_{out} (exposure time - outdoor worker) hr	8	8

Site-specific Risk

Outdoor Worker Soil Inputs

Variable	Outdoor Worker Soil Default Value	Site-Specific Value
IRS _{out} (soil ingestion rate - outdoor worker) mg/day	100	100
LT (lifetime) yr	70	70
SA _{out} (surface area - outdoor worker) cm ² /day	3527	3527
T _w (groundwater temperature) Celsius	25	25
Theta _a (air-filled soil porosity) L _{air} /L _{soil}	0.28396	0.28396
Theta _w (water-filled soil porosity) L _{water} /L _{soil}	0.15	0.15
T (exposure interval) s	819936000	819936000
T (exposure interval) yr	26	26
U _m (mean annual wind speed) m/s	4.69	4.69
U _i (equivalent threshold value)	11.32	11.32
V (fraction of vegetative cover) unitless	0.5	0.5

Site-specific Risk Outdoor Worker for Soil

Chemical	CAS Number	Mutagen?	VOC?	RfD (mg/kg-day)	RfD Ref	RfC (mg/m ³)	RfC Ref	SF _o (mg/kg-day) ⁻¹	SF _o Ref	IUR (ug/m ³) ⁻¹	IUR Ref	ABS _{ci}
Benz[a]anthracene	56-55-3	Yes	Yes	-		-		1.00E-01	IRIS Current	6.00E-05	IRIS Current	1
Benzo[a]pyrene	50-32-8	Yes	No	3.00E-04	IRIS Current	2.00E-06	IRIS Current	1.00E+00	IRIS Current	6.00E-04	IRIS Current	1
Benzo[b]fluoranthene	205-99-2	Yes	No	-		-		1.00E-01	IRIS Current	6.00E-05	IRIS Current	1
Cobalt	7440-48-4	No	No	3.00E-04	PPRTV Current	6.00E-06	PPRTV Current	-		9.00E-03	PPRTV Current	1
Thallium (Soluble Salts)	7440-28-0	No	No	1.00E-05	SCREEN Current	-		-		-		1
Vanadium and Compounds	7440-62-2	No	No	5.04E-03	SURROGATE	1.00E-04	ATSDR Final	-		-		0.026
<i>*Total Risk/HI</i>				-		-		-		-		-

Site-specific Risk Outdoor Worker for Soil

ABS _{norm}	Volatilization Factor Unlimited Reservoir (m ³ /kg)	Volatilization Factor Mass Limit (m ³ /kg)	Volatilization Factor Selected (m ³ /kg)	DA	Particulate Emission Factor (m ³ /kg)	Soil Saturation Concentration (mg/kg)	HLC (atm-m ³ /mole)	Henry's Law Constant (unitless)	H ⁺ and HLC Ref	Henry's Law Constant Used in Calcs (unitless)
0.13	4.41E+06	-	4.41E+06	6.83E-10	1.36E+09	-	1.20E-05	4.91E-04	PHYSPROP	4.91E-04
0.13	-	-	-	-	1.36E+09	-	4.57E-07	1.87E-05	PHYSPROP	1.87E-05
0.13	-	-	-	-	1.36E+09	-	6.57E-07	2.69E-05	PHYSPROP	2.69E-05
-	-	-	-	-	1.36E+09	-	-	-		-
-	-	-	-	-	1.36E+09	-	-	-		-
-	-	-	-	-	1.36E+09	-	-	-		-
-	-	-	-	-	-	-	-	-		-

Site-specific Risk Outdoor Worker for Soil

Normal Boiling Point BP (K)	BP Ref	Critical Temperature T _c (K)	T _c \ Ref	D _{ia} \ (cm ² /s)	D _{iw} \ (cm ² /s)	Soil Concentration (mg/kg)	Ingestion Noncarcinogenic CDI (mg/kg-day)	Dermal Noncarcinogenic CDI (mg/kg-day)	Inhalation Noncarcinogenic CDI (mg/m ³)
7.11E+02	PHYSPROP	9.79E+02	YAWS	2.61E-02	6.75E-06	1.96	1.51E-06	8.31E-07	9.16E-08
7.68E+02	PHYSPROP	9.69E+02	EPA 2001 Fact Sheet	2.55E-02	6.58E-06	3.1	2.39E-06	1.31E-06	4.69E-10
7.16E+02	EPI	9.69E+02	EPA 2001 Fact Sheet	2.50E-02	6.43E-06	3	2.31E-06	1.27E-06	4.53E-10
3.20E+03	CRC	7.40E+03	YAWS	-	-	39.04	3.01E-05	-	5.90E-09
1.73E+03	PHYSPROP	4.65E+03	YAWS	-	-	0.17	1.31E-07	-	2.57E-11
3.68E+03	CRC	1.13E+04	YAWS	-	-	134.5	1.04E-04	-	2.03E-08
-		-		-	-	-	-	-	-

Site-specific Risk Outdoor Worker for Soil

Ingestion Carcinogenic CDI (mg/kg-day)	Dermal Carcinogenic CDI (mg/kg-day)	Inhalation Carcinogenic CDI (ug/m ³)	Ingestion HQ	Dermal HQ	Inhalation HQ	Total HI	Ingestion Risk	Dermal Risk	Inhalation Risk	Total Risk
5.39E-07	2.97E-07	3.27E-05	-	-	-	-	5.39E-08	2.97E-08	1.96E-09	8.56E-08
8.53E-07	4.69E-07	1.67E-07	7.96E-03	4.38E-03	2.34E-04	1.26E-02	8.53E-07	4.69E-07	1.00E-10	1.32E-06
8.26E-07	4.54E-07	1.62E-07	-	-	-	-	8.26E-08	4.54E-08	9.72E-12	1.28E-07
1.07E-05	-	2.11E-06	1.00E-01	-	9.84E-04	1.01E-01	-	-	1.90E-08	1.90E-08
4.68E-08	-	9.18E-09	1.31E-02	-	-	1.31E-02	-	-	-	-
3.70E-05	-	7.26E-06	2.06E-02	-	2.03E-04	2.08E-02	-	-	-	-
-	-	-	1.42E-01	4.38E-03	1.42E-03	1.48E-01	9.90E-07	5.44E-07	2.10E-08	1.56E-06

Site-specific Risk

Excavation Worker Soil Inputs

Variable	Excavation Worker Soil Default Value	Site-Specific Value
A (PEF Dispersion Constant)	16.2302	16.2302
A (VF Dispersion Constant)	11.911	11.911
A (VF Dispersion Constant - mass limit)	11.911	11.911
B (PEF Dispersion Constant)	18.7762	18.7762
B (VF Dispersion Constant)	18.4385	18.4385
B (VF Dispersion Constant - mass limit)	18.4385	18.4385
City (PEF Climate Zone) Selection	Default	Default
City (VF Climate Zone) Selection	Default	Default
C (PEF Dispersion Constant)	216.108	216.108
C (VF Dispersion Constant)	209.7845	209.7845
C (VF Dispersion Constant - mass limit)	209.7845	209.7845
foc (fraction organic carbon in soil) g/g	0.006	0.006
F(x) (function dependent on U_{crit}/U) unitless	0.194	0.194
n (total soil porosity) L_{pore}/L_{crit}	0.43396	0.43396
p_h (dry soil bulk density) g/cm ³	1.5	1.5
p_h (dry soil bulk density - mass limit) g/cm ³	1.5	1.5
PEF (particulate emission factor) m ³ /kg	1359344438	1359344438
p_c (soil particle density) g/cm ³	2.65	2.65
Q/C_{wind} (g/m ² -s per kg/m ³)	93.77	93.77
Q/C_{crit} (g/m ² -s per kg/m ³)	68.18	68.18
Q/C_{crit} (g/m ² -s per kg/m ³ - mass limit)	68.18	68.18
A_c (PEF acres)	0.5	0.5
A_c (VF acres)	0.5	0.5
A_c (VF mass-limit acres)	0.5	0.5
AF_{skin} (skin adherence factor - excavation worker) mg/cm ²	0.3	0.3
AT_{skin} (averaging time - excavation worker)	365	365
BW_{skin} (body weight - excavation worker) kg	80	80
ED_{skin} (exposure duration - excavation worker) yr	1	1
EF_{skin} (exposure frequency - excavation worker) day/yr	20	20
ET_{ew} (exposure time - excavation worker) hr	8	8

Site-specific Risk

Excavation Worker Soil Inputs

Variable	Excavation Worker Soil Default Value	Site-Specific Value
IR _{sw} (soil ingestion rate - excavation worker) mg/day	330	330
LT (lifetime) yr	70	70
SA _{sw} (surface area - excavation worker) cm ² /day	3527	3527
T _w (groundwater temperature) Celsius	25	25
Theta _a (air-filled soil porosity) L _{air} /L _{cnil}	0.28396	0.28396
Theta _w (water-filled soil porosity) L _{water} /L _{cnil}	0.15	0.15
T (exposure interval) s	819936000	819936000
T (exposure interval) yr	26	26
U _m (mean annual wind speed) m/s	4.69	4.69
U _i (equivalent threshold value)	11.32	11.32
V (fraction of vegetative cover) unitless	0.5	0.5

Site-specific Risk Excavation Worker for Soil

Chemical	CAS Number	Mutagen?	VOC?	RfD (mg/kg-day)	RfD Ref	RfC (mg/m ³)	RfC Ref	SF _o (mg/kg-day) ⁻¹	SF _o Ref	IUR (ug/m ³) ⁻¹	IUR Ref	ABS _o
Benz[a]anthracene	56-55-3	Yes	Yes	-		-		1.00E-01	IRIS Current	6.00E-05	IRIS Current	1
Benzo[a]pyrene	50-32-8	Yes	No	3.00E-04	IRIS Current	2.00E-06	IRIS Current	1.00E+00	IRIS Current	6.00E-04	IRIS Current	1
Benzo[b]fluoranthene	205-99-2	Yes	No	-		-		1.00E-01	IRIS Current	6.00E-05	IRIS Current	1
Cobalt	7440-48-4	No	No	3.00E-03	PPRTV Current	2.00E-05	PPRTV Current	-		9.00E-03	PPRTV Current	1
Thallium (Soluble Salts)	7440-28-0	No	No	4.00E-05	SCREEN Current	-		-		-		1
Vanadium and Compounds	7440-62-2	No	No	1.00E-02	ATSDR Final	1.00E-04	ATSDR Final	-		-		0.026
<i>*Total Risk/HI</i>				-		-		-		-		-

Site-specific Risk Excavation Worker for Soil

ABS _{norm}	Volatilization Factor Unlimited Reservoir (m ³ /kg)	Volatilization Factor Mass Limit (m ³ /kg)	Volatilization Factor Selected (m ³ /kg)	DA	Particulate Emission Factor (m ³ /kg)	Soil Saturation Concentration (mg/kg)	HLC (atm-m ³ /mole)	Henry's Law Constant (unitless)	H ⁺ and HLC Ref	Henry's Law Constant Used in Calcs (unitless)
0.13	4.41E+06	-	4.41E+06	6.83E-10	1.36E+09	-	1.20E-05	4.91E-04	PHYSPROP	4.91E-04
0.13	-	-	-	-	1.36E+09	-	4.57E-07	1.87E-05	PHYSPROP	1.87E-05
0.13	-	-	-	-	1.36E+09	-	6.57E-07	2.69E-05	PHYSPROP	2.69E-05
-	-	-	-	-	1.36E+09	-	-	-		-
-	-	-	-	-	1.36E+09	-	-	-		-
-	-	-	-	-	1.36E+09	-	-	-		-
-	-	-	-	-	-	-	-	-		-

Site-specific Risk Excavation Worker for Soil

Normal Boiling Point BP (K)	BP Ref	Critical Temperature T _c (K)	T _c Ref	D _{ia} (cm ² /s)	D _{iw} (cm ² /s)	Soil Concentration (mg/kg)	Ingestion Noncarcinogenic CDI (mg/kg-day)	Dermal Noncarcinogenic CDI (mg/kg-day)	Inhalation Noncarcinogenic CDI (mg/m ³)
7.11E+02	PHYSPROP	9.79E+02	YAWS	2.61E-02	6.75E-06	1.96	4.43E-07	1.85E-07	8.14E-09
7.68E+02	PHYSPROP	9.69E+02	EPA 2001 Fact Sheet	2.55E-02	6.58E-06	3.1	7.01E-07	2.92E-07	4.17E-11
7.16E+02	EPI	9.69E+02	EPA 2001 Fact Sheet	2.50E-02	6.43E-06	3	6.78E-07	2.83E-07	4.03E-11
3.20E+03	CRC	7.40E+03	YAWS	-	-	39.04	8.82E-06	-	5.25E-10
1.73E+03	PHYSPROP	4.65E+03	YAWS	-	-	0.17	3.84E-08	-	2.28E-12
3.68E+03	CRC	1.13E+04	YAWS	-	-	134.5	3.04E-05	-	1.81E-09
-		-		-	-	-	-	-	-

Site-specific Risk Excavation Worker for Soil

Ingestion Carcinogenic CDI (mg/kg-day)	Dermal Carcinogenic CDI (mg/kg-day)	Inhalation Carcinogenic CDI (ug/m ³)	Ingestion HQ	Dermal HQ	Inhalation HQ	Total HI	Ingestion Risk	Dermal Risk	Inhalation Risk	Total Risk
6.33E-09	2.64E-09	1.16E-07	-	-	-	-	6.33E-10	2.64E-10	6.98E-12	9.04E-10
1.00E-08	4.17E-09	5.95E-10	2.34E-03	9.74E-04	2.08E-05	3.33E-03	1.00E-08	4.17E-09	3.57E-13	1.42E-08
9.69E-09	4.04E-09	5.76E-10	-	-	-	-	9.69E-10	4.04E-10	3.46E-14	1.37E-09
1.26E-07	-	7.49E-09	2.94E-03	-	2.62E-05	2.97E-03	-	-	6.74E-11	6.74E-11
5.49E-10	-	3.26E-11	9.61E-04	-	-	9.61E-04	-	-	-	-
4.34E-07	-	2.58E-08	3.04E-03	-	1.81E-05	3.06E-03	-	-	-	-
-	-	-	9.28E-03	9.74E-04	6.51E-05	1.03E-02	1.16E-08	4.84E-09	7.48E-11	1.65E-08

Site-specific Risk

Recreator Soil/Sediment Inputs

Variable	Recreator Soil/Sediment Default Value	Site-Specific Value
A (PEF Dispersion Constant)	16.2302	16.2302
A (VF Dispersion Constant)	11.911	11.911
A (VF Dispersion Constant - mass limit)	11.911	11.911
B (PEF Dispersion Constant)	18.7762	18.7762
B (VF Dispersion Constant)	18.4385	18.4385
B (VF Dispersion Constant - mass limit)	18.4385	18.4385
City (PEF Climate Zone) Selection	Default	Default
City (VF Climate Zone) Selection	Default	Default
C (PEF Dispersion Constant)	216.108	216.108
C (VF Dispersion Constant)	209.7845	209.7845
C (VF Dispersion Constant - mass limit)	209.7845	209.7845
foc (fraction organic carbon in soil) g/g	0.006	0.006
F(x) (function dependent on U_{crit}/U) unitless	0.194	0.194
n (total soil porosity) L_{pore}/L_{crit}	0.43396	0.43396
ρ_n (dry soil bulk density) g/cm ³	1.5	1.5
ρ_n (dry soil bulk density - mass limit) g/cm ³	1.5	1.5
PEF (particulate emission factor) m ³ /kg	1359344438	1359344438
ρ_c (soil particle density) g/cm ³	2.65	2.65
Q/C_{wind} (g/m ² -s per kg/m ³)	93.77	93.77
Q/C_{vint} (g/m ² -s per kg/m ³)	68.18	68.18
Q/C_{vint} (g/m ² -s per kg/m ³ - mass limit)	68.18	68.18
A_e (PEF acres)	0.5	0.5
A_e (VF acres)	0.5	0.5
A_e (VF mass-limit acres)	0.5	0.5
$AF_{n,s}$ (skin adherence factor) mg/cm ²	0.2	0.2
$AF_{r,s}$ (skin adherence factor) mg/cm ²	0.2	0.2
AF_{r-16} (skin adherence factor) mg/cm ²	0.07	0.07
AF_{16-30} (skin adherence factor) mg/cm ²	0.07	0.07
AF_{rec-a} (skin adherence factor - adult) mg/cm ²	0.07	0.07
AF_{rec-c} (skin adherence factor - child) mg/cm ²	0.2	0.2
AT_{rec} (averaging time)	365	365

Site-specific Risk

Recreator Soil/Sediment Inputs

Variable	Recreator Soil/Sediment Default Value	Site-Specific Value
BW _{n,2} (body weight) kg	15	15
BW _{2,6} (body weight) kg	15	15
BW _{6,16} (body weight) kg	80	80
BW _{16,20} (body weight) kg	80	80
BW _{rec-a} (body weight - adult) kg	80	80
BW _{rec-c} (body weight - child) kg	15	15
DFS _{rec-adj} (age-adjusted soil dermal factor) mg/kg	22155	22155
DFSM _{rec-adj} (mutagenic age-adjusted soil dermal factor) mg/kg	91770	91770
ED _{rec} (exposure duration - recreator) years	26	26
ED _{n,2} (exposure duration) year	2	2
ED _{2,6} (exposure duration) year	4	4
ED _{6,16} (exposure duration) year	10	10
ED _{16,20} (exposure duration) year	10	10
ED _{rec-c} (exposure duration - child) years	6	6
EF _{rec} (exposure frequency) days/year	75	75
EF _{n,2} (exposure frequency) days/year	75	75
EF _{2,6} (exposure frequency) days/year	75	75
EF _{6,16} (exposure frequency) days/year	75	75
EF _{16,20} (exposure frequency) days/year	75	75
EF _{rec-a} (exposure frequency - adult) days/year	75	75
EF _{rec-c} (exposure frequency - child) days/year	75	75
ET _{rec} (exposure time - recreator) hours/day	1	1
ET _{n,2} (exposure time) hours/day	1	1
ET _{2,6} (exposure time) hours/day	1	1
ET _{6,16} (exposure time) hours/day	1	1
ET _{16,20} (exposure time) hours/day	1	1
ET _{rec-a} (adult exposure time) hours/day	1	1
ET _{rec-c} (child exposure time) hours/day	1	1
IFS _{rec-adj} (age-adjusted soil ingestion factor) mg/kg	7875	7875
IFSM _{rec-adj} (mutagenic age-adjusted soil ingestion factor) mg/kg	35750	35750
IRS ₀₋₂ (soil intake rate) mg/day	200	200

Site-specific Risk

Recreator Soil/Sediment Inputs

Variable	Recreator Soil/Sediment Default Value	Site-Specific Value
IRS _{γ,c} (soil intake rate) mg/day	200	200
IRS _{α,1c} (soil intake rate) mg/day	100	100
IRS _{1c,2n} (soil intake rate) mg/day	100	100
IRS _{rec,a} (soil intake rate - adult) mg/day	100	100
IRS _{rec,c} (soil intake rate - child) mg/day	200	200
LT (lifetime - recreator) years	70	70
SA _{n,γ} (skin surface area) cm ² /day	2373	2373
SA _{γ,c} (skin surface area) cm ² /day	2373	2373
SA _{α,1c} (skin surface area) cm ² /day	6032	6032
SA _{1c,2n} (skin surface area) cm ² /day	6032	6032
SA _{rec,a} (skin surface area - adult) cm ² /day	6032	6032
SA _{rec,c} (skin surface area - child) cm ² /day	2373	2373
T _w (groundwater temperature) Celsius	25	25
Theta _a (air-filled soil porosity) L _{air} /L _{cnil}	0.28396	0.28396
Theta _w (water-filled soil porosity) L _{water} /L _{cnil}	0.15	0.15
T (exposure interval) s	819936000	819936000
T (exposure interval) yr	26	26
U _m (mean annual wind speed) m/s	4.69	4.69
U _i (equivalent threshold value)	11.32	11.32
V (fraction of vegetative cover) unitless	0.5	0.5

Site-specific Risk Recreator for Soil/Sediment

Chemical	CAS Number	Mutagen?	VOC?	RfD (mg/kg-day)	RfD Ref	RfC (mg/m ³)	RfC Ref	SF _o (mg/kg-day) ⁻¹	SF _o Ref	IUR (ug/m ³) ⁻¹	IUR Ref	ABS _{ci}	ABS _{dorm}
Benz[a]anthracene	56-55-3	Yes	Yes	-		-		1.00E-01	IRIS Current	6.00E-05	IRIS Current	1	0.13
Benzo[a]pyrene	50-32-8	Yes	No	3.00E-04	IRIS Current	2.00E-06	IRIS Current	1.00E+00	IRIS Current	6.00E-04	IRIS Current	1	0.13
Benzo[b]fluoranthene	205-99-2	Yes	No	-		-		1.00E-01	IRIS Current	6.00E-05	IRIS Current	1	0.13
Cobalt	7440-48-4	No	No	3.00E-04	PPRTV Current	6.00E-06	PPRTV Current	-		9.00E-03	PPRTV Current	1	-
Thallium (Soluble Salts)	7440-28-0	No	No	1.00E-05	SCREEN Current	-		-		-		1	-
Vanadium and Compounds	7440-62-2	No	No	5.04E-03	SURROGATE	1.00E-04	ATSDR Final	-		-		0.026	-
<i>*Total Risk/HI</i>				-		-		-		-		-	-

Site-specific Risk Recreator for Soil/Sediment

Volatilization Factor Unlimited Reservoir (m ³ /kg)	Volatilization Factor Mass Limit (m ³ /kg)	Volatilization Factor Selected (m ³ /kg)	DA	Particulate Emission Factor (m ³ /kg)	Soil Saturation Concentration (mg/kg)	RBA	HLC (atm-m ³ /mole)	Henry's Law Constant (unitless)	H` and HLC Ref	Henry's Law Constant Used in Calcs (unitless)	Normal Boiling Point BP (K)	BP Ref
4.41E+06	-	4.41E+06	6.83E-10	1.36E+09	-	1	1.20E-05	4.91E-04	PHYSPROP	4.91E-04	7.11E+02	PHYSPROP
-	-	-	-	1.36E+09	-	1	4.57E-07	1.87E-05	PHYSPROP	1.87E-05	7.68E+02	PHYSPROP
-	-	-	-	1.36E+09	-	1	6.57E-07	2.69E-05	PHYSPROP	2.69E-05	7.16E+02	EPI
-	-	-	-	1.36E+09	-	1	-	-	-	-	3.20E+03	CRC
-	-	-	-	1.36E+09	-	1	-	-	-	-	1.73E+03	PHYSPROP
-	-	-	-	1.36E+09	-	1	-	-	-	-	3.68E+03	CRC
-	-	-	-	-	-	-	-	-	-	-	-	-

Site-specific Risk Recreator for Soil/Sediment

Critical Temperature $T_c \backslash$ (K)	$T_c \backslash$ Ref	$D_{ia} \backslash$ (cm^2/s)	$D_{iw} \backslash$ (cm^2/s)	Soil Concentration (mg/kg)	Child Ingestion Noncarcinogenic CDI (mg/kg-day)	Child Dermal Noncarcinogenic CDI (mg/kg-day)	Child Inhalation Noncarcinogenic CDI (mg/m^3)	Adult Ingestion Noncarcinogenic CDI (mg/kg-day)	Adult Dermal Noncarcinogenic CDI (mg/kg-day)
9.79E+02	YAWS	2.61E-02	6.75E-06	3	8.22E-06	2.54E-06	5.84E-09	7.71E-07	4.23E-07
9.69E+02	EPA 2001 Fact Sheet	2.55E-02	6.58E-06	3.1	8.49E-06	2.62E-06	1.95E-11	7.96E-07	4.37E-07
9.69E+02	EPA 2001 Fact Sheet	2.50E-02	6.43E-06	1.96	5.37E-06	1.66E-06	1.23E-11	5.03E-07	2.76E-07
7.40E+03	YAWS	-	-	39.04	1.07E-04	-	2.46E-10	1.00E-05	-
4.65E+03	YAWS	-	-	0.17	4.66E-07	-	1.07E-12	4.37E-08	-
1.13E+04	YAWS	-	-	134	3.67E-04	-	8.44E-10	3.44E-05	-
-		-	-	-	-	-	-	-	-

Site-specific Risk Recreator for Soil/Sediment

Adult Inhalation Noncarcinogenic CDI (mg/m ³)	Adjusted Ingestion Noncarcinogenic CDI (mg/kg-day)	Adjusted Dermal Noncarcinogenic CDI (mg/kg-day)	Adjusted Inhalation Noncarcinogenic CDI (mg/m ³)	Ingestion Carcinogenic CDI (mg/kg-day)	Dermal Carcinogenic CDI (mg/kg-day)	Inhalation Carcinogenic CDI (ug/m ³)	Child Ingestion HQ	Child Dermal HQ	Child Inhalation HQ
5.84E-09	2.49E-06	9.10E-07	5.84E-09	4.20E-06	1.40E-06	6.01E-06	-	-	-
1.95E-11	2.57E-06	9.41E-07	1.95E-11	4.34E-06	1.45E-06	2.01E-08	2.83E-02	8.73E-03	9.76E-06
1.23E-11	1.63E-06	5.95E-07	1.23E-11	2.74E-06	9.15E-07	1.27E-08	-	-	-
2.46E-10	3.24E-05	-	2.46E-10	1.20E-05	-	9.13E-08	3.57E-01	-	4.10E-05
1.07E-12	1.41E-07	-	1.07E-12	5.24E-08	-	3.98E-10	4.66E-02	-	-
8.44E-10	1.11E-04	-	8.44E-10	4.13E-05	-	3.13E-07	7.28E-02	-	8.44E-06
-	-	-	-	-	-	-	5.04E-01	8.73E-03	5.92E-05

Site-specific Risk Recreator for Soil/Sediment

Child Total HI	Adult Ingestion HQ	Adult Dermal HQ	Adult Inhalation HQ	Adult Total HI	Adjusted Ingestion HQ	Adjusted Dermal HQ	Adjusted Inhalation HQ	Adjusted Total HI	Ingestion Risk	Dermal Risk	Inhalation Risk	Total Risk
-	-	-	-	-	-	-	-	-	4.20E-07	1.40E-07	3.61E-10	5.60E-07
3.71E-02	2.65E-03	1.46E-03	9.76E-06	4.12E-03	8.57E-03	3.14E-03	9.76E-06	1.17E-02	4.34E-06	1.45E-06	1.20E-11	5.79E-06
-	-	-	-	-	-	-	-	-	2.74E-07	9.15E-08	7.62E-13	3.66E-07
3.57E-01	3.34E-02	-	4.10E-05	3.35E-02	1.08E-01	-	4.10E-05	1.08E-01	-	-	8.22E-10	8.22E-10
4.66E-02	4.37E-03	-	-	4.37E-03	1.41E-02	-	-	1.41E-02	-	-	-	-
7.29E-02	6.83E-03	-	8.44E-06	6.84E-03	2.21E-02	-	8.44E-06	2.21E-02	-	-	-	-
5.13E-01	4.73E-02	1.46E-03	5.92E-05	4.88E-02	1.53E-01	3.14E-03	5.92E-05	1.56E-01	5.03E-06	1.68E-06	1.20E-09	6.71E-06

Site-specific Risk

Trespasser Soil/Sediment Inputs

Variable	Trespasser Soil/Sediment Default Value	Site-Specific Value
A (PEF Dispersion Constant)	16.2302	16.2302
A (VF Dispersion Constant)	11.911	11.911
A (VF Dispersion Constant - mass limit)	11.911	11.911
B (PEF Dispersion Constant)	18.7762	18.7762
B (VF Dispersion Constant)	18.4385	18.4385
B (VF Dispersion Constant - mass limit)	18.4385	18.4385
City (PEF Climate Zone) Selection	Default	Default
City (VF Climate Zone) Selection	Default	Default
C (PEF Dispersion Constant)	216.108	216.108
C (VF Dispersion Constant)	209.7845	209.7845
C (VF Dispersion Constant - mass limit)	209.7845	209.7845
foc (fraction organic carbon in soil) g/g	0.006	0.006
F(x) (function dependent on U_{crit}/U) unitless	0.194	0.194
n (total soil porosity) L_{pore}/L_{crit}	0.43396	0.43396
ρ_n (dry soil bulk density) g/cm ³	1.5	1.5
ρ_n (dry soil bulk density - mass limit) g/cm ³	1.5	1.5
PEF (particulate emission factor) m ³ /kg	1359344438	1359344438
ρ_c (soil particle density) g/cm ³	2.65	2.65
Q/C_{wind} (g/m ² -s per kg/m ³)	93.77	93.77
Q/C_{vint} (g/m ² -s per kg/m ³)	68.18	68.18
Q/C_{vint} (g/m ² -s per kg/m ³ - mass limit)	68.18	68.18
A_c (PEF acres)	0.5	0.5
A_c (VF acres)	0.5	0.5
A_c (VF mass-limit acres)	0.5	0.5
$AF_{n,s}$ (skin adherence factor) mg/cm ²	0	0
$AF_{r,s}$ (skin adherence factor) mg/cm ²	0	0
AF_{r-16} (skin adherence factor) mg/cm ²	0.07	0.07
AF_{16-30} (skin adherence factor) mg/cm ²	0	0
AF_{rec-a} (skin adherence factor - adult) mg/cm ²	0.07	0.07
AF_{rec-c} (skin adherence factor - child) mg/cm ²	0	0
AT_{rec} (averaging time)	365	365

Site-specific Risk

Trespasser Soil/Sediment Inputs

Variable	Trespasser Soil/Sediment Default Value	Site-Specific Value
BW _{n,2} (body weight) kg	0	0
BW _{2,6} (body weight) kg	0	0
BW _{6,16} (body weight) kg	80	80
BW _{16,20} (body weight) kg	0	0
BW _{rec,a} (body weight - adult) kg	80	80
BW _{rec,c} (body weight - child) kg	0	0
DFS _{rec,adj} (age-adjusted soil dermal factor) mg/kg	3061.24	3061.24
DFSM _{rec,adj} (mutagenic age-adjusted soil dermal factor) mg/kg	9183.72	9183.72
ED _{rec} (exposure duration - recreator) years	10	10
ED _{n,2} (exposure duration) year	0	0
ED _{2,6} (exposure duration) year	0	0
ED _{6,16} (exposure duration) year	10	10
ED _{16,20} (exposure duration) year	0	0
ED _{rec,c} (exposure duration - child) years	0	0
EF _{rec} (exposure frequency) days/year	58	58
EF _{n,2} (exposure frequency) days/year	0	0
EF _{2,6} (exposure frequency) days/year	0	0
EF _{6,16} (exposure frequency) days/year	58	58
EF _{16,20} (exposure frequency) days/year	0	0
EF _{rec,a} (exposure frequency - adult) days/year	58	58
EF _{rec,c} (exposure frequency - child) days/year	0	0
ET _{rec} (exposure time - recreator) hours/day	3.9	3.9
ET _{n,2} (exposure time) hours/day	0	0
ET _{2,6} (exposure time) hours/day	0	0
ET _{6,16} (exposure time) hours/day	3.9	3.9
ET _{16,20} (exposure time) hours/day	0	0
ET _{rec,a} (adult exposure time) hours/day	3.9	3.9
ET _{rec,c} (child exposure time) hours/day	0	0
IFS _{rec,adj} (age-adjusted soil ingestion factor) mg/kg	725	725
IFSM _{rec,adj} (mutagenic age-adjusted soil ingestion factor) mg/kg	2175	2175
IRS ₀₋₂ (soil intake rate) mg/day	0	0

Site-specific Risk

Trespasser Soil/Sediment Inputs

Variable	Trespasser Soil/Sediment Default Value	Site-Specific Value
IRS _{γ,c} (soil intake rate) mg/day	0	0
IRS _{κ,1κ} (soil intake rate) mg/day	100	100
IRS _{1κ,2η} (soil intake rate) mg/day	0	0
IRS _{rec,α} (soil intake rate - adult) mg/day	100	100
IRS _{rec,ρ} (soil intake rate - child) mg/day	0	0
LT (lifetime - recreator) years	70	70
SA _{η,γ} (skin surface area) cm ² /day	0	0
SA _{γ,c} (skin surface area) cm ² /day	0	0
SA _{κ,1κ} (skin surface area) cm ² /day	6032	6032
SA _{1κ,2η} (skin surface area) cm ² /day	0	0
SA _{rec,α} (skin surface area - adult) cm ² /day	6032	6032
SA _{rec,ρ} (skin surface area - child) cm ² /day	0	0
T _w (groundwater temperature) Celsius	25	25
Theta _a (air-filled soil porosity) L _{air} /L _{cnil}	0.28396	0.28396
Theta _w (water-filled soil porosity) L _{water} /L _{cnil}	0.15	0.15
T (exposure interval) s	819936000	819936000
T (exposure interval) yr	26	26
U _m (mean annual wind speed) m/s	4.69	4.69
U _i (equivalent threshold value)	11.32	11.32
V (fraction of vegetative cover) unitless	0.5	0.5

Site-specific Risk Trespasser for Soil/Sediment

Chemical	CAS Number	Mutagen?	VOC?	RfD (mg/kg-day)	RfD Ref	RfC (mg/m ³)	RfC Ref	SF _o (mg/kg-day) ⁻¹	SF _o Ref	IUR (ug/m ³) ⁻¹	IUR Ref	ABS _{ci}	ABS _{dorm}
Benz[a]anthracene	56-55-3	Yes	Yes	-		-		1.00E-01	IRIS Current	6.00E-05	IRIS Current	1	0.13
Benzo[a]pyrene	50-32-8	Yes	No	3.00E-04	IRIS Current	2.00E-06	IRIS Current	1.00E+00	IRIS Current	6.00E-04	IRIS Current	1	0.13
Benzo[b]fluoranthene	205-99-2	Yes	No	-		-		1.00E-01	IRIS Current	6.00E-05	IRIS Current	1	0.13
Cobalt	7440-48-4	No	No	3.00E-04	PPRTV Current	6.00E-06	PPRTV Current	-		9.00E-03	PPRTV Current	1	-
Thallium (Soluble Salts)	7440-28-0	No	No	1.00E-05	SCREEN Current	-		-		-		1	-
Vanadium and Compounds	7440-62-2	No	No	5.04E-03	SURROGATE	1.00E-04	ATSDR Final	-		-		0.026	-
*Total Risk/HI				-		-		-		-		-	-

Site-specific Risk Trespasser for Soil/Sediment

Volatilization Factor Unlimited Reservoir (m ³ /kg)	Volatilization Factor Mass Limit (m ³ /kg)	Volatilization Factor Selected (m ³ /kg)	DA	Particulate Emission Factor (m ³ /kg)	Soil Saturation Concentration (mg/kg)	RBA	HLC (atm-m ³ /mole)	Henry's Law Constant (unitless)	H` and HLC Ref	Henry's Law Constant Used in Calcs (unitless)	Normal Boiling Point BP (K)
4.41E+06	-	4.41E+06	6.83E-10	1.36E+09	-	1	1.20E-05	4.91E-04	PHYSPROP	4.91E-04	7.11E+02
-	-	-	-	1.36E+09	-	1	4.57E-07	1.87E-05	PHYSPROP	1.87E-05	7.68E+02
-	-	-	-	1.36E+09	-	1	6.57E-07	2.69E-05	PHYSPROP	2.69E-05	7.16E+02
-	-	-	-	1.36E+09	-	1	-	-	-	-	3.20E+03
-	-	-	-	1.36E+09	-	1	-	-	-	-	1.73E+03
-	-	-	-	1.36E+09	-	1	-	-	-	-	3.68E+03
-	-	-	-	-	-	-	-	-	-	-	-

Site-specific Risk Trespasser for Soil/Sediment

BP Ref	Critical Temperature T _c (K)	T _c Ref	D _{ia} (cm ² /s)	D _{iw} (cm ² /s)	Soil Concentration (mg/kg)	Child Ingestion Noncarcinogenic CDI (mg/kg-day)	Child Dermal Noncarcinogenic CDI (mg/kg-day)	Child Inhalation Noncarcinogenic CDI (mg/m ³)	Adult Ingestion Noncarcinogenic CDI (mg/kg-day)
PHYSPROP	9.79E+02	YAWS	2.61E-02	6.75E-06	3	-	-	-	5.96E-07
PHYSPROP	9.69E+02	EPA 2001 Fact Sheet	2.55E-02	6.58E-06	3.1	-	-	-	6.16E-07
EPI	9.69E+02	EPA 2001 Fact Sheet	2.50E-02	6.43E-06	1.96	-	-	-	3.89E-07
CRC	7.40E+03	YAWS	-	-	39.04	-	-	-	7.75E-06
PHYSPROP	4.65E+03	YAWS	-	-	0.17	-	-	-	3.38E-08
CRC	1.13E+04	YAWS	-	-	134.5	-	-	-	2.67E-05
	-		-	-	-	-	-	-	-

Site-specific Risk Trespasser for Soil/Sediment

Adult Dermal Noncarcinogenic CDI (mg/kg-day)	Adult Inhalation Noncarcinogenic CDI (mg/m ³)	Adjusted Ingestion Noncarcinogenic CDI (mg/kg-day)	Adjusted Dermal Noncarcinogenic CDI (mg/kg-day)	Adjusted Inhalation Noncarcinogenic CDI (mg/m ³)	Ingestion Carcinogenic CDI (mg/kg-day)	Dermal Carcinogenic CDI (mg/kg-day)	Inhalation Carcinogenic CDI (ug/m ³)	Child Ingestion HQ
3.27E-07	1.76E-08	5.96E-07	3.27E-07	1.76E-08	2.55E-07	1.40E-07	7.55E-06	-
3.38E-07	5.89E-11	6.16E-07	3.38E-07	5.89E-11	2.64E-07	1.45E-07	2.52E-08	-
2.14E-07	3.72E-11	3.89E-07	2.14E-07	3.72E-11	1.67E-07	9.16E-08	1.60E-08	-
-	7.42E-10	7.75E-06	-	7.42E-10	1.11E-06	-	1.06E-07	-
-	3.23E-12	3.38E-08	-	3.23E-12	4.82E-09	-	4.61E-10	-
-	2.55E-09	2.67E-05	-	2.55E-09	3.82E-06	-	3.65E-07	-
-	-	-	-	-	-	-	-	-

Site-specific Risk Trespasser for Soil/Sediment

Child Dermal HQ	Child Inhalation HQ	Child Total HI	Adult Ingestion HQ	Adult Dermal HQ	Adult Inhalation HQ	Adult Total HI	Adjusted Ingestion HQ	Adjusted Dermal HQ	Adjusted Inhalation HQ	Adjusted Total HI	Ingestion Risk	Dermal Risk	Inhalation Risk	Total Risk
-	-	-	-	-	-	-	-	-	-	-	2.55E-08	1.40E-08	4.53E-10	4.00E-08
-	-	-	2.05E-03	1.13E-03	2.94E-05	3.21E-03	2.05E-03	1.13E-03	2.94E-05	3.21E-03	2.64E-07	1.45E-07	1.51E-11	4.09E-07
-	-	-	-	-	-	-	-	-	-	-	1.67E-08	9.16E-09	9.57E-13	2.58E-08
-	-	-	2.58E-02	-	1.24E-04	2.60E-02	2.58E-02	-	1.24E-04	2.60E-02	-	-	9.53E-10	9.53E-10
-	-	-	3.38E-03	-	-	3.38E-03	3.38E-03	-	-	3.38E-03	-	-	-	-
-	-	-	5.30E-03	-	2.55E-05	5.33E-03	5.30E-03	-	2.55E-05	5.33E-03	-	-	-	-
-	-	-	3.66E-02	1.13E-03	1.79E-04	3.79E-02	3.66E-02	1.13E-03	1.79E-04	3.79E-02	3.06E-07	1.68E-07	1.42E-09	4.76E-07

Site-specific Risk

Resident Soil Inputs

Variable	Resident Soil Default Value	Site-Specific Value
A (PEF Dispersion Constant)	16.2302	16.2302
A (VF Dispersion Constant)	11.911	11.911
A (VF Dispersion Constant - mass limit)	11.911	11.911
B (PEF Dispersion Constant)	18.7762	18.7762
B (VF Dispersion Constant)	18.4385	18.4385
B (VF Dispersion Constant - mass limit)	18.4385	18.4385
City (PEF Climate Zone) Selection	Default	Default
City (VF Climate Zone) Selection	Default	Default
C (PEF Dispersion Constant)	216.108	216.108
C (VF Dispersion Constant)	209.7845	209.7845
C (VF Dispersion Constant - mass limit)	209.7845	209.7845
foc (fraction organic carbon in soil) g/g	0.006	0.006
F(x) (function dependent on U_{crit}/U) unitless	0.194	0.194
n (total soil porosity) L_{pore}/L_{crit}	0.43396	0.43396
ρ_n (dry soil bulk density) g/cm ³	1.5	1.5
ρ_n (dry soil bulk density - mass limit) g/cm ³	1.5	1.5
PEF (particulate emission factor) m ³ /kg	1359344438	1359344438
ρ_c (soil particle density) g/cm ³	2.65	2.65
Q/C_{wind} (g/m ² -s per kg/m ³)	93.77	93.77
Q/C_{vint} (g/m ² -s per kg/m ³)	68.18	68.18
Q/C_{vint} (g/m ² -s per kg/m ³ - mass limit)	68.18	68.18
A_e (PEF acres)	0.5	0.5
A_e (VF acres)	0.5	0.5
A_e (VF mass-limit acres)	0.5	0.5
$AF_{n,s}$ (mutagenic skin adherence factor) mg/cm ²	0.2	0.2
$AF_{r,s}$ (mutagenic skin adherence factor) mg/cm ²	0.2	0.2
AF_{r-1R} (mutagenic skin adherence factor) mg/cm ²	0.07	0.07
AF_{1R-7R} (mutagenic skin adherence factor) mg/cm ²	0.07	0.07
$AF_{res,a}$ (skin adherence factor - adult) mg/cm ²	0.07	0.07
$AF_{res,c}$ (skin adherence factor - child) mg/cm ²	0.2	0.2
AT_{res} (averaging time - resident carcinogenic)	365	365

Site-specific Risk

Resident Soil Inputs

Variable	Resident Soil Default Value	Site-Specific Value
BW _{n,2} (mutagenic body weight) kg	15	15
BW _{2,6} (mutagenic body weight) kg	15	15
BW _{6,16} (mutagenic body weight) kg	80	80
BW _{16,26} (mutagenic body weight) kg	80	80
BW _{res-a} (body weight - adult) kg	80	80
BW _{res-c} (body weight - child) kg	15	15
DFS _{res-adj} (age-adjusted soil dermal factor) mg/kg	103390	10130.4
DFSM _{res-adj} (mutagenic age-adjusted soil dermal factor) mg/kg	428260	32916.8
ED _{res} (exposure duration) years	26	26
ED _{n,2} (mutagenic exposure duration) years	2	2
ED _{2,6} (mutagenic exposure duration) years	4	4
ED _{6,16} (mutagenic exposure duration) years	10	10
ED _{16,26} (mutagenic exposure duration) years	10	10
ED _{res-a} (exposure duration - adult) years	20	20
ED _{res-c} (exposure duration - child) years	6	6
EF _{res} (exposure frequency) days/year	350	50.769
EF _{n,2} (mutagenic exposure frequency) days/year	350	20
EF _{2,6} (mutagenic exposure frequency) days/year	350	20
EF _{6,16} (mutagenic exposure frequency) days/year	350	60
EF _{16,26} (mutagenic exposure frequency) days/year	350	60
EF _{res-a} (exposure frequency - adult) days/year	350	60
EF _{res-c} (exposure frequency - child) days/year	350	20
ET _{res} (exposure time) hours/day	24	24
ET _{n,2} (mutagenic exposure time) hours/day	24	24
ET _{2,6} (mutagenic exposure time) hours/day	24	24
ET _{6,16} (mutagenic exposure time) hours/day	24	24
ET _{16,26} (mutagenic exposure time) hours/day	24	24
ET _{res-a} (adult exposure time) hours/day	24	24
ET _{res-c} (child exposure time) hours/day	24	24
IFS _{res-adj} (age-adjusted soil ingestion factor) mg/kg	36750	3100
IFSM _{res-adj} (mutagenic age-adjusted soil ingestion factor) mg/kg	166833.3	11533.333

Site-specific Risk Resident Soil Inputs

Variable	Resident Soil Default Value	Site-Specific Value
IRS _{n,γ} (mutagenic soil intake rate) mg/day	200	200
IRS _{γ,ε} (mutagenic soil intake rate) mg/day	200	200
IRS _{ε,1ε} (mutagenic soil intake rate) mg/day	100	100
IRS _{1ε,γε} (mutagenic soil intake rate) mg/day	100	100
IRS _{res,a} (soil intake rate - adult) mg/day	100	100
IRS _{res,r} (soil intake rate - child) mg/day	200	200
LT (lifetime) years	70	70
SA _{n,γ} (mutagenic skin surface area) cm ² /day	2373	2373
SA _{γ,ε} (mutagenic skin surface area) cm ² /day	2373	2373
SA _{ε,1ε} (mutagenic skin surface area) cm ² /day	6032	6032
SA _{1ε,γε} (mutagenic skin surface area) cm ² /day	6032	6032
SA _{res,a} (skin surface area - adult) cm ² /day	6032	6032
SA _{res,r} (skin surface area - child) cm ² /day	2373	2373
T _w (groundwater temperature) Celsius	25	25
Theta _a (air-filled soil porosity) L _{air} /L _{cnil}	0.28396	0.28396
Theta _w (water-filled soil porosity) L _{water} /L _{cnil}	0.15	0.15
T (exposure interval) s	819936000	819936000
T (exposure interval) yr	26	26
U _m (mean annual wind speed) m/s	4.69	4.69
U _i (equivalent threshold value)	11.32	11.32
V (fraction of vegetative cover) unitless	0.5	0.5

Site-specific Risk Resident for Soil

Chemical	CAS Number	Mutagen?	VOC?	RfD (mg/kg-day)	RfD Ref	RfC (mg/m ³)	RfC Ref	SF _o (mg/kg-day) ⁻¹	SF _o Ref	IUR (ug/m ³) ⁻¹	IUR Ref	ABS _{ci}	ABS _{dorm}
Benz[a]anthracene	56-55-3	Yes	Yes	-		-		1.00E-01	IRIS Current	6.00E-05	IRIS Current	1	0.13
Benzo[a]pyrene	50-32-8	Yes	No	3.00E-04	IRIS Current	2.00E-06	IRIS Current	1.00E+00	IRIS Current	6.00E-04	IRIS Current	1	0.13
Benzo[b]fluoranthene	205-99-2	Yes	No	-		-		1.00E-01	IRIS Current	6.00E-05	IRIS Current	1	0.13
Cobalt	7440-48-4	No	No	3.00E-04	PPRTV Current	6.00E-06	PPRTV Current	-		9.00E-03	PPRTV Current	1	-
Thallium (Soluble Salts)	7440-28-0	No	No	1.00E-05	SCREEN Current	-		-		-		1	-
Vanadium and Compounds	7440-62-2	No	No	5.04E-03	SURROGATE	1.00E-04	ATSDR Final	-		-		0.026	-
*Total Risk/HI				-		-		-		-		-	-

Site-specific Risk Resident for Soil

Volatilization Factor Unlimited Reservoir (m ³ /kg)	Volatilization Factor Mass Limit (m ³ /kg)	Volatilization Factor Selected (m ³ /kg)	DA	Particulate Emission Factor (m ³ /kg)	Soil Saturation Concentration (mg/kg)	RBA	HLC (atm-m ³ /mole)	Henry's Law Constant (unitless)	H` and HLC Ref	Henry's Law Constant Used in Calcs (unitless)	Normal Boiling Point BP (K)	BP Ref
4.41E+06	-	4.41E+06	6.83E-10	1.36E+09	-	1	1.20E-05	4.91E-04	PHYSPROP	4.91E-04	7.11E+02	PHYSPROP
-	-	-	-	1.36E+09	-	1	4.57E-07	1.87E-05	PHYSPROP	1.87E-05	7.68E+02	PHYSPROP
-	-	-	-	1.36E+09	-	1	6.57E-07	2.69E-05	PHYSPROP	2.69E-05	7.16E+02	EPI
-	-	-	-	1.36E+09	-	1	-	-	-	-	3.20E+03	CRC
-	-	-	-	1.36E+09	-	1	-	-	-	-	1.73E+03	PHYSPROP
-	-	-	-	1.36E+09	-	1	-	-	-	-	3.68E+03	CRC
-	-	-	-	-	-	-	-	-	-	-	-	-

Site-specific Risk Resident for Soil

Critical Temperature $T_c \backslash$ (K)	$T_c \backslash$ Ref	$D_{ia} \backslash$ (cm^2/s)	$D_{iw} \backslash$ (cm^2/s)	Soil Concentration (mg/kg)	Child Ingestion Noncarcinogenic CDI (mg/kg-day)	Child Dermal Noncarcinogenic CDI (mg/kg-day)	Child Inhalation Noncarcinogenic CDI (mg/m^3)	Adult Ingestion Noncarcinogenic CDI (mg/kg-day)	Adult Dermal Noncarcinogenic CDI (mg/kg-day)
9.79E+02	YAWS	2.61E-02	6.75E-06	3	2.19E-06	6.76E-07	3.74E-08	6.16E-07	3.38E-07
9.69E+02	EPA 2001 Fact Sheet	2.55E-02	6.58E-06	3.1	2.26E-06	6.99E-07	1.25E-10	6.37E-07	3.50E-07
9.69E+02	EPA 2001 Fact Sheet	2.50E-02	6.43E-06	1.96	1.43E-06	4.42E-07	7.90E-11	4.03E-07	2.21E-07
7.40E+03	YAWS	-	-	39.04	2.85E-05	-	1.57E-09	8.02E-06	-
4.65E+03	YAWS	-	-	0.17	1.24E-07	-	6.85E-12	3.49E-08	-
1.13E+04	YAWS	-	-	134.5	9.83E-05	-	5.42E-09	2.76E-05	-
-		-	-	-	-	-	-	-	-

Site-specific Risk Resident for Soil

Adult Inhalation Noncarcinogenic CDI (mg/m ³)	Adjusted Ingestion Noncarcinogenic CDI (mg/kg-day)	Adjusted Dermal Noncarcinogenic CDI (mg/kg-day)	Adjusted Inhalation Noncarcinogenic CDI (mg/m ³)	Ingestion Carcinogenic CDI (mg/kg-day)	Dermal Carcinogenic CDI (mg/kg-day)	Inhalation Carcinogenic CDI (ug/m ³)	Child Ingestion HQ	Child Dermal HQ	Child Inhalation HQ
9.49E-08	9.80E-07	4.16E-07	9.49E-08	1.35E-06	5.02E-07	9.76E-05	-	-	-
3.17E-10	1.01E-06	4.30E-07	3.17E-10	1.40E-06	5.19E-07	3.26E-07	7.55E-03	2.33E-03	6.25E-05
2.01E-10	6.40E-07	2.72E-07	2.01E-10	8.85E-07	3.28E-07	2.06E-07	-	-	-
3.99E-09	1.28E-05	-	3.99E-09	4.74E-06	-	1.48E-06	9.51E-02	-	2.62E-04
1.74E-11	5.55E-08	-	1.74E-11	2.06E-08	-	6.46E-09	1.24E-02	-	-
1.38E-08	4.39E-05	-	1.38E-08	1.63E-05	-	5.11E-06	1.95E-02	-	5.42E-05
-	-	-	-	-	-	-	1.35E-01	2.33E-03	3.79E-04

Site-specific Risk Resident for Soil

Child Total HI	Adult Ingestion HQ	Adult Dermal HQ	Adult Inhalation HQ	Adult Total HI	Adjusted Ingestion HQ	Adjusted Dermal HQ	Adjusted Inhalation HQ	Adjusted Total HI	Ingestion Risk	Dermal Risk	Inhalation Risk	Total Risk
-	-	-	-	-	-	-	-	-	1.35E-07	5.02E-08	5.86E-09	1.92E-07
9.94E-03	2.12E-03	1.17E-03	1.59E-04	3.45E-03	3.38E-03	1.43E-03	1.59E-04	4.97E-03	1.40E-06	5.19E-07	1.96E-10	1.92E-06
-	-	-	-	-	-	-	-	-	8.85E-08	3.28E-08	1.24E-11	1.21E-07
9.53E-02	2.67E-02	-	6.66E-04	2.74E-02	4.25E-02	-	6.66E-04	4.32E-02	-	-	1.34E-08	1.34E-08
1.24E-02	3.49E-03	-	-	3.49E-03	5.55E-03	-	-	5.55E-03	-	-	-	-
1.96E-02	5.48E-03	-	1.38E-04	5.62E-03	8.72E-03	-	1.38E-04	8.86E-03	-	-	-	-
1.37E-01	3.78E-02	1.17E-03	9.62E-04	4.00E-02	6.02E-02	1.43E-03	9.62E-04	6.26E-02	1.62E-06	6.02E-07	1.94E-08	2.24E-06

COMBINED SOIL DERAC OUTPUT

Site-specific Risk Resident Soil Inputs

Variable	Resident Soil Default Value	Site-Specific Value
A (PEF Dispersion Constant)	16.2302	16.2302
A (VF Dispersion Constant)	11.911	11.911
A (VF Dispersion Constant - mass limit)	11.911	11.911
B (PEF Dispersion Constant)	18.7762	18.7762
B (VF Dispersion Constant)	18.4385	18.4385
B (VF Dispersion Constant - mass limit)	18.4385	18.4385
City (PEF Climate Zone) Selection	Default	Default
City (VF Climate Zone) Selection	Default	Default
C (PEF Dispersion Constant)	216.108	216.108
C (VF Dispersion Constant)	209.7845	209.7845
C (VF Dispersion Constant - mass limit)	209.7845	209.7845
foc (fraction organic carbon in soil) g/g	0.006	0.006
F(x) (function dependent on U_{crit}/U) unitless	0.194	0.194
n (total soil porosity) L_{pore}/L_{crit}	0.43396	0.43396
ρ_n (dry soil bulk density) g/cm ³	1.5	1.5
ρ_n (dry soil bulk density - mass limit) g/cm ³	1.5	1.5
PEF (particulate emission factor) m ³ /kg	1359344438	1359344438
ρ_c (soil particle density) g/cm ³	2.65	2.65
Q/C_{wind} (g/m ² -s per kg/m ³)	93.77	93.77
Q/C_{vint} (g/m ² -s per kg/m ³)	68.18	68.18
Q/C_{vint} (g/m ² -s per kg/m ³ - mass limit)	68.18	68.18
A_c (PEF acres)	0.5	0.5
A_c (VF acres)	0.5	0.5
A_c (VF mass-limit acres)	0.5	0.5
$AF_{n,s}$ (mutagenic skin adherence factor) mg/cm ²	0.2	0.2
$AF_{r,s}$ (mutagenic skin adherence factor) mg/cm ²	0.2	0.2
AF_{r-1R} (mutagenic skin adherence factor) mg/cm ²	0.07	0.07
AF_{1R-7R} (mutagenic skin adherence factor) mg/cm ²	0.07	0.07
$AF_{res,a}$ (skin adherence factor - adult) mg/cm ²	0.07	0.07
$AF_{res,c}$ (skin adherence factor - child) mg/cm ²	0.2	0.2
AT_{res} (averaging time - resident carcinogenic)	365	365

Site-specific Risk Resident Soil Inputs

Variable	Resident Soil Default Value	Site-Specific Value
BW _{n,2} (mutagenic body weight) kg	15	15
BW _{2,6} (mutagenic body weight) kg	15	15
BW _{6,16} (mutagenic body weight) kg	80	80
BW _{16,26} (mutagenic body weight) kg	80	80
BW _{res-a} (body weight - adult) kg	80	80
BW _{res-c} (body weight - child) kg	15	15
DFS _{res-adj} (age-adjusted soil dermal factor) mg/kg	103390	103390
DFS _{res-adj} (mutagenic age-adjusted soil dermal factor) mg/kg	428260	428260
ED _{res} (exposure duration) years	26	26
ED _{n,2} (mutagenic exposure duration) years	2	2
ED _{2,6} (mutagenic exposure duration) years	4	4
ED _{6,16} (mutagenic exposure duration) years	10	10
ED _{16,26} (mutagenic exposure duration) years	10	10
ED _{res-a} (exposure duration - adult) years	20	20
ED _{res-c} (exposure duration - child) years	6	6
EF _{res} (exposure frequency) days/year	350	350
EF _{n,2} (mutagenic exposure frequency) days/year	350	350
EF _{2,6} (mutagenic exposure frequency) days/year	350	350
EF _{6,16} (mutagenic exposure frequency) days/year	350	350
EF _{16,26} (mutagenic exposure frequency) days/year	350	350
EF _{res-a} (exposure frequency - adult) days/year	350	350
EF _{res-c} (exposure frequency - child) days/year	350	350
ET _{res} (exposure time) hours/day	24	24
ET _{n,2} (mutagenic exposure time) hours/day	24	24
ET _{2,6} (mutagenic exposure time) hours/day	24	24
ET _{6,16} (mutagenic exposure time) hours/day	24	24
ET _{16,26} (mutagenic exposure time) hours/day	24	24
ET _{res-a} (adult exposure time) hours/day	24	24
ET _{res-c} (child exposure time) hours/day	24	24
IFS _{res-adj} (age-adjusted soil ingestion factor) mg/kg	36750	36750
IFSM _{res-adj} (mutagenic age-adjusted soil ingestion factor) mg/kg	166833.3	166833.3

Site-specific Risk Resident Soil Inputs

Variable	Resident Soil Default Value	Site-Specific Value
IRS _{n,γ} (mutagenic soil intake rate) mg/day	200	200
IRS _{γ,ε} (mutagenic soil intake rate) mg/day	200	200
IRS _{ε,1ε} (mutagenic soil intake rate) mg/day	100	100
IRS _{1ε,γε} (mutagenic soil intake rate) mg/day	100	100
IRS _{res,a} (soil intake rate - adult) mg/day	100	100
IRS _{res,r} (soil intake rate - child) mg/day	200	200
LT (lifetime) years	70	70
SA _{n,γ} (mutagenic skin surface area) cm ² /day	2373	2373
SA _{γ,ε} (mutagenic skin surface area) cm ² /day	2373	2373
SA _{ε,1ε} (mutagenic skin surface area) cm ² /day	6032	6032
SA _{1ε,γε} (mutagenic skin surface area) cm ² /day	6032	6032
SA _{res,a} (skin surface area - adult) cm ² /day	6032	6032
SA _{res,r} (skin surface area - child) cm ² /day	2373	2373
T _w (groundwater temperature) Celsius	25	25
Theta _a (air-filled soil porosity) L _{air} /L _{cnil}	0.28396	0.28396
Theta _w (water-filled soil porosity) L _{water} /L _{cnil}	0.15	0.15
T (exposure interval) s	819936000	819936000
T (exposure interval) yr	26	26
U _m (mean annual wind speed) m/s	4.69	4.69
U _i (equivalent threshold value)	11.32	11.32
V (fraction of vegetative cover) unitless	0.5	0.5

Site-specific Risk Resident for Soil

Chemical	CAS Number	Mutagen?	VOC?	RfD (mg/kg-day)	RfD Ref	RfC (mg/m ³)	RfC Ref	SF _o (mg/kg-day) ⁻¹	SF _o Ref	IUR (ug/m ³) ⁻¹	IUR Ref	ABS _{ci}	ABS _{dem}
Benzo[a]pyrene	50-32-8	Yes	No	3.00E-04	IRIS Current	2.00E-06	IRIS Current	1.00E+00	IRIS Current	6.00E-04	IRIS Current	1	0.13
Cobalt	7440-48-4	No	No	3.00E-04	PPRTV Current	6.00E-06	PPRTV Current	-		9.00E-03	PPRTV Current	1	-
Thallium (Soluble Salts)	7440-28-0	No	No	1.00E-05	SCREEN Current	-		-		-		1	-
<i>*Total Risk/HI</i>				-		-		-		-		-	-

Site-specific Risk Resident for Soil

Volatilization Factor Unlimited Reservoir (m ³ /kg)	Volatilization Factor Mass Limit (m ³ /kg)	Volatilization Factor Selected (m ³ /kg)	DA	Particulate Emission Factor (m ³ /kg)	Soil Saturation Concentration (mg/kg)	RBA	HLC (atm-m ³ /mole)	Henry's Law Constant (unitless)	H` and HLC Ref	Henry's Law Constant Used in Calcs (unitless)	Normal Boiling Point BP (K)	BP Ref
-	-	-	-	1.36E+09	-	1	4.57E-07	1.87E-05	PHYSPROP	1.87E-05	7.68E+02	PHYSPROP
-	-	-	-	1.36E+09	-	1	-	-		-	3.20E+03	CRC
-	-	-	-	1.36E+09	-	1	-	-		-	1.73E+03	PHYSPROP
-	-	-	-	-	-	-	-	-		-	-	

Site-specific Risk Resident for Soil

Critical Temperature $T_c \backslash$ (K)	$T_c \backslash$ Ref	$D_{ia} \backslash$ (cm ² /s)	$D_{iw} \backslash$ (cm ² /s)	Soil Concentration (mg/kg)	Child Ingestion Noncarcinogenic CDI (mg/kg-day)	Child Dermal Noncarcinogenic CDI (mg/kg-day)	Child Inhalation Noncarcinogenic CDI (mg/m ³)	Adult Ingestion Noncarcinogenic CDI (mg/kg-day)	Adult Dermal Noncarcinogenic CDI (mg/kg-day)
9.69E+02	EPA 2001 Fact Sheet	2.55E-02	6.58E-06	0.59	7.54E-06	2.33E-06	4.16E-10	7.07E-07	3.88E-07
7.40E+03	YAWS	-	-	37.49	4.79E-04	-	2.64E-08	4.49E-05	-
4.65E+03	YAWS	-	-	0.17	2.17E-06	-	1.20E-10	2.04E-07	-
-		-	-	-	-	-	-	-	-

Site-specific Risk Resident for Soil

Adult Inhalation Noncarcinogenic CDI (mg/m ³)	Adjusted Ingestion Noncarcinogenic CDI (mg/kg-day)	Adjusted Dermal Noncarcinogenic CDI (mg/kg-day)	Adjusted Inhalation Noncarcinogenic CDI (mg/m ³)	Ingestion Carcinogenic CDI (mg/kg-day)	Dermal Carcinogenic CDI (mg/kg-day)	Inhalation Carcinogenic CDI (ug/m ³)	Child Ingestion HQ	Child Dermal HQ	Child Inhalation HQ
4.16E-10	2.28E-06	8.36E-07	4.16E-10	3.85E-06	1.29E-06	4.28E-07	2.51E-02	7.76E-03	2.08E-04
2.64E-08	1.45E-04	-	2.64E-08	5.39E-05	-	9.82E-06	1.60E+00	-	4.41E-03
1.20E-10	6.58E-07	-	1.20E-10	2.45E-07	-	4.45E-08	2.17E-01	-	-
-	-	-	-	-	-	-	1.84E+00	7.76E-03	4.62E-03

Site-specific Risk Resident for Soil

Child Total HI	Adult Ingestion HQ	Adult Dermal HQ	Adult Inhalation HQ	Adult Total HI	Adjusted Ingestion HQ	Adjusted Dermal HQ	Adjusted Inhalation HQ	Adjusted Total HI	Ingestion Risk	Dermal Risk	Inhalation Risk	Total Risk
3.31E-02	2.36E-03	1.29E-03	2.08E-04	3.86E-03	7.62E-03	2.79E-03	2.08E-04	1.06E-02	3.85E-06	1.29E-06	2.57E-10	5.14E-06
1.60E+00	1.50E-01	-	4.41E-03	1.54E-01	4.84E-01	-	4.41E-03	4.88E-01	-	-	8.84E-08	8.84E-08
2.17E-01	2.04E-02	-	-	2.04E-02	6.58E-02	-	-	6.58E-02	-	-	-	-
1.85E+00	1.73E-01	1.29E-03	4.62E-03	1.78E-01	5.57E-01	2.79E-03	4.62E-03	5.65E-01	3.85E-06	1.29E-06	8.87E-08	5.23E-06

Site-specific Risk

Outdoor Worker Soil Inputs

Variable	Outdoor Worker Soil Default Value	Site-Specific Value
A (PEF Dispersion Constant)	16.2302	16.2302
A (VF Dispersion Constant)	11.911	11.911
A (VF Dispersion Constant - mass limit)	11.911	11.911
B (PEF Dispersion Constant)	18.7762	18.7762
B (VF Dispersion Constant)	18.4385	18.4385
B (VF Dispersion Constant - mass limit)	18.4385	18.4385
City (PEF Climate Zone) Selection	Default	Default
City (VF Climate Zone) Selection	Default	Default
C (PEF Dispersion Constant)	216.108	216.108
C (VF Dispersion Constant)	209.7845	209.7845
C (VF Dispersion Constant - mass limit)	209.7845	209.7845
foc (fraction organic carbon in soil) g/g	0.006	0.006
F(x) (function dependent on U_{out}/U_{in}) unitless	0.194	0.194
n (total soil porosity) L_{pore}/L_{total}	0.43396	0.43396
ρ_b (dry soil bulk density) g/cm ³	1.5	1.5
ρ_b (dry soil bulk density - mass limit) g/cm ³	1.5	1.5
PEF (particulate emission factor) m ³ /kg	1359344438	1359344438
ρ_c (soil particle density) g/cm ³	2.65	2.65
Q/C_{wind} (g/m ² -s per kg/m ³)	93.77	93.77
Q/C_{soil} (g/m ² -s per kg/m ³)	68.18	68.18
Q/C_{soil} (g/m ² -s per kg/m ³ - mass limit)	68.18	68.18
A_e (PEF acres)	0.5	0.5
A_e (VF acres)	0.5	0.5
A_e (VF mass-limit acres)	0.5	0.5
AF_{out} (skin adherence factor - outdoor worker) mg/cm ²	0.12	0.12
AT_{out} (averaging time - outdoor worker)	365	365
BW_{out} (body weight - outdoor worker)	80	80
ED_{out} (exposure duration - outdoor worker) yr	25	25
EF_{out} (exposure frequency - outdoor worker) day/yr	225	225
ET_{out} (exposure time - outdoor worker) hr	8	8

Site-specific Risk

Outdoor Worker Soil Inputs

Variable	Outdoor Worker Soil Default Value	Site-Specific Value
IRS _{out} (soil ingestion rate - outdoor worker) mg/day	100	100
LT (lifetime) yr	70	70
SA _{out} (surface area - outdoor worker) cm ² /day	3527	3527
T _w (groundwater temperature) Celsius	25	25
Theta _a (air-filled soil porosity) L _{air} /L _{soil}	0.28396	0.28396
Theta _w (water-filled soil porosity) L _{water} /L _{soil}	0.15	0.15
T (exposure interval) s	819936000	819936000
T (exposure interval) yr	26	26
U _m (mean annual wind speed) m/s	4.69	4.69
U _i (equivalent threshold value)	11.32	11.32
V (fraction of vegetative cover) unitless	0.5	0.5

Site-specific Risk Outdoor Worker for Soil

Chemical	CAS Number	Mutagen?	VOC?	RfD (mg/kg-day)	RfD Ref	RfC (mg/m ³)	RfC Ref	SF _o (mg/kg-day) ⁻¹	SF _o Ref	IUR (ug/m ³) ⁻¹	IUR Ref	ABS _{ci}	ABS _{dem}
Benzo[a]pyrene	50-32-8	Yes	No	3.00E-04	IRIS Current	2.00E-06	IRIS Current	1.00E+00	IRIS Current	6.00E-04	IRIS Current	1	0.13
Cobalt	7440-48-4	No	No	3.00E-04	PPRTV Current	6.00E-06	PPRTV Current	-		9.00E-03	PPRTV Current	1	-
Thallium (Soluble Salts)	7440-28-0	No	No	1.00E-05	SCREEN Current	-		-		-		1	-
<i>*Total Risk/HI</i>				-		-		-		-		-	-

Site-specific Risk Outdoor Worker for Soil

Volatilization Factor Unlimited Reservoir (m ³ /kg)	Volatilization Factor Mass Limit (m ³ /kg)	Volatilization Factor Selected (m ³ /kg)	DA	Particulate Emission Factor (m ³ /kg)	Soil Saturation Concentration (mg/kg)	HLC (atm-m ³ /mole)	Henry's Law Constant (unitless)	H` and HLC Ref	Henry's Law Constant Used in Calcs (unitless)	Normal Boiling Point BP (K)
-	-	-	-	1.36E+09	-	4.57E-07	1.87E-05	PHYSPROP	1.87E-05	7.68E+02
-	-	-	-	1.36E+09	-	-	-		-	3.20E+03
-	-	-	-	1.36E+09	-	-	-		-	1.73E+03
-	-	-	-	-	-	-	-		-	-

Site-specific Risk Outdoor Worker for Soil

BP Ref	Critical Temperature $T_c \backslash$ (K)	$T_c \backslash$ Ref	$D_{ia} \backslash$ (cm ² /s)	$D_{iw} \backslash$ (cm ² /s)	Soil Concentration (mg/kg)	Ingestion Noncarcinogenic CDI (mg/kg-day)	Dermal Noncarcinogenic CDI (mg/kg-day)	Inhalation Noncarcinogenic CDI (mg/m ³)	Ingestion Carcinogenic CDI (mg/kg-day)
PHYSROP	9.69E+02	EPA 2001 Fact Sheet	2.55E-02	6.58E-06	0.59	4.55E-07	2.50E-07	8.92E-11	1.62E-07
CRC	7.40E+03	YAWS	-	-	37.49	2.89E-05	-	5.67E-09	1.03E-05
PHYSROP	4.65E+03	YAWS	-	-	0.17	1.31E-07	-	2.57E-11	4.68E-08
	-		-	-	-	-	-	-	-

Site-specific Risk

Outdoor Worker for Soil

Dermal Carcinogenic CDI (mg/kg-day)	Inhalation Carcinogenic CDI (ug/m ³)	Ingestion HQ	Dermal HQ	Inhalation HQ	Total HI	Ingestion Risk	Dermal Risk	Inhalation Risk	Total Risk
8.93E-08	3.19E-08	1.52E-03	8.34E-04	4.46E-05	2.39E-03	1.62E-07	8.93E-08	1.91E-11	2.52E-07
-	2.02E-06	9.63E-02	-	9.45E-04	9.72E-02	-	-	1.82E-08	1.82E-08
-	9.18E-09	1.31E-02	-	-	1.31E-02	-	-	-	-
-	-	1.11E-01	8.34E-04	9.89E-04	1.13E-01	1.62E-07	8.93E-08	1.82E-08	2.70E-07

Site-specific Risk

Excavation Worker Soil Inputs

Variable	Excavation Worker Soil Default Value	Site-Specific Value
A (PEF Dispersion Constant)	16.2302	16.2302
A (VF Dispersion Constant)	11.911	11.911
A (VF Dispersion Constant - mass limit)	11.911	11.911
B (PEF Dispersion Constant)	18.7762	18.7762
B (VF Dispersion Constant)	18.4385	18.4385
B (VF Dispersion Constant - mass limit)	18.4385	18.4385
City (PEF Climate Zone) Selection	Default	Default
City (VF Climate Zone) Selection	Default	Default
C (PEF Dispersion Constant)	216.108	216.108
C (VF Dispersion Constant)	209.7845	209.7845
C (VF Dispersion Constant - mass limit)	209.7845	209.7845
foc (fraction organic carbon in soil) g/g	0.006	0.006
F(x) (function dependent on U_{crit}/U) unitless	0.194	0.194
n (total soil porosity) L_{void}/L_{total}	0.43396	0.43396
ρ_h (dry soil bulk density) g/cm ³	1.5	1.5
ρ_h (dry soil bulk density - mass limit) g/cm ³	1.5	1.5
PEF (particulate emission factor) m ³ /kg	1359344438	1359344438
ρ_p (soil particle density) g/cm ³	2.65	2.65
Q/C_{wind} (g/m ² -s per kg/m ³)	93.77	93.77
Q/C_{soil} (g/m ² -s per kg/m ³)	68.18	68.18
Q/C_{soil} (g/m ² -s per kg/m ³ - mass limit)	68.18	68.18
A_e (PEF acres)	0.5	0.5
A_e (VF acres)	0.5	0.5
A_e (VF mass-limit acres)	0.5	0.5
AF_{skin} (skin adherence factor - excavation worker) mg/cm ²	0.3	0.3
AT_{skin} (averaging time - excavation worker)	365	365
BW_{skin} (body weight - excavation worker) kg	80	80
ED_{skin} (exposure duration - excavation worker) yr	1	1
EF_{skin} (exposure frequency - excavation worker) day/yr	20	20
ET_{ew} (exposure time - excavation worker) hr	8	8

Site-specific Risk

Excavation Worker Soil Inputs

Variable	Excavation Worker Soil Default Value	Site-Specific Value
IR _{sw} (soil ingestion rate - excavation worker) mg/day	330	330
LT (lifetime) yr	70	70
SA _{sw} (surface area - excavation worker) cm ² /day	3527	3527
T _w (groundwater temperature) Celsius	25	25
Theta _a (air-filled soil porosity) L _{air} /L _{cnil}	0.28396	0.28396
Theta _w (water-filled soil porosity) L _{water} /L _{cnil}	0.15	0.15
T (exposure interval) s	819936000	819936000
T (exposure interval) yr	26	26
U _m (mean annual wind speed) m/s	4.69	4.69
U _i (equivalent threshold value)	11.32	11.32
V (fraction of vegetative cover) unitless	0.5	0.5

Site-specific Risk Excavation Worker for Soil

Chemical	CAS Number	Mutagen?	VOC?	RfD (mg/kg-day)	RfD Ref	RfC (mg/m ³)	RfC Ref	SF _o (mg/kg-day) ⁻¹	SF _o Ref	IUR (ug/m ³) ⁻¹	IUR Ref	ABS _{ci}	ABS _{dem}
Benzo[a]pyrene	50-32-8	Yes	No	3.00E-04	IRIS Current	2.00E-06	IRIS Current	1.00E+00	IRIS Current	6.00E-04	IRIS Current	1	0.13
Cobalt	7440-48-4	No	No	3.00E-03	PPRTV Current	2.00E-05	PPRTV Current	-		9.00E-03	PPRTV Current	1	-
Thallium (Soluble Salts)	7440-28-0	No	No	4.00E-05	SCREEN Current	-		-		-		1	-
<i>*Total Risk/HI</i>				-		-		-		-		-	-

Site-specific Risk Excavation Worker for Soil

Volatilization Factor Unlimited Reservoir (m ³ /kg)	Volatilization Factor Mass Limit (m ³ /kg)	Volatilization Factor Selected (m ³ /kg)	DA	Particulate Emission Factor (m ³ /kg)	Soil Saturation Concentration (mg/kg)	HLC (atm-m ³ /mole)	Henry's Law Constant (unitless)	H` and HLC Ref	Henry's Law Constant Used in Calcs (unitless)	Normal Boiling Point BP (K)
-	-	-	-	1.36E+09	-	4.57E-07	1.87E-05	PHYSPROP	1.87E-05	7.68E+02
-	-	-	-	1.36E+09	-	-	-		-	3.20E+03
-	-	-	-	1.36E+09	-	-	-		-	1.73E+03
-	-	-	-	-	-	-	-		-	-

Site-specific Risk Excavation Worker for Soil

BP Ref	Critical Temperature $T_c \backslash$ (K)	$T_c \backslash$ Ref	$D_{ia} \backslash$ (cm ² /s)	$D_{iw} \backslash$ (cm ² /s)	Soil Concentration (mg/kg)	Ingestion Noncarcinogenic CDI (mg/kg-day)	Dermal Noncarcinogenic CDI (mg/kg-day)	Inhalation Noncarcinogenic CDI (mg/m ³)	Ingestion Carcinogenic CDI (mg/kg-day)
PHYSROP	9.69E+02	EPA 2001 Fact Sheet	2.55E-02	6.58E-06	0.59	1.33E-07	5.56E-08	7.93E-12	1.91E-09
CRC	7.40E+03	YAWS	-	-	37.49	8.47E-06	-	5.04E-10	1.21E-07
PHYSROP	4.65E+03	YAWS	-	-	0.17	3.84E-08	-	2.28E-12	5.49E-10
	-		-	-	-	-	-	-	-

Site-specific Risk Excavation Worker for Soil

Dermal Carcinogenic CDI (mg/kg-day)	Inhalation Carcinogenic CDI (ug/m ³)	Ingestion HQ	Dermal HQ	Inhalation HQ	Total HI	Ingestion Risk	Dermal Risk	Inhalation Risk	Total Risk
7.94E-10	1.13E-10	4.45E-04	1.85E-04	3.96E-06	6.34E-04	1.91E-09	7.94E-10	6.80E-14	2.70E-09
-	7.20E-09	2.82E-03	-	2.52E-05	2.85E-03	-	-	6.48E-11	6.48E-11
-	3.26E-11	9.61E-04	-	-	9.61E-04	-	-	-	-
-	-	4.23E-03	1.85E-04	2.92E-05	4.44E-03	1.91E-09	7.94E-10	6.48E-11	2.76E-09

Site-specific Risk

Recreator Soil/Sediment Inputs

Variable	Recreator Soil/Sediment Default Value	Site-Specific Value
A (PEF Dispersion Constant)	16.2302	16.2302
A (VF Dispersion Constant)	11.911	11.911
A (VF Dispersion Constant - mass limit)	11.911	11.911
B (PEF Dispersion Constant)	18.7762	18.7762
B (VF Dispersion Constant)	18.4385	18.4385
B (VF Dispersion Constant - mass limit)	18.4385	18.4385
City (PEF Climate Zone) Selection	Default	Default
City (VF Climate Zone) Selection	Default	Default
C (PEF Dispersion Constant)	216.108	216.108
C (VF Dispersion Constant)	209.7845	209.7845
C (VF Dispersion Constant - mass limit)	209.7845	209.7845
foc (fraction organic carbon in soil) g/g	0.006	0.006
F(x) (function dependent on U_{crit}/U) unitless	0.194	0.194
n (total soil porosity) L_{pore}/L_{crit}	0.43396	0.43396
ρ_n (dry soil bulk density) g/cm ³	1.5	1.5
ρ_n (dry soil bulk density - mass limit) g/cm ³	1.5	1.5
PEF (particulate emission factor) m ³ /kg	1359344438	1359344438
ρ_c (soil particle density) g/cm ³	2.65	2.65
Q/C_{wind} (g/m ² -s per kg/m ³)	93.77	93.77
Q/C_{vint} (g/m ² -s per kg/m ³)	68.18	68.18
Q/C_{vint} (g/m ² -s per kg/m ³ - mass limit)	68.18	68.18
A_e (PEF acres)	0.5	0.5
A_e (VF acres)	0.5	0.5
A_e (VF mass-limit acres)	0.5	0.5
$AF_{n,s}$ (skin adherence factor) mg/cm ²	0.2	0.2
$AF_{r,s}$ (skin adherence factor) mg/cm ²	0.2	0.2
AF_{r-16} (skin adherence factor) mg/cm ²	0.07	0.07
AF_{16-30} (skin adherence factor) mg/cm ²	0.07	0.07
AF_{rec-a} (skin adherence factor - adult) mg/cm ²	0.07	0.07
AF_{rec-c} (skin adherence factor - child) mg/cm ²	0.2	0.2
AT_{rec} (averaging time)	365	365

Site-specific Risk

Recreator Soil/Sediment Inputs

Variable	Recreator Soil/Sediment Default Value	Site-Specific Value
BW _{n,2} (body weight) kg	15	15
BW _{2,6} (body weight) kg	15	15
BW _{6,16} (body weight) kg	80	80
BW _{16,20} (body weight) kg	80	80
BW _{rec,a} (body weight - adult) kg	80	80
BW _{rec,c} (body weight - child) kg	15	15
DFS _{rec,adj} (age-adjusted soil dermal factor) mg/kg	22155	22155
DFSM _{rec,adj} (mutagenic age-adjusted soil dermal factor) mg/kg	91770	91770
ED _{rec} (exposure duration - recreator) years	26	26
ED _{n,2} (exposure duration) year	2	2
ED _{2,6} (exposure duration) year	4	4
ED _{6,16} (exposure duration) year	10	10
ED _{16,20} (exposure duration) year	10	10
ED _{rec,c} (exposure duration - child) years	6	6
EF _{rec} (exposure frequency) days/year	75	75
EF _{n,2} (exposure frequency) days/year	75	75
EF _{2,6} (exposure frequency) days/year	75	75
EF _{6,16} (exposure frequency) days/year	75	75
EF _{16,20} (exposure frequency) days/year	75	75
EF _{rec,a} (exposure frequency - adult) days/year	75	75
EF _{rec,c} (exposure frequency - child) days/year	75	75
ET _{rec} (exposure time - recreator) hours/day	1	1
ET _{n,2} (exposure time) hours/day	1	1
ET _{2,6} (exposure time) hours/day	1	1
ET _{6,16} (exposure time) hours/day	1	1
ET _{16,20} (exposure time) hours/day	1	1
ET _{rec,a} (adult exposure time) hours/day	1	1
ET _{rec,c} (child exposure time) hours/day	1	1
IFS _{rec,adj} (age-adjusted soil ingestion factor) mg/kg	7875	7875
IFSM _{rec,adj} (mutagenic age-adjusted soil ingestion factor) mg/kg	35750	35750
IRS ₀₋₂ (soil intake rate) mg/day	200	200

Site-specific Risk

Recreator Soil/Sediment Inputs

Variable	Recreator Soil/Sediment Default Value	Site-Specific Value
IRS _{γ,c} (soil intake rate) mg/day	200	200
IRS _{α,1c} (soil intake rate) mg/day	100	100
IRS _{1c,2n} (soil intake rate) mg/day	100	100
IRS _{rec,a} (soil intake rate - adult) mg/day	100	100
IRS _{rec,c} (soil intake rate - child) mg/day	200	200
LT (lifetime - recreator) years	70	70
SA _{n,γ} (skin surface area) cm ² /day	2373	2373
SA _{γ,c} (skin surface area) cm ² /day	2373	2373
SA _{α,1c} (skin surface area) cm ² /day	6032	6032
SA _{1c,2n} (skin surface area) cm ² /day	6032	6032
SA _{rec,a} (skin surface area - adult) cm ² /day	6032	6032
SA _{rec,c} (skin surface area - child) cm ² /day	2373	2373
T _w (groundwater temperature) Celsius	25	25
Theta _a (air-filled soil porosity) L _{air} /L _{cnil}	0.28396	0.28396
Theta _w (water-filled soil porosity) L _{water} /L _{cnil}	0.15	0.15
T (exposure interval) s	819936000	819936000
T (exposure interval) yr	26	26
U _m (mean annual wind speed) m/s	4.69	4.69
U _i (equivalent threshold value)	11.32	11.32
V (fraction of vegetative cover) unitless	0.5	0.5

Site-specific Risk Recreator for Soil/Sediment

Chemical	CAS Number	Mutagen?	VOC?	RfD (mg/kg-day)	RfD Ref	RfC (mg/m ³)	RfC Ref	SF _o (mg/kg-day) ⁻¹	SF _o Ref	IUR (ug/m ³) ⁻¹	IUR Ref	ABS _{ci}	ABS _{dem}
Benzo[a]pyrene	50-32-8	Yes	No	3.00E-04	IRIS Current	2.00E-06	IRIS Current	1.00E+00	IRIS Current	6.00E-04	IRIS Current	1	0.13
Cobalt	7440-48-4	No	No	3.00E-04	PPRTV Current	6.00E-06	PPRTV Current	-		9.00E-03	PPRTV Current	1	-
Thallium (Soluble Salts)	7440-28-0	No	No	1.00E-05	SCREEN Current	-		-		-		1	-
<i>*Total Risk/HI</i>				-		-		-		-		-	-

Site-specific Risk Recreator for Soil/Sediment

Volatilization Factor Unlimited Reservoir (m ³ /kg)	Volatilization Factor Mass Limit (m ³ /kg)	Volatilization Factor Selected (m ³ /kg)	DA	Particulate Emission Factor (m ³ /kg)	Soil Saturation Concentration (mg/kg)	RBA	HLC (atm-m ³ /mole)	Henry's Law Constant (unitless)	H ⁺ and HLC Ref	Henry's Law Constant Used in Calcs (unitless)	Normal Boiling Point BP (K)	BP Ref
-	-	-	-	1.36E+09	-	1	4.57E-07	1.87E-05	PHYSPROP	1.87E-05	7.68E+02	PHYSPROP
-	-	-	-	1.36E+09	-	1	-	-		-	3.20E+03	CRC
-	-	-	-	1.36E+09	-	1	-	-		-	1.73E+03	PHYSPROP
-	-	-	-	-	-	-	-	-		-	-	

Site-specific Risk Recreator for Soil/Sediment

Critical Temperature $T_c \backslash$ (K)	$T_c \backslash$ Ref	$D_{ia} \backslash$ (cm ² /s)	$D_{iw} \backslash$ (cm ² /s)	Soil Concentration (mg/kg)	Child Ingestion Noncarcinogenic CDI (mg/kg-day)	Child Dermal Noncarcinogenic CDI (mg/kg-day)	Child Inhalation Noncarcinogenic CDI (mg/m ³)	Adult Ingestion Noncarcinogenic CDI (mg/kg-day)	Adult Dermal Noncarcinogenic CDI (mg/kg-day)
9.69E+02	EPA 2001 Fact Sheet	2.55E-02	6.58E-06	0.59	1.62E-06	4.99E-07	3.72E-12	1.52E-07	8.32E-08
7.40E+03	YAWS	-	-	37.49	1.03E-04	-	2.36E-10	9.63E-06	-
4.65E+03	YAWS	-	-	0.17	4.66E-07	-	1.07E-12	4.37E-08	-
-		-	-	-	-	-	-	-	-

Site-specific Risk Recreator for Soil/Sediment

Adult Inhalation Noncarcinogenic CDI (mg/m ³)	Adjusted Ingestion Noncarcinogenic CDI (mg/kg-day)	Adjusted Dermal Noncarcinogenic CDI (mg/kg-day)	Adjusted Inhalation Noncarcinogenic CDI (mg/m ³)	Ingestion Carcinogenic CDI (mg/kg-day)	Dermal Carcinogenic CDI (mg/kg-day)	Inhalation Carcinogenic CDI (ug/m ³)	Child Ingestion HQ	Child Dermal HQ	Child Inhalation HQ
3.72E-12	4.90E-07	1.79E-07	3.72E-12	8.26E-07	2.75E-07	3.82E-09	5.39E-03	1.66E-03	1.86E-06
2.36E-10	3.11E-05	-	2.36E-10	1.16E-05	-	8.77E-08	3.42E-01	-	3.94E-05
1.07E-12	1.41E-07	-	1.07E-12	5.24E-08	-	3.98E-10	4.66E-02	-	-
-	-	-	-	-	-	-	3.94E-01	1.66E-03	4.12E-05

Site-specific Risk Recreator for Soil/Sediment

Child Total HI	Adult Ingestion HQ	Adult Dermal HQ	Adult Inhalation HQ	Adult Total HI	Adjusted Ingestion HQ	Adjusted Dermal HQ	Adjusted Inhalation HQ	Adjusted Total HI	Ingestion Risk	Dermal Risk	Inhalation Risk	Total Risk
7.05E-03	5.05E-04	2.77E-04	1.86E-06	7.84E-04	1.63E-03	5.97E-04	1.86E-06	2.23E-03	8.26E-07	2.75E-07	2.29E-12	1.10E-06
3.42E-01	3.21E-02	-	3.94E-05	3.21E-02	1.04E-01	-	3.94E-05	1.04E-01	-	-	7.89E-10	7.89E-10
4.66E-02	4.37E-03	-	-	4.37E-03	1.41E-02	-	-	1.41E-02	-	-	-	-
3.96E-01	3.70E-02	2.77E-04	4.12E-05	3.73E-02	1.19E-01	5.97E-04	4.12E-05	1.20E-01	8.26E-07	2.75E-07	7.92E-10	1.10E-06

Site-specific Risk

Trespasser Soil/Sediment Inputs

Variable	Trespasser Soil/Sediment Default Value	Site-Specific Value
A (PEF Dispersion Constant)	16.2302	16.2302
A (VF Dispersion Constant)	11.911	11.911
A (VF Dispersion Constant - mass limit)	11.911	11.911
B (PEF Dispersion Constant)	18.7762	18.7762
B (VF Dispersion Constant)	18.4385	18.4385
B (VF Dispersion Constant - mass limit)	18.4385	18.4385
City (PEF Climate Zone) Selection	Default	Default
City (VF Climate Zone) Selection	Default	Default
C (PEF Dispersion Constant)	216.108	216.108
C (VF Dispersion Constant)	209.7845	209.7845
C (VF Dispersion Constant - mass limit)	209.7845	209.7845
foc (fraction organic carbon in soil) g/g	0.006	0.006
F(x) (function dependent on U_{crit}/U) unitless	0.194	0.194
n (total soil porosity) L_{pore}/L_{crit}	0.43396	0.43396
ρ_n (dry soil bulk density) g/cm ³	1.5	1.5
ρ_n (dry soil bulk density - mass limit) g/cm ³	1.5	1.5
PEF (particulate emission factor) m ³ /kg	1359344438	1359344438
ρ_c (soil particle density) g/cm ³	2.65	2.65
Q/C_{wind} (g/m ² -s per kg/m ³)	93.77	93.77
Q/C_{vint} (g/m ² -s per kg/m ³)	68.18	68.18
Q/C_{vint} (g/m ² -s per kg/m ³ - mass limit)	68.18	68.18
A_e (PEF acres)	0.5	0.5
A_e (VF acres)	0.5	0.5
A_e (VF mass-limit acres)	0.5	0.5
$AF_{n,s}$ (skin adherence factor) mg/cm ²	0	0
$AF_{r,s}$ (skin adherence factor) mg/cm ²	0	0
AF_{r-16} (skin adherence factor) mg/cm ²	0.07	0.07
AF_{16-20} (skin adherence factor) mg/cm ²	0	0
AF_{rec-a} (skin adherence factor - adult) mg/cm ²	0.07	0.07
AF_{rec-c} (skin adherence factor - child) mg/cm ²	0	0
AT_{rec} (averaging time)	365	365

Site-specific Risk

Trespasser Soil/Sediment Inputs

Variable	Trespasser Soil/Sediment Default Value	Site-Specific Value
BW _{n,2} (body weight) kg	0	0
BW _{2,6} (body weight) kg	0	0
BW _{6,16} (body weight) kg	80	80
BW _{16,20} (body weight) kg	0	0
BW _{rec,a} (body weight - adult) kg	80	80
BW _{rec,c} (body weight - child) kg	0	0
DFS _{rec,adj} (age-adjusted soil dermal factor) mg/kg	3061.24	3061.24
DFSM _{rec,adj} (mutagenic age-adjusted soil dermal factor) mg/kg	9183.72	9183.72
ED _{rec} (exposure duration - recreator) years	10	10
ED _{n,2} (exposure duration) year	0	0
ED _{2,6} (exposure duration) year	0	0
ED _{6,16} (exposure duration) year	10	10
ED _{16,20} (exposure duration) year	0	0
ED _{rec,c} (exposure duration - child) years	0	0
EF _{rec} (exposure frequency) days/year	58	58
EF _{n,2} (exposure frequency) days/year	0	0
EF _{2,6} (exposure frequency) days/year	0	0
EF _{6,16} (exposure frequency) days/year	58	58
EF _{16,20} (exposure frequency) days/year	0	0
EF _{rec,a} (exposure frequency - adult) days/year	58	58
EF _{rec,c} (exposure frequency - child) days/year	0	0
ET _{rec} (exposure time - recreator) hours/day	3.9	3.9
ET _{n,2} (exposure time) hours/day	0	0
ET _{2,6} (exposure time) hours/day	0	0
ET _{6,16} (exposure time) hours/day	3.9	3.9
ET _{16,20} (exposure time) hours/day	0	0
ET _{rec,a} (adult exposure time) hours/day	3.9	3.9
ET _{rec,c} (child exposure time) hours/day	0	0
IFS _{rec,adj} (age-adjusted soil ingestion factor) mg/kg	725	725
IFSM _{rec,adj} (mutagenic age-adjusted soil ingestion factor) mg/kg	2175	2175
IRS ₀₋₂ (soil intake rate) mg/day	0	0

Site-specific Risk

Trespasser Soil/Sediment Inputs

Variable	Trespasser Soil/Sediment Default Value	Site-Specific Value
IRS _{γ,c} (soil intake rate) mg/day	0	0
IRS _{κ,1κ} (soil intake rate) mg/day	100	100
IRS _{1κ,2η} (soil intake rate) mg/day	0	0
IRS _{rec,α} (soil intake rate - adult) mg/day	100	100
IRS _{rec,ρ} (soil intake rate - child) mg/day	0	0
LT (lifetime - recreator) years	70	70
SA _{η,γ} (skin surface area) cm ² /day	0	0
SA _{γ,c} (skin surface area) cm ² /day	0	0
SA _{κ,1κ} (skin surface area) cm ² /day	6032	6032
SA _{1κ,2η} (skin surface area) cm ² /day	0	0
SA _{rec,α} (skin surface area - adult) cm ² /day	6032	6032
SA _{rec,ρ} (skin surface area - child) cm ² /day	0	0
T _w (groundwater temperature) Celsius	25	25
Theta _a (air-filled soil porosity) L _{air} /L _{cnil}	0.28396	0.28396
Theta _w (water-filled soil porosity) L _{water} /L _{cnil}	0.15	0.15
T (exposure interval) s	819936000	819936000
T (exposure interval) yr	26	26
U _m (mean annual wind speed) m/s	4.69	4.69
U _i (equivalent threshold value)	11.32	11.32
V (fraction of vegetative cover) unitless	0.5	0.5

Site-specific Risk Trespasser for Soil/Sediment

Chemical	CAS Number	Mutagen?	VOC?	RfD (mg/kg-day)	RfD Ref	RfC (mg/m ³)	RfC Ref	SF _o (mg/kg-day) ⁻¹	SF _o Ref	IUR (ug/m ³) ⁻¹	IUR Ref	ABS _{ci}	ABS _{dem}
Benzo[a]pyrene	50-32-8	Yes	No	3.00E-04	IRIS Current	2.00E-06	IRIS Current	1.00E+00	IRIS Current	6.00E-04	IRIS Current	1	0.13
Cobalt	7440-48-4	No	No	3.00E-04	PPRTV Current	6.00E-06	PPRTV Current	-		9.00E-03	PPRTV Current	1	-
Thallium (Soluble Salts)	7440-28-0	No	No	1.00E-05	SCREEN Current	-		-		-		1	-
<i>*Total Risk/HI</i>				-		-		-		-		-	-

Site-specific Risk Trespasser for Soil/Sediment

Volatilization Factor Unlimited Reservoir (m ³ /kg)	Volatilization Factor Mass Limit (m ³ /kg)	Volatilization Factor Selected (m ³ /kg)	DA	Particulate Emission Factor (m ³ /kg)	Soil Saturation Concentration (mg/kg)	RBA	HLC (atm-m ³ /mole)	Henry's Law Constant (unitless)	H ⁺ and HLC Ref	Henry's Law Constant Used in Calcs (unitless)	Normal Boiling Point BP (K)	BP Ref
-	-	-	-	1.36E+09	-	1	4.57E-07	1.87E-05	PHYSPROP	1.87E-05	7.68E+02	PHYSPROP
-	-	-	-	1.36E+09	-	1	-	-		-	3.20E+03	CRC
-	-	-	-	1.36E+09	-	1	-	-		-	1.73E+03	PHYSPROP
-	-	-	-	-	-	-	-	-		-	-	

Site-specific Risk Trespasser for Soil/Sediment

Critical Temperature $T_c \backslash$ (K)	$T_c \backslash$ Ref	$D_{ia} \backslash$ (cm ² /s)	$D_{iw} \backslash$ (cm ² /s)	Soil Concentration (mg/kg)	Child Ingestion Noncarcinogenic CDI (mg/kg-day)	Child Dermal Noncarcinogenic CDI (mg/kg-day)	Child Inhalation Noncarcinogenic CDI (mg/m ³)	Adult Ingestion Noncarcinogenic CDI (mg/kg-day)	Adult Dermal Noncarcinogenic CDI (mg/kg-day)
9.69E+02	EPA 2001 Fact Sheet	2.55E-02	6.58E-06	0.6	-	-	-	1.19E-07	6.54E-08
7.40E+03	YAWS	-	-	37.49	-	-	-	7.45E-06	-
4.65E+03	YAWS	-	-	0.17	-	-	-	3.38E-08	-
-		-	-	-	-	-	-	-	-

Site-specific Risk Trespasser for Soil/Sediment

Adult Inhalation Noncarcinogenic CDI (mg/m ³)	Adjusted Ingestion Noncarcinogenic CDI (mg/kg-day)	Adjusted Dermal Noncarcinogenic CDI (mg/kg-day)	Adjusted Inhalation Noncarcinogenic CDI (mg/m ³)	Ingestion Carcinogenic CDI (mg/kg-day)	Dermal Carcinogenic CDI (mg/kg-day)	Inhalation Carcinogenic CDI (ug/m ³)	Child Ingestion HQ	Child Dermal HQ	Child Inhalation HQ
1.14E-11	1.19E-07	6.54E-08	1.14E-11	5.11E-08	2.80E-08	4.88E-09	-	-	-
7.12E-10	7.45E-06	-	7.12E-10	1.06E-06	-	1.02E-07	-	-	-
3.23E-12	3.38E-08	-	3.23E-12	4.82E-09	-	4.61E-10	-	-	-
-	-	-	-	-	-	-	-	-	-

Site-specific Risk Trespasser for Soil/Sediment

Child Total HI	Adult Ingestion HQ	Adult Dermal HQ	Adult Inhalation HQ	Adult Total HI	Adjusted Ingestion HQ	Adjusted Dermal HQ	Adjusted Inhalation HQ	Adjusted Total HI	Ingestion Risk	Dermal Risk	Inhalation Risk	Total Risk
-	3.97E-04	2.18E-04	5.70E-06	6.21E-04	3.97E-04	2.18E-04	5.70E-06	6.21E-04	5.11E-08	2.80E-08	2.93E-12	7.91E-08
-	2.48E-02	-	1.19E-04	2.49E-02	2.48E-02	-	1.19E-04	2.49E-02	-	-	9.16E-10	9.16E-10
-	3.38E-03	-	-	3.38E-03	3.38E-03	-	-	3.38E-03	-	-	-	-
-	2.86E-02	2.18E-04	1.24E-04	2.89E-02	2.86E-02	2.18E-04	1.24E-04	2.89E-02	5.11E-08	2.80E-08	9.19E-10	8.00E-08

Site-specific Risk Resident Soil Inputs

Variable	Resident Soil Default Value	Site-Specific Value
A (PEF Dispersion Constant)	16.2302	16.2302
A (VF Dispersion Constant)	11.911	11.911
A (VF Dispersion Constant - mass limit)	11.911	11.911
B (PEF Dispersion Constant)	18.7762	18.7762
B (VF Dispersion Constant)	18.4385	18.4385
B (VF Dispersion Constant - mass limit)	18.4385	18.4385
City (PEF Climate Zone) Selection	Default	Default
City (VF Climate Zone) Selection	Default	Default
C (PEF Dispersion Constant)	216.108	216.108
C (VF Dispersion Constant)	209.7845	209.7845
C (VF Dispersion Constant - mass limit)	209.7845	209.7845
foc (fraction organic carbon in soil) g/g	0.006	0.006
F(x) (function dependent on U_m/U_c) unitless	0.194	0.194
n (total soil porosity) L_{pore}/L_{crit}	0.43396	0.43396
ρ_n (dry soil bulk density) g/cm ³	1.5	1.5
ρ_n (dry soil bulk density - mass limit) g/cm ³	1.5	1.5
PEF (particulate emission factor) m ³ /kg	1359344438	1359344438
ρ_c (soil particle density) g/cm ³	2.65	2.65
Q/C_{wind} (g/m ² -s per kg/m ³)	93.77	93.77
Q/C_{vnl} (g/m ² -s per kg/m ³)	68.18	68.18
Q/C_{vnl} (g/m ² -s per kg/m ³ - mass limit)	68.18	68.18
A_c (PEF acres)	0.5	0.5
A_c (VF acres)	0.5	0.5
A_c (VF mass-limit acres)	0.5	0.5
$AF_{n,s}$ (mutagenic skin adherence factor) mg/cm ²	0.2	0.2
$AF_{r,s}$ (mutagenic skin adherence factor) mg/cm ²	0.2	0.2
AF_{r-1R} (mutagenic skin adherence factor) mg/cm ²	0.07	0.07
AF_{1R-7R} (mutagenic skin adherence factor) mg/cm ²	0.07	0.07
$AF_{res,a}$ (skin adherence factor - adult) mg/cm ²	0.07	0.07
$AF_{res,c}$ (skin adherence factor - child) mg/cm ²	0.2	0.2
AT_{res} (averaging time - resident carcinogenic)	365	365

Site-specific Risk Resident Soil Inputs

Variable	Resident Soil Default Value	Site-Specific Value
BW _{n,2} (mutagenic body weight) kg	15	15
BW _{2,6} (mutagenic body weight) kg	15	15
BW _{6,16} (mutagenic body weight) kg	80	80
BW _{16,26} (mutagenic body weight) kg	80	80
BW _{res-a} (body weight - adult) kg	80	80
BW _{res-c} (body weight - child) kg	15	15
DFS _{res-adj} (age-adjusted soil dermal factor) mg/kg	103390	10130.4
DFSM _{res-adj} (mutagenic age-adjusted soil dermal factor) mg/kg	428260	32916.8
ED _{res} (exposure duration) years	26	26
ED _{n,2} (mutagenic exposure duration) years	2	2
ED _{2,6} (mutagenic exposure duration) years	4	4
ED _{6,16} (mutagenic exposure duration) years	10	10
ED _{16,26} (mutagenic exposure duration) years	10	10
ED _{res-a} (exposure duration - adult) years	20	20
ED _{res-c} (exposure duration - child) years	6	6
EF _{res} (exposure frequency) days/year	350	50.769
EF _{n,2} (mutagenic exposure frequency) days/year	350	20
EF _{2,6} (mutagenic exposure frequency) days/year	350	20
EF _{6,16} (mutagenic exposure frequency) days/year	350	60
EF _{16,26} (mutagenic exposure frequency) days/year	350	60
EF _{res-a} (exposure frequency - adult) days/year	350	60
EF _{res-c} (exposure frequency - child) days/year	350	20
ET _{res} (exposure time) hours/day	24	24
ET _{n,2} (mutagenic exposure time) hours/day	24	24
ET _{2,6} (mutagenic exposure time) hours/day	24	24
ET _{6,16} (mutagenic exposure time) hours/day	24	24
ET _{16,26} (mutagenic exposure time) hours/day	24	24
ET _{res-a} (adult exposure time) hours/day	24	24
ET _{res-c} (child exposure time) hours/day	24	24
IFS _{res-adj} (age-adjusted soil ingestion factor) mg/kg	36750	3100
IFSM _{res-adj} (mutagenic age-adjusted soil ingestion factor) mg/kg	166833.3	11533.333

Site-specific Risk Resident Soil Inputs

Variable	Resident Soil Default Value	Site-Specific Value
IRS _{n,γ} (mutagenic soil intake rate) mg/day	200	200
IRS _{γ,ε} (mutagenic soil intake rate) mg/day	200	200
IRS _{ε,1ε} (mutagenic soil intake rate) mg/day	100	100
IRS _{1ε,γε} (mutagenic soil intake rate) mg/day	100	100
IRS _{res,a} (soil intake rate - adult) mg/day	100	100
IRS _{res,r} (soil intake rate - child) mg/day	200	200
LT (lifetime) years	70	70
SA _{n,γ} (mutagenic skin surface area) cm ² /day	2373	2373
SA _{γ,ε} (mutagenic skin surface area) cm ² /day	2373	2373
SA _{ε,1ε} (mutagenic skin surface area) cm ² /day	6032	6032
SA _{1ε,γε} (mutagenic skin surface area) cm ² /day	6032	6032
SA _{res,a} (skin surface area - adult) cm ² /day	6032	6032
SA _{res,r} (skin surface area - child) cm ² /day	2373	2373
T _w (groundwater temperature) Celsius	25	25
Theta _a (air-filled soil porosity) L _{air} /L _{cnil}	0.28396	0.28396
Theta _w (water-filled soil porosity) L _{water} /L _{cnil}	0.15	0.15
T (exposure interval) s	819936000	819936000
T (exposure interval) yr	26	26
U _m (mean annual wind speed) m/s	4.69	4.69
U _i (equivalent threshold value)	11.32	11.32
V (fraction of vegetative cover) unitless	0.5	0.5

Site-specific Risk Resident for Soil

Chemical	CAS Number	Mutagen?	VOC?	RfD (mg/kg-day)	RfD Ref	RfC (mg/m ³)	RfC Ref	SF _o (mg/kg-day) ⁻¹	SF _o Ref	IUR (ug/m ³) ⁻¹	IUR Ref	ABS _{ci}	ABS _{dem}
Benzo[a]pyrene	50-32-8	Yes	No	3.00E-04	IRIS Current	2.00E-06	IRIS Current	1.00E+00	IRIS Current	6.00E-04	IRIS Current	1	0.13
Cobalt	7440-48-4	No	No	3.00E-04	PPRTV Current	6.00E-06	PPRTV Current	-		9.00E-03	PPRTV Current	1	-
Thallium (Soluble Salts)	7440-28-0	No	No	1.00E-05	SCREEN Current	-		-		-		1	-
<i>*Total Risk/HI</i>				-		-		-		-		-	-

Site-specific Risk Resident for Soil

Volatilization Factor Unlimited Reservoir (m ³ /kg)	Volatilization Factor Mass Limit (m ³ /kg)	Volatilization Factor Selected (m ³ /kg)	DA	Particulate Emission Factor (m ³ /kg)	Soil Saturation Concentration (mg/kg)	RBA	HLC (atm-m ³ /mole)	Henry's Law Constant (unitless)	H ⁺ and HLC Ref	Henry's Law Constant Used in Calcs (unitless)	Normal Boiling Point BP (K)	BP Ref
-	-	-	-	1.36E+09	-	1	4.57E-07	1.87E-05	PHYSPROP	1.87E-05	7.68E+02	PHYSPROP
-	-	-	-	1.36E+09	-	1	-	-		-	3.20E+03	CRC
-	-	-	-	1.36E+09	-	1	-	-		-	1.73E+03	PHYSPROP
-	-	-	-	-	-	-	-	-		-	-	

Site-specific Risk Resident for Soil

Critical Temperature $T_c \backslash$ (K)	$T_c \backslash$ Ref	$D_{ia} \backslash$ (cm ² /s)	$D_{iw} \backslash$ (cm ² /s)	Soil Concentration (mg/kg)	Child Ingestion Noncarcinogenic CDI (mg/kg-day)	Child Dermal Noncarcinogenic CDI (mg/kg-day)	Child Inhalation Noncarcinogenic CDI (mg/m ³)	Adult Ingestion Noncarcinogenic CDI (mg/kg-day)	Adult Dermal Noncarcinogenic CDI (mg/kg-day)
9.69E+02	EPA 2001 Fact Sheet	2.55E-02	6.58E-06	0.6	4.38E-07	1.35E-07	2.42E-11	1.23E-07	6.77E-08
7.40E+03	YAWS	-	-	37.49	2.74E-05	-	1.51E-09	7.70E-06	-
4.65E+03	YAWS	-	-	0.17	1.24E-07	-	6.85E-12	3.49E-08	-
-		-	-	-	-	-	-	-	-

Site-specific Risk Resident for Soil

Adult Inhalation Noncarcinogenic CDI (mg/m ³)	Adjusted Ingestion Noncarcinogenic CDI (mg/kg-day)	Adjusted Dermal Noncarcinogenic CDI (mg/kg-day)	Adjusted Inhalation Noncarcinogenic CDI (mg/m ³)	Ingestion Carcinogenic CDI (mg/kg-day)	Dermal Carcinogenic CDI (mg/kg-day)	Inhalation Carcinogenic CDI (ug/m ³)	Child Ingestion HQ	Child Dermal HQ	Child Inhalation HQ
6.14E-11	1.96E-07	8.33E-08	6.14E-11	2.71E-07	1.00E-07	6.31E-08	1.46E-03	4.51E-04	1.21E-05
3.84E-09	1.22E-05	-	3.84E-09	4.55E-06	-	1.42E-06	9.13E-02	-	2.52E-04
1.74E-11	5.55E-08	-	1.74E-11	2.06E-08	-	6.46E-09	1.24E-02	-	-
-	-	-	-	-	-	-	1.05E-01	4.51E-04	2.64E-04

Site-specific Risk Resident for Soil

Child Total HI	Adult Ingestion HQ	Adult Dermal HQ	Adult Inhalation HQ	Adult Total HI	Adjusted Ingestion HQ	Adjusted Dermal HQ	Adjusted Inhalation HQ	Adjusted Total HI	Ingestion Risk	Dermal Risk	Inhalation Risk	Total Risk
1.92E-03	4.11E-04	2.26E-04	3.07E-05	6.67E-04	6.53E-04	2.78E-04	3.07E-05	9.62E-04	2.71E-07	1.00E-07	3.79E-11	3.71E-07
9.16E-02	2.57E-02	-	6.39E-04	2.63E-02	4.08E-02	-	6.39E-04	4.15E-02	-	-	1.28E-08	1.28E-08
1.24E-02	3.49E-03	-	-	3.49E-03	5.55E-03	-	-	5.55E-03	-	-	-	-
1.06E-01	2.96E-02	2.26E-04	6.70E-04	3.05E-02	4.70E-02	2.78E-04	6.70E-04	4.80E-02	2.71E-07	1.00E-07	1.29E-08	3.84E-07