

Association of Local Government Auditors

June 16, 2016

Earl T. Jeter, CPA City Auditor City of Wilmington 800 N. French Street, 5th Floor Wilmington, Delaware 90802

Dear Mr. Jeter,

We have completed a peer review of the City of Wilmington City Auditor's Office for the period January 1, 2015 through May 31, 2016. In conducting our review, we followed the standards and guidelines contained in the *Peer Review Guide* published by the Association of Local Government Auditors (ALGA).

We reviewed the internal quality control system of your audit organization and conducted tests in order to determine whether your internal quality control system operated to provide reasonable assurance of compliance with *Government Auditing Standards* issued by the Comptroller General of the United States. Our procedures included:

- Reviewing the audit organization's written policies and procedures.
- Reviewing internal monitoring procedures.
- Reviewing a sample of audit engagements and working papers.
- Reviewing documents related to independence, training, and development of auditing staff.
- Interviewing auditing staff and management to assess their understanding of, and compliance with, relevant quality control policies and procedures.

Due to variances in individual performance and judgment, compliance does not imply adherence to standards in every case, but does imply adherence in most situations.

Based on the results of our review, it is our opinion that the City of Wilmington City Auditor's Office internal quality control system was suitably designed and operating effectively to provide reasonable assurance of compliance with *Government Auditing Standards* for audits during the period January 1, 2015 through May 31, 2016.

We have prepared a separate letter offering suggestions to further strengthen your internal quality control system.

Sincerely

Jay Poole, CPA, CIA, CFE, CGMA Robert Wasserbach JD, CPA, CIA Michelle Cleveland, CFECity AuditorCounty AuditorSenior AuditorChesapeake, VANew Castle County, DEJohnson County, KS